



PRICE LIST

FIRE EXTINGUISHING PANELS AND DEVICES

(All prices in INR. Prices do not include applicable taxes)



Ceasefire Industries Pvt. Ltd.

www.ceasefire.in

02-09-2024



CONTENTS

FIRE EXTINGUISHING PANELS AND DEVICES

Intelli-Sense Addressable Control Panels	03
Intelli-Sense Field Devices	07
Wave Sense Field Devices	12
Pro-Sense Conventional Control Panels	16
Pro-Sense Field Devices	17
Rapid Sense Control Panels And Field Devices	22
Spare and Accessories	51



CEASEFIRE X PLUS ADDRESSABLE FIRE ALARM SYSTEMS



The revolutionary Ceasefire X Plus Addressable Fire Alarm Systems are the best in class detection and alarm system to safeguard the fire safety of a large premises.

As the name suggests, these systems are addressable systems i.e. each detector & device is connected on an addressable loop.

Identity of each of the device is stored as a unique address in the panel.

In case of a fire incidence the panel identifies and displays the exact location of the device that gone-off.

This enables the fire fighter to track down the precise point of fire incidence so that there is no delay in fire fighting.

This systems is an ideal fire detection & alarm system for large premises that spread over a vast area.

An intelligent fire alarm system that comes with an easy user interface and flexible configurations to suits varied type of applications.

Price: ₹124800



Code: TI-002317-V

Name/ Description: 1 Loop Fire Alarm Control Panel(CFX-Plus), non-expandable, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard).

Price: ₹150000



Code: TI-002318-V

Name/ Description: 1 Loop Fire Alarm Control Panel(CFX-Plus), expandable upto 2 loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard).

Price: ₹258600



Code: TI-002319-V

Name/ Description: 1 Loop Fire Alarm Control Panel(CFX-Plus), expandable upto 4 loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard).

Price: ₹550500



Code: TI-002320-ST

Name/ Description: 2 Loop Fire Alarm Control Panel(CFX-Plus), expandable upto 8 loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard) Note: Network Card In-Built in the panel.

Price: ₹630900



Code: TI-002320-FT

Name/ Description: 2 Loop Fire Alarm Control Panel (CFX-Plus), fault-tolerant network, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Fault Tolerant) Note: Network Card In-Built in the panel.

Price: ₹120300



Code: TI-002321-ST

Name/ Description: Active Repeater Panel - Remote Control Panel (CFX-Plus) with white backlit (240x64) LCD display, with standard network card, Approval: EN 54-2, & 4.

Price: ₹160500



Code: TI-002321-FT

Name/ Description: Active Repeater Panel - Remote Control Panel (CFX-Plus) with white backlit (240x64) LCD display, with fault-tolerant network card, Approval: EN 54-2, & 4.

Price: ₹86700



Code: TI-002322-ST

Name/ Description: Passive Repeater Panel - Remote Display Panel (CFX-Plus) with white backlit (240x64) LCD display, with standard network card, Approval: EN 54-2, & 4.

Price: ₹142800



Code: TI-002322-FT

Name/ Description: Passive Repeater Panel - Remote Display Panel (CFX-Plus) with white backlit (240x64) LCD display, with fault-tolerant network card, Approval: EN 54-2, & 4.

Price: ₹130500



Code: TI-002323-ST

Name/ Description: Large Active Repeater Panel - Remote Control Panel (CFX-Plus) with white backlit (240x64) LCD display, with standard network card, Approval: EN 54-2, & 4.

Price: ₹180900



Code: TI-002323-FT

Name/ Description: Large Active Repeater Panel - Remote Control Panel (CFX-Plus) with white backlit (240x64) LCD display, with fault-tolerant network card, Approval: EN 54-2, & 4.

Price: ₹48600



Code: TI-002324

Name/ Description: Network Card (Fault Tolerant) enables to connect CFX-Plus series addressable panels/ repeaters, max. 200 network nodes, max. node to node network cable length 1.5 Km.

Price: ₹24600



Code: TI-002325

Name/ Description: Network Card (Standard) enables to connect CFX-Plus series addressable panels/ repeaters, max. 32 network nodes, max. total network cable length 1.5 Km.

Price: ₹23100



Code: TI-002326

Name/ Description: Single Loop Driver Card for CFX-Plus Series Addressable Panels, provides control & connection to max. 240 Argus Vega protocol addressable device per loop.

Price: ₹307200



Code: TI-002327

Name/ Description: CFX-Plus TouchControl 10" high resolution touch screen remote control terminal, enables zone display & control, provided with standard network card.

Price: ₹393600



Code: TI-002328

Name/ Description: CFX-Plus TouchControl 10" high resolution touch screen remote control terminal, enables zone display & control, provided with fault tolerant network card.

Price: ₹11700



Code: TI-002329

Name/ Description: Surface back box for CFX-Plus TouchControl Panel.

Price: ₹50700



Code: TI-002330

Name/ Description: CFX-Plus BMS/Graphics Interface (Standard Network) enables to integrate the BMS System & Graphical Control PCs with CFX-Plus Series Addressable Panels.

Price: ₹71100



Code: TI-002330-BX

Name/ Description: CFX-Plus BMS/Graphics Interface Boxed (Standard Network) enables to integrate the BMS System & Graphical Control PC with CFX-Plus Series Addressable Panels.

Price: ₹86400



Code: TI-002331

Name/ Description: CFX-Plus BMS/Graphics Interface (Fault Tolerant Network) enables to integrate the BMS System & Graphical Control PCs with CFX-Plus Series Addressable Panels.

Price: ₹104100



Code: TI-002331-BX

Name/ Description: CFX-Plus BMS/Graphics Interface Boxed (Fault Tolerant Network) enables to integrate the BMS System & Graphical Control PCs with CFX-Plus Series Addressable Panels.

Price: ₹93900



Code: TI-002332

Name/ Description: CFX-Plus ipGateway Card (Standard Network) connects to CFX-Plus panel network to provide gateway to the network from remote location over internet (TCP/IP).

Price: ₹113400



Code: TI-002332-BX

Name/ Description: CFX-Plus ipGateway Boxed (Standard Network) connects to CFX-Plus panel network to provide gateway to the network from remote location over internet (TCP/IP).

Price: ₹180300



Code: TI-002333

Name/ Description: CFX-Plus ipGateway (Fault Tolerant Network) connects to CFX-Plus panel network to provide gateway to the network from remote location over internet (TCP/IP).

Price: ₹199800



Code: TI-002333-BX

Name/ Description: CFX-Plus ipGateway Boxed (Fault Tolerant Network) connects to CFX-Plus panel network to provide gateway to the network from remote location over internet.

Price: ₹342000



Code: TI-002334

Name/ Description: CFX-Plus Commander (Basic) powerful IP-based solution for BACnet/Modbus protocol integration, can configure upto 640 objects/tags.


Price: ₹434100



Code: TI-002335

Name/ Description: CFX-Plus Commander (Configured) powerful IP-based solution for BACnet/Modbus protocol integration, can configure upto 640 objects/tags.


Price: ₹499200



Code: TI-002336

Name/ Description: Graphic Control Software Standard Version up to 3 Panels.


Price: ₹672000



Code: TI-002337

Name/ Description: Graphic Control Software Standard Version up to 15 Panels.


Price: ₹1179900



Code: TI-002338

Name/ Description: Graphic Control Software Premium Version up to 15 Panels.


Price: ₹1075200



Code: TI-002339

Name/ Description: Graphic Control Software Standard Version up to 200 Panels.

Price: ₹1809300



Code: TI-002340

Name/ Description: Graphic Control Software Premium Version up to 200 Panels.

Price: ₹1,73,100



Code: TI-002318-V + TI-002326(1)

Name/ Description: 2 Loop Fire Alarm Control Panel(CFX-Plus), expandable upto 2 loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard).

Price: ₹327900



Code: TI-002319-V + TI-002326(3)

Name/ Description: 4 Loop Fire Alarm Control Panel (CFX-Plus), expandable upto 4 loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard).

Price: ₹642900



Code: TI-002320-ST + TI-002326(4)

Name/ Description: 6 Loop Fire Alarm Control Panel (CFX-Plus), expandable upto 8 loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard) Note: Network Card In-Built in the panel.

Price: ₹689100



Code: TI-002320-ST + TI-002326(6)

Name/ Description: 8 Loop Fire Alarm Control Panel(CFX-Plus), expandable upto 8 loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard) Note: Network Card In-Built in the panel.

Price: ₹723300



Code: TI-002320-FT + TI-002326(4)

Name/ Description: 6 Loop Fire Alarm Control Panel (CFX-Plus), fault-tolerant network, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Fault Tolerant) Note: Network Card In-Built in the panel.

Price: ₹769500



Code: TI-002320-FT + TI-002326(6)

Name/ Description: 8 Loop Fire Alarm Control Panel (CFX-Plus), fault-tolerant network, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Fault Tolerant) Note: Network Card In-Built in the panel.



Price: ₹3780



Code: TI-002211

Name/ Description: Intelligent Analogue Optical Smoke Detector with in-built short circuit isolator, multiple sensitivity level, dual LED's for 360° view. EN 54-7, LPCB, VdS.

Price: ₹3630



Code: TI-002212

Name/ Description: Intelligent Analogue Optical Smoke Detector without in-built short circuit isolator, multiple sensitivity level, dual LED's for 360° view. EN 54-7, LPCB.

Price: ₹3930



Code: TI-002213

Name/ Description: Intelligent Analogue Multi Criteria (Comb. Smoke&Heat) Detector with in-built short circuit isolator, 9 modes, dual LED's for 360° view. EN 54-5, EN 54-7, LPCB, VdS.

Price: ₹3720



Code: TI-002214

Name/ Description: Intelligent Analogue Multi Criteria (Comb. Smoke & Heat) Detector without in-built short circuit isolator, with 9 modes, dual LED's for 360° view. EN 54-5, EN 54-7, LPCB.

Price: ₹3600



Code: TI-002215

Name/ Description: Intelligent Analogue Heat Detector with in-built short circuit isolator, with multiple modes operation, dual LED's for 360° view. EN 54-5, LPCB, VdS.

Price: ₹3420



Code: TI-002216

Name/ Description: Intelligent Analogue Heat Detector w/o in-built short circuit isolator, with multiple modes operation, dual LED's for 360° view. EN 54-5, LPCB.

Price: ₹12540



Code: TI-002217

Name/ Description: Intelligent Analogue 4 Input & 4 Relay Output Module with in-built short circuit isolator, LED's for inputs & outputs. EN 54-17, EN 54-18, VdS.

Price: ₹12540



Code: TI-002218

Name/ Description: Intelligent Analogue 4 Input 4 Relay 2 Supervised Output Module with in-built short circuit isolator, LED's for inputs & outputs. EN 54-17, EN 54-18, VdS.

Price: ₹5820



Code: TI-002219

Name/ Description: Intelligent Analogue Single Supervised Output Module, with in-built short circuit isolator, Bi-colour LED's for status. EN 54-17, EN 54-18, VdS.

Price: ₹5820



Code: TI-002220

Name/ Description: Intelligent Analogue Single Relay Output Module, with in-built short circuit isolator, Bi-colour LED's for status. EN 54-17, EN 54-18, VdS.

Price: ₹5340



Code: TI-002221

Name/ Description: Intelligent Analogue Single Supervised Input Module, with in-built short circuit isolator, Bi-colour LED's for status. EN 54-17, EN 54-18, VdS.

Price: ₹6600



Code: TI-002222

Name/ Description: Intelligent Analogue Single Supervised Input & Output Module with in-built short circuit isolator, LED's for inputs & outputs. EN 54-17, EN 54-18, VdS.

Price: ₹6600



Code: TI-002223

Name/ Description: Intelligent Analogue Single Input & Relay Output Module with in-built short circuit isolator, LED's for inputs & outputs. EN 54-17, EN 54-18, VdS

Price: ₹9420



Code: TI-002224

Name/ Description: Intelligent Conventional Zone Monitor Module with in-built short circuit isolator & 1 Relay output, Bi-colour LED's for status. EN 54-17, EN 54-18, VdS.

Price: ₹2370



Code: TI-002225

Name/ Description: Disolator Module designed as per EN 54-17 standards.

Price: ₹5340



Code: TI-002431

Name/ Description: Intelligent Analogue Manual Call Point with resettable operating element, in-built isolator. Bi-Colour LED status indicator. EN 54-11, LPCB, CE.

Price: ₹8700



Code: TI-002227

Name/ Description: Weatherproof housing for Manual Call Point - Red colour With optional 90 dB tamper alarm. EN 60529.

Price: ₹17550



Code: TI-002229

Name/ Description: Duct Detector Housing with standard base.

Price: ₹1050



Code: TI-002286

Name/ Description: Deep Mounting Box for Module.

Price: ₹330



Code: TI-002231

Name/ Description: Standard Detector Base for mounting the compatible detectors.

Price: ₹6840



Code: TI-002232

Name/ Description: Intelligent Addressable Loop Powered Sounder Base with 32 selectable tones using DIP switch. EN 54-3, LPCB, CE.

Price: ₹10440



Code: TI-002233

Name/ Description: Intelligent Addressable Loop Powered Sounder with Beacon Base with 32 selectable tones using DIP switch. EN 54-3, CE.

Price: ₹5340



Code: TI-002295

Name/ Description: Intelligent Analogue Single Input Module (mini mount) with in-built short circuit isolator, Bi-colour LED's for status. EN 54-17, EN 54-18, VdS, BSI.


Price: ₹5820



Code: TI-002296

Name/ Description: Intelligent Analogue Single Output Module (mini mount) with in-built short circuit isolator, Bi-colour LED's for status. EN 54-17, EN 54-18, VdS, BSI.

Price: ₹5820



Code: TI-002297

Name/ Description: Intelligent Analogue Relay Module (mini mount) with in-built short circuit isolator, Bi-colour LED's for status. EN 54-17, EN 54-18, VdS, BSI.


Price: ₹6450



Code: TI-002298

Name/ Description: Intelligent Analogue Single Input and Single Supervised Output Module (mini mount) with in-built short circuit isolator. EN 54-17, EN 54-18, VdS, BSI.


Price: ₹6450



Code: TI-002299

Name/ Description: Intelligent Analogue Single Input and Single Relay Output Module (mini mount) with in-built short circuit isolator. EN 54-17, EN 54-18, VdS, BSI.

Price: ₹4020



Code: TI-002260

Name/ Description: Intelligent Sounder Interface Module for connecting Conventional Sounder or Sounder Beacon (CWS100 & CWS100-AV) on the loop.

Price: ₹780



Code: TI-002228

Name/ Description: Standard Mounting Box for Modules.

Price: ₹7050



Code: TI-002230

Name/ Description: Sampling Tube for Duct Detectors 1.5M Length.

Price: ₹210



Code: TI-002285

Name/ Description: Red Cover for Altair Base/Base Sounder.


Price: ₹14,040



Code: TI-002431 + TI-002227

Name/ Description: Intelligent Analogue Manual Call Point with resettable operating element, in-built isolator. Bi-Colour LED status indicator. EN 54-11, LPCB, CE, Provided with weather proof manual call point housing (red).


Price: ₹8,490



Code: TI-002272 + TI-002260

Name/ Description: Intelligent Loop Powered Sounder with 32 selectable tones using DIP switch. EN 54-3, LPCB, CE.

Price: ₹11,970



Code: TI-002273 + TI-002260

Name/ Description: Intelligent Loop Powered Sounder with Beacon with 32 selectable tones using DIP switch. EN 54-3, CE.

Price: ₹14730



Code: TI-002277

Name/ Description: Wireless Intelligent Optical Smoke Detector with bi-directional wireless communication, adjustable sensitivity, tri-colour LED. EN 54-7, EN 54-25, LPCB.

Price: ₹15360



Code: TI-002278

Name/ Description: Wireless Intelligent Multi Criteria (Comb. Smoke & Heat) Detector with bi-directional wireless communication, tri-colour LED. EN 54-5, EN 54-7, EN 54-25, LPCB.

Price: ₹14430



Code: TI-002279

Name/ Description: Wireless Intelligent Fixed or ROR Heat Detector with bi-directional wireless communication, tri-colour LED. EN 54-5, EN 54-25, LPCB

Price: ₹17250



Code: TI-002347

Name/ Description: Wireless Intelligent Addressable Manual Call Point with resettable operating element, Bi-directional wireless communication. EN 54-11, EN 54-25, LPCB, CE.

Price: ₹12540



Code: TI-002253

Name/ Description: Wireless Intelligent Single Channel Input Module for monitoring third party devices, Bi-directional wireless communication, EN 54-18, EN 54-25, LPCB.

Price: ₹25080



Code: TI-002255

Name/ Description: Wireless Single Channel Output Module battery operated for controlling third party device, Bi-directional wireless communication, EN 54-18, EN 54-25, LPCB.

Price: ₹19,830



Code: TI-002256 + TI-002272

Name/ Description: Wireless Sounder.

Price: ₹23,310



Code: TI-002256 + TI-002273

Name/ Description: Wireless Sounder Cum Strobe.

Price: ₹21930



Code: TI-002258

Name/ Description: Wireless Sounder Base powered by Lithium Batteries, with 32 selectable tones, Bi-directional wireless communication. EN 54-3, EN 54-25, LPCB, CE.

Price: ₹26640



Code: TI-002259

Name/ Description: Wireless Sounder with Beacon Base powered by Lithium Batteries, with 32 selectable tones, Bi-directional wireless communication. EN 54-3, EN 54-25, LPCB.

Price: ₹18810



Code: TI-002280

Name/ Description: Wireless Translator Module (Static) connects 32 intelligent wireless device, Bi-directional wireless communication, IP-65, EN 54-17, EN 54-18, EN 54-25, LPCB.

Price: ₹18810



Code: TI-002282

Name/ Description: Wireless Expander Module, Compatible with static & conventional translator, Bi-directional wireless communication, IP-65, EN 54-18, EN 54-25, LPCB.


Price: ₹18810



Code: TI-002283

Name/ Description: Wireless Conventional Interface Module, connects to a conventional zone, Bi-directional wireless communication, IP-65, EN 54-18, EN 54-25, LPCB.

Price: ₹15360



Code: TI-002256

Name/ Description: Wireless Sounder Interface Module, connects conventional sounder or sounder beacon, Bi-directional wireless communication, EN 54-18, EN 54-25, CE.

Price: ₹14730



Code: TI-002277A

Name/ Description: Wireless Intelligent Optical Smoke Detector (868 MHz) with bi-directional wireless communication, adjustable sensitivity, tri-colour LED. EN 54-7, EN 54-25, LPCB.

Price: ₹15360



Code: TI-002278A

Name/ Description: Wireless Intelligent Multi Criteria (Comb. Smoke & Heat) Detector (868 MHz) with bi-directional wireless communication, tri-colour LED. EN 54-5, EN 54-7, EN 54-25, LPCB.

Price: ₹14430



Code: TI-002279A

Name/ Description: Wireless Intelligent ROR Heat Detector (868 MHz) with bi-directional wireless communication, tri-colour LED. EN 54-5, EN 54-25, LPCB.

Price: ₹18810



Code: TI-002280A

Name/ Description: Wireless Translator Module (Static) (868 MHz) connects 32 intelligent wireless device, Bi-directional wireless communication, IP-65, EN 54-17, EN 54-18, EN 54-25, LPCB.

Price: ₹25080



Code: TI-002281

Name/ Description: Wireless Translator Module (Dynamic) connects 127 intelligent wireless device, Bi-directional wireless communication, IP-65, EN 54-18, EN 54-25, LPCB.

Price: ₹25080



Code: TI-002281A

Name/ Description: Wireless Translator Module (Dynamic) (868 MHz) connects 127 intelligent wireless device, Bi-directional wireless communication, IP-65, EN 54-18, EN 54-25, LPCB.

Price: ₹18810



Code: TI-002282A

Name/ Description: Wireless Expander Module (868 MHz), Compatible with static & conventional translator, Bi-directional wireless communication, IP-65, EN 54-18, EN 54-25, LPCB.

Price: ₹18810



Code: TI-002283A

Name/ Description: Wireless Conventional Interface Module (868 MHz), connects to a conventional zone, Bi-directional wireless communication, IP-65, EN 54-18, EN 54-25, LPCB.

Price: ₹12540



Code: TI-002253A

Name/ Description: Wireless Intelligent Single Channel Input Module (868 MHz) for monitoring third party devices, Bi-directional wireless communication, EN 54-18, EN 54-25, LPCB.

Price: ₹12540



Code: TI-002254

Name/ Description: Wireless Intelligent Single Channel Output Module for controlling third party devices, Bi-directional wireless communication, EN 54-18, EN 54-25, LPCB.

Price: ₹12540



Code: TI-002254A

Name/ Description: Wireless Intelligent Single Channel Output Module (868 MHz) for controlling third party devices, Bi-directional wireless communication, EN 54-18, EN 54-25, LPCB.


Price: ₹25080



Code: TI-002255A

Name/ Description: Wireless Single Channel Output Module (868 MHz) battery operated for controlling third party device, Bi-directional wireless communication, EN 54-18, EN 54-25, LPCB.

Price: ₹15360



Code: TI-002256A

Name/ Description: Wireless Sounder Interface Module (868 MHz), connects conventional sounder or sounder beacon, Bi-directional wireless communication, EN 54-18, EN 54-25, CE 54-25, LPCB.

Price: ₹17250



Code: TI-002347A

Name/ Description: Wireless Intelligent Addressable Manual Call Point (868 MHz) with resettable operating element, Bi-directional wireless communication. EN 54-11, EN 54-25, LPCB, CE.

Price: ₹21930



Code: TI-002258A

Name/ Description: Wireless Sounder Base (868 MHz) powered by Lithium Batteries, with 32 selectable tones, Bi-directional wireless communication. EN 54-3, EN 54-25, LPCB, CE.

Price: ₹26640



Code: TI-002259A

Name/ Description: Wireless Sounder with Beacon Base (868 MHz) powered by Lithium Batteries, with 32 selectable tones, Bi-directional wireless communication. EN 54-3, EN 54-25, LPCB.





A technically advanced conventional fire alarm system that is adept at turning a premises into a secured space.

Price: ₹33750



Code: TI-002306

Name/ Description: 2 Zone Conventional Fire Alarm Control Panel, with features such as non-latching zones, false alarm management, EN 54-2, EN 54-4 LPCB approved.

Price: ₹36900



Code: TI-002307

Name/ Description: 4 Zone Conventional Fire Alarm Control Panel, with features such as non-latching zones, false alarm management, EN 54-2, EN 54-4 LPCB approved.

Price: ₹64890



Code: TI-002308

Name/ Description: 8 Zone Conventional Fire Alarm Control Panel, with features such as non-latching zones, false alarm management, EN 54-2, EN 54-4 LPCB approved.

Price: ₹74340



Code: TI-002309

Name/ Description: 12 Zone Conventional Fire Alarm Control Panel, with features such as non-latching zones, false alarm management, EN 54-2, EN 54-4 LPCB approved.

Price: ₹112500



Code: TI-002310

Name/ Description: 16 Zone Conventional Fire Alarm Control, with features such as non-latching zones, false alarm management, Panel EN 54-2, EN 54-4 LPCB approved.

Price: ₹150300



Code: TI-002311

Name/ Description: 24 Zone Conventional Fire Alarm Control Panel, with features such as non-latching zones, false alarm management, EN 54-2, EN 54-4 LPCB approved.

Price: ₹188370



Code: TI-002312

Name/ Description: 32 Zone Conventional Fire Alarm Control Panel, with features such as non-latching zones, false alarm management, EN 54-2, EN 54-4 LPCB approved.

Price: ₹94860



Code: TI-002313

Name/ Description: Remote Display Repeater Panel with same controls & indications as the main control panels, and 160 character LCD display.

Price: ₹53550



Code: TI-002314

Name/ Description: 12 Way Fully Functional Passive Repeater Panel with same controls & indications as the main control panels.

Price: ₹1740  Code: TI-002265 Name/ Description: Conventional Optical Smoke Detector.	Price: ₹1590  Code: TI-002267 Name/ Description: Conventional Class B Thermal Detector Fixed Temperature.	Price: ₹1590  Code: TI-002268 Name/ Description: Conventional Class P Thermal Detector Rate of Rise.
Price: ₹420  Code: TI-002270 Name/ Description: Standard Base for Conventional Detectors.	Price: ₹4560  Code: TI-002271 Name/ Description: Conventional Beacon Flash Rate 2Hz.	Price: ₹4470  Code: TI-002272 Name/ Description: Conventional Wall Sounder.
Price: ₹7950  Code: TI-002273 Name/ Description: Conventional Wall Sounder cum Beacon.	Price: ₹2400  Code: TI-002269 Name/ Description: Conventional Manual Call Point (Resettable Type)	

Price: ₹275940



Code: TI-002399

Name/ Description: IR2 (Dual Infra-Red) Standard Flame Detectors, provided with two IR sensor, IR band operating wavelength 0.75 to 2.7 μm , EN 54-10 LPCB approved.

Price: ₹306180



Code: TI-002401

Name/ Description: IR2 (Dual Infra-Red) Flameproof(Exd) Flame Detector, provided with two IR sensor, IR band operating wavelength 0.75 to 2.7 μm , EN 54-10 LPCB approved.

Price: ₹311850



Code: TI-002402

Name/ Description: IR3 (Triple Infra-Red) Standard Flame Detectors, provided with three IR sensor, IR band operating wavelength 0.75 to 2.7 μm , EN 54-10 LPCB & VdS approved.

Price: ₹346860



Code: TI-002404

Name/ Description: IR3 (Triple Infra-Red) Flameproof (Exd) Flame Detector, with three IR sensor, IR band operating wavelength 0.75 to 2.7 μm , EN 54-10 LPCB & VdS approved.

Price: ₹312840



Code: TI-002405

Name/ Description: UV & Dual IR Standard Flame Detectors, with two IR & one UV sensor, IR band wavelength 0.75 to 2.7 μm , UV Band 185 to 260nm, EN 54-10 LPCB & VdS approved.

Price: ₹405450



Code: TI-002397

Name/ Description: UV & Dual IR Flameproof(Exd) Flame Detector, with 2 IR & a UV sensor, IR band wavelength 0.75 to 2.7 μm , UV Band 185 to 260nm, EN 54-10 LPCB & VdS approved.

Price: ₹20790



Code: TI-002407

Name/ Description: Adjustable mount Stainless Steel Bracket for FFE Flame Detectors.

Price: ₹476280



Code: TI-002477

Name/ Description: FFE - Flame Detectors - Test kit for flame detector.

Price: ₹101700



Code: TI-002409

Name/ Description: Motorised self-aligning infrared beam smoke detector 100M range, with system controller and 4 x reflective prisms. UL & FM approved.

Price: ₹84600



Code: TI-002410

Name/ Description: Motorised self-aligning Infrared Beam Smoke Detector 100M range, without system controller & with 4 reflective prisms. UL & FM approved.

Price: ₹126000



Code: TI-002411

Name/ Description: Motorised self-aligning infrared beam smoke detector 50M range, with system controller and 1 x reflective prisms. UL & FM approved.

Price: ₹72000



Code: TI-002412

Name/ Description: Motorised self-aligning Infrared Beam Smoke Detector 50M range, without system controller & with 1 reflective prisms. UL & FM approved.


Price: ₹72000



Code: TI-002450

Name/ Description: Fireray One infrared beam smoke detector 50M range comprising provided with 1 reflective prism. UL listed.

Price: ₹15300



Code: TI-002451

Name/ Description: Long Range Kit 3 additional reflectors to extend Fireray One range to 120m. UL listed.

Price: ₹126000



Code: TI-002415

Name/ Description: Infrared beam smoke detector 120M Range. End to End type comprising transmitter, receiver and control unit.

Price: ₹106200



Code: TI-002416

Name/ Description: Infrared beam smoke detector 120M Range. End to End type comprising transmitter and receiver. Without control unit for use with 3000-103

Price: ₹558000



Code: TI-002417

Name/ Description: Explosion-Proof Infrared beam smoke detector 120M Range. End to End type comprising transmitter, receiver and control unit.

Price: ₹498600



Code: TI-002418

Name/ Description: Explosion-Proof IR beam smoke detector 120M range End to End type comprising transmitter & receiver Without control unit for use with 3000-103.

Price: ₹92700



Code: TI-002419

Name/ Description: Conventional Explosionproof Manual Call Point with break glass type with flap, complaint with EN 54-11, ATEX and IECEx approved.

Price: ₹371700



Code: TI-002420

Name/ Description: Conventional Explosion proof Sounder Beacon for hazardous area, with 4 alarm stages & xenon strobe light, sound level 115 dB(A) ATEX & CQST Approved.

Price: ₹8400



Code: TI-002548

Name/ Description: Stand Alone Photoelectric Smoke Detector Model-SM210L With Escape Light and Alarm

Price: ₹5400



Code: TI-000291

Name/ Description: CF-GLD Gas Leak Detector

Price: ₹7200



Code: TI-000283

Name/ Description: Smoke Detector Model - DT

Price: ₹6900



Code: TI-002547

Name/ Description: Stand Alone Photoelectric Smoke Detector Model-SM200 with Alarm

CEASEFIRE X PLUS RAPID SENSE : EXTINGUISHING ALARM SYSTEM



Rapid Sense Extinguishing Panels are more than just alarming solution. These panels are engineered for monitoring, detection, alarm as well as active extinguishing.



Price: ₹87300



Code: TI-002341

Name/ Description: 3 Zone
Conventional Extinguishing
Control Panel.

Price: ₹12600



Code: TI-002342

Name/ Description: Abort Switch.


Price: ₹15900



Code: TI-002343

Name/ Description: Manual Release
Switch.

Price: ₹2700



Code: TI-002428

Name/ Description: Supply of
Rapid-Sense End-of-line module
for Manual Release Switch (i.e.
TI-002343).

Price: ₹34200



Code: TI-002444


Name/ Description: Remote Status
Indicator Panel with manual release
switch.

Price: ₹28800



Code: TI-002445

Name/ Description: Remote Status
Indicator Panel without manual
release switch.



Code	Description	Price
TI-000215	(CF_EL-2) 2 Line Control Panel for up to 254 luminaires	135810
TI-000216	(CF_EL-PSU) Bus Controlled Power Supply	115290
TI-000217	(CF_EL-KP) Remote Keypad Controller	58320
TI-000218	(CF_EL-35V) Transformer 35v AC, 222VA	16560
TI-000219	(CF_EL-Graph) Alarm Graphics Software (6.5ver)	320040
TI-000220	(CF_EL-LIC) User License	157500
TI-000221	(CF_EL-LIC(SER)) System Server License	108990
TI-000222	(CF_EL-IMP) Installation and Maintenance Programme	41310
TI-000223	(CF_EL-CAB) Panel to computer connection cable	10260
TI-000225	(CF_EL-1RC) Relay Card	91980
TI-000226	(CF_EL-BDC) Battery disconnect card	28350
TI-000227	(CF_EL-EXP) Expansion unit	47250
TI-000228	(CF_EL-8RC) Relay Card - 8 separate relays	47250
TI-000229	(CF_EL-IO) FIREscape Input / Output Unit	26190
TI-000230	(CF_EL-ISOL) Isolator for RS232 channel	34650
TI-000231	(CF_EL-LAN) Terminal Server TCP/IP to 232	60840
TI-000232	(CF_EL-SWT5) 5 Port Ethernet Switch	59850
TI-000233	(CF_EL-SWT8) 8 Port Ethernet Switch	85050
TI-000234	(CF_EL-MC) Pixford media Converter	170100
TI-000235	(CF_EL-BAT) Lithium battery	1260
TI-000236	(CF_EL-PM) FIREscape Phase Monitor Relay Unit	12600
TI-000237	(CF_EL-20L) Addressable Exit sign - 20m Left IP44 - including battery	12480
TI-000238	(CF_EL-20R) Addressable Exit sign - 20m Right IP44 - including battery	12540
TI-000239	(CF_EL-20D) Addressable Exit sign - 20m Down IP44 - including battery	12480
TI-000240	(CF_EL-40L) Addressable Exit sign - 40m Left IP44 - including battery	14850
TI-000241	(CF_EL-40R) Addressable Exit sign - 40m Right IP44 - including battery	14850

Code	Description	Price
TI-000242	(CF_EL-40D) Addressable Exit sign - 40m Down IP44 - including battery	14850
TI-000243	(CF_EL-DL) Addressable Emergency Luminaire - including battery	12600
TI-000244	(CF_EL-DL9) Down light luminaire (9m Max height)	22050
TI-000245	(CF_EL-SL) Addressable step luminaire - including battery	14850
TI-000246	(CF_EL-REC20) Recess Adaptor Mounting for EL-20 Exit Sign range	20790
TI-000247	(CF_EL-REC40) Recess Adaptor Mounting for EL-40 Exit Sign range	23670
TI-000248	(CF_EL - FS) Flag Support for 20m & 40m exit signs	4410
TI-000249	(CF_EL - CS) Ceiling Support	3150
TI-000250	(CF_EL - B020) Block Out Tape for NAH20	2520
TI-000251	(CF_EL - B040) Block Out Tape for NAH40	3660
TI-000252	(CF_EL-DE) Waterproof Housing for Downlighter	15750
TI-000253	(CF_EL - WPK20) Weatherproof housing for EL-20	28710
TI-000254	(CF_EL - WPK40) Weatherproof housing for EL-40	35010
TI-002145	FIREscape Dome Enclosure with Bracket (for EL-DL3) (EL-DEB)	23400
TI-002146	FIREscape Ethernet Switch 5 Port (EL-SWT5)	60840
TI-002147	FIREscape Ethernet Switch 8 Port (EL-SWT8)	84780
TI-002149	FIREscape RS232 Channel Isolator (EL-ISOL)	35910
TI-002150	FIREscape Battery Disconnect Card (EL-BDC)	28710
TI-002151	20m Emergency Exit Sign Frame, white(CF-EL-20(WHT)	10080
TI-002152	40m Emergency Exit Sign Frame, white(CF-EL-40(WHT)	11160
TI-002153	Emergency Lighting Battery (CF-EL-BAT450)	2850
TI-000061	CF-FIRELINE LDC - Loop Driver Card	38160
TI-000062	CF-FIRELINE NIC - Standard Network Card	41580
TI-000063	CF-FIRELINE MC - Modem Card	69300
TI-000064	CF-DONGLE FOR GRAPHIC SOFTWARE Upto 1 Panel	245700
TI-000065	CF-BMS GRAPHICS INTERFACE With Standard Network	121320

Code	Description	Price
TI-000066	CF-HFP AP-PR Addressable Passive Repeater Panel	114390
TI-000067	CF- ALK-E Photoelectric SD White	3810
TI-000067A	CF- ALN-E (HFP) Optical Smoke Sensor	4200
TI-000068	CF-AIE-E (WHT) Ionisation Smoke Sensor	4200
TI-000069	CF-ACA-E (WHT) Multi Sensor Optical+Heat	7560
TI-000070	CF-ACB-E Heat Det ROR + Fixed Temp	4710
TI-000070A	CF-ATJ-E (HFP) Intelligent Heat Sensor	5400
TI-000071	CF-ACB-E/W (WHT) Heat Det ROR+Fixed TempWP	10440
TI-000072	CF-YBN-R/3 (WHT) Sensor Base	420
TI-000073	CF-YBO-R/SCI SCI Base White	3120
TI-000074	CF-ALG-E (Black) Photoelectric SD Black	6930
TI-000075	CF-YBN-R/3 (Black) Sensor Base Black	690
TI-000076	CF-ALG-E (WHT) Photoelectric SD White	3810
TI-000077	CF-YBO-BS (WHT) Addr Base Sounder W	5850
TI-000078	CF-YBO-BSB Addr Base Sounder B	8820
TI-000079	CF-SI/CAP (WHT) Cover Base Snder/Isolator	360
TI-000080	CF-CHQ-WS2 (RED) Wall Sounder Red	7290
TI-000081	CF-YBO-R/SCI (RED) SCI Base Red	2850
TI-000082	CF-YBO-R/3 (RED) Sounder/Sensor base (Red)	360
TI-000083	CF-WS2-WPK (RED) WP Kit For CHQ-WS2 Red	1500
TI-000084	CF-CHQ-WS2 (WHT)Wall Sounder White	7290
TI-000085	CF-WS2-WPK (WHT) WP Kit For CHQ-WS2 White	1500
TI-000086	CF-YBO-R/3 (WHT) Sounder/Sensor base (W)	360
TI-000087	CF-YBO-R/SCI (WHT/SNDR) SCI Base White (Sndr)	2850
TI-000088	CF-CHQ-AB (WHT) Loop Powered Beacon (Red)	5670
TI-000089	CF-CHQ-AB (AMB) (WHT) Loop Powered Beacon (Amb)	5220

Code	Description	Price
TI-000090	CF-CHQ-AB (BLUE)(WHT) Loop Powered Beacon (Blu)	5220
TI-000091	CF-CHQ-AB (WHT)(WHT) Loop Powered Beacon (W)	5220
TI-000092	CF-CHQ-ARI (WHT) Addr Remote Indicator (W)	5670
TI-000093	CF-LDC Loop Driver Card	330
TI-000094	CF-CHQ-DIM (SCI) (WHT) Dual Input Module SCI (UB)	8550
TI-000095	CF-CHQ-DRC (SCI) (WHT) Dual relay Contr SCI (UB)	11520
TI-000096	CF-CHQ-DSC (SCI) (WHT) Dual Sndr Contr SCI (UB)	15480
TI-000097	CF-CHQ-MRC (SCI) (WHT) Main relay Contr SCI (UB)	10440
TI-000098	CF-CHQ-SZM (SCI) (WHT) Single Zone Moni SCI (UB)	9450
TI-000099	CF-Backbox for Modules	1560
TI-000100	CF-CHQ-BACKBOX(WHT) CHQ-OEM module back box	1890
TI-000101	CF-CHQ-OEM LID(WHT) CHQ-OEM module lid-White	690
TI-000102	CF-CHQ-OEM ADAPTOR-WHT CHQ-OEM module adaptor pl	540
TI-000103	CF-TE-TLE True Loop Emulator	331740
TI-000104	CF-TE-LCT Loop Commisining Tool	161370
TI-000105	CF-TCH-B100 Asx Programmer	16380
TI-000106	CF-PL-3 Programming Lead	1230
TI-000107	CF-CHQ-DIM/DIN Dual input module	8670
TI-000108	CF-CHQ-DRC/DIN Dual relay controller	9360
TI-000109	CF-CHQ-DSC/DIN Dual sounder controller	12870
TI-000110	CF-CHQ-MRC/DIN Mains relay controller	8670
TI-000111	CF-CHQ-SZM/DIN Single zone monitor	10890
TI-000112	CF-CHQ-DIM/DIN(SCI) Din Dual Input Mod SCI(UB)	10530
TI-000113	CF-CHQ-DRC/DIN(SCI) Din Dual Rly Cont SCI(UB)	12150
TI-000114	CF-CHQ-DSC/DIN(SCI) DIN Dual Snd Cont SCI(UB)	17010
TI-000115	CF-CHQ-MRC/DIN(SCI) DIN Main Rly Cont SCI(UB)	8670

Code	Description	Price
TI-000116	CF-CHQ-SZM/DIN(SCI) DIN Single Zn Mon SCI(UB)	9810
TI-000117	CF-CHQ-SCI/DIN DIN Short Circuit Isolator	6240
TI-000118	CF-HCP-E Addr Call Point Red	4410
TI-000119	CF-PL-3 Addl Prg Lead 3 Way Conn	480
TI-000120	CF-SR Mounting Box SR Surface Mount Box Red	300
TI-000121	CF-HCP-E/Y Addr call point - Yellow	5220
TI-000122	CF-SY Surface Mounting Box Yellow Surface Mount Box Yellow	600
TI-000123	CF-HCP-W WP Addr Call Point Red	20790
TI-000124	CF-HCP-W/Y WP Addr Call Point Yellow	18900
TI-000131	CF-HFP-AP-LEAD Data Downloading Cable	14850
TI-000149	CF-SPC-ET Beam SD CW Insl Plt Filt	78750
TI-000150	CF-SPC-ET2W1 2 Wire I/f Kit SPCET	17370
TI-000151	CF-TBF-E Addl Beam Det Filter Set	870
TI-000152	CF-SRA-ET Reflective beam detector	47130
TI-000153	CF-SRA-ET(B/Box) Back box for SRA-ET	4890
TI-000154	CF-SRA-ET (Reflector) Spare reflector SRA-ET	6930
TI-000224	(CF_TCH-B100) Luminaire programmer - including battery	17010
TI-000571	CF-CHQ DZM Dual Zone Monitor	18900
TI-000572	CF-CHQ-SIM Single Input Module	5400
TI-000766	CF-CHQ-DIM(WHT) Dual input module	6930
TI-000767	CF-CHQ-SZM(WHT) Single zone monitor	6930
TI-000768	CF-CHQ-POM(WHT) Powered output module	5400
TI-000769	CF-CHQ-Z(WHT) Dual Zone Monitor	12150
TI-000770	CF-MBF-6EV 6" Kobishi bell	3210
TI-000771	CF-MBA-6 6" Weather resistant bell	8550
TI-000772	CF-DR-24 Magnetic door retainer 24V	6930

Code	Description	Price
TI-000800	CF-CHQ-WSB(HFP) Wall Sounder Beacon	10530
TI-000841	2 Wire, 4" Detector Base, 24 VDC (USA) (CF-NS4-100)	330
TI-000842	H V Smoke Detector (USA) (CF-SLR-24V)	3600
TI-000845	Pull Station For Fire Suppression Release (CF-HPS-DAK-SR)	4260
TI-000846	Extinguishant Abort Switch, Surface Mount, Red (CF-HCVR-AS-R)	12780
TI-000847	Wall Mount Horn, 24VDC, 100 dBA@10' Red (CF-HEH-24-R)	4320
TI-000848	Outdoor Enclosure Bubble & Back Box Red (CF-HGOE-R)	4710
TI-000852	Analogue Addressable Multisensor (CF-ACC-V)	5100
TI-000853	Analogue Addressable SMOKE sensor (CF-ALN-V)	4260
TI-000854	Analogue Addressable HEAT Sensor (CF-ATJ-EA)	4290
TI-000855	4" ANALOG SENSOR BASE, BONE (CF-YBN-NSA-4)	330
TI-000856	Analogue Addressable Manual Call Point (CF-DCP-AMS-KL-LP)	9720
TI-000857	Analogue Addressable Loop powered Wall Sounder (CF-HEH24-R)	4410
TI-000858	SUPERVISED OUTPUT MODULE (CF-SOM)	7020
TI-000859	Isolator Base fully monitored for short/Open circuit (CF-SCI)	6030
TI-000865	DUAL INPUT MONITOR MODULE (CF-DIMM)	7920
TI-000866	DUAL RELAY MODULE 4", 8 AMPS @ 24VDC or 2 AMPS @ 120VAC (CF-R2MH)	9810
TI-000867	Analogue Addressable Multisensor (CF-ACA-V)	13710
TI-000868	Analogue Addressable HEAT Sensor (CF-ATG-EA)	5850
TI-000869	Analogue Addressable SMOKE sensor (CF-ALK-V)	5040
TI-000870	WALL MOUNT HORN/STROBE, 24VDC, 177CD, 100 dBA @ 10', RED (CF-HEC24-177WR)	11160
TI-000871	SCI-B4 SHORT CIRCUIT ISOLATOR BASE, BONE (CF-SCI-B4)	3360
TI-000872	DET SMK SPC-24 HC (CF-SPC-24)	81720
TI-000916	SINGLE SLC LOOP EXPANDER CARD (FireNET PLUS ONLY) (CF-FNP-1127-SLC)	50040
TI-000918	NETWORK INTERFACE CARD (FireNET & FireNET Plus) (CF-FN-4127-NIC)	50910
TI-000926	SERIAL ANNUNCIATOR (RED) (CF-FN-LCD-S-R)	59730

Code	Description	Price
TI-000929	SERIAL ANNUNCIATOR BACK BOX (RED) (CF-FN-LCD-S-BB-R)	7260
TI-000934	ANALOG SOUNDER BASE (AUX POWER), BONE (CF-ASB)	5760
TI-000937	FAST RESPONSE CONTACT MONITORING MODULE (CF-FRCME-M)	3420
TI-000938	FAST RESPONSE CONTACT MONITOR, WITH PIGTAILS (CF-FRCME-P)	4380
TI-000941	DUAL RELAY MODULE 4", 2 AMPS @ 24VDC or 1 AMP @ 120VAC (CF-R2ML)	5400
TI-000944	SUPERVISED OUTPUT MODULE 4" CLASS "A" ISOLATOR (CF-SOM-A-I)	6810
TI-000948	SINGLE ACTION ADDRESSABLE MANUAL PULL STATION (CF-DCP-AMS)	7740
TI-000951	PULL STATION BACK BOX - 1-3/4" DEEP (CF-HPS-BB)	1680
TI-000953	DET DUCT DH-99A (CF-DH-99A)	17820
TI-000956	SAMPLING TUBE 2.5 FT. (CF-STS-2.5)	570
TI-000957	SAMPLING TUBE 5 FT. (CF-STS-5)	810
TI-000958	SAMPLING TUBE 10 FT. (CF-STS-10)	1500
TI-000966	FIRENET GRAPHIX SOFTWARE PACKAGE- 1 TO 4 NODES (CF-GUS1-4)	384660
TI-000967	FIRENET GRAPHIX SOFTWARE PACKAGE- 5 TO 8 NODES (CF-GUS5-8)	538290
TI-000969	FIRENET GRAPHIX SOFTWARE PACKAGE- 17 TO 32 NODES (CF-GUS17-32)	768960
TI-001123	100 WATT VOICE EVAC.PANEL-INCL.DMR,TEMPORAL PATTERN, POWER SUPPLY & BATTERY CHARGER.STD.MESSAGE, MICROPHONE, ONE SPEAKER CIRCUIT,GRAY CABINET (CF-EVAX-100)	432450
TI-001226	FIRE PHONE JACK S.G. PLATE (CF-MX-FJ)	4920
TI-001227	FIRE PHONE HANDSET (CF-FNV-FH)	16350
TI-001230	FIRE PHONE INTERFACE (CF-FNV-FPI)	57870
TI-001231	FIRE PHONE OUTPUT (CF-FNV-FPO)	8670
TI-001271	2 ZONE CONVENTIONAL FACP, 4.5 AMP, 220V, RED (CF-HCA-2/220V)	47520
TI-001273	4 ZONE CONVENTIONAL FACP, 6.5 AMP, 220V, RED (CF-HCA-4/220V)	49680
TI-001275	8 ZONE CONVENTIONAL FACP, 6.5 AMP, 220V, RED (CF-HCA-8/220V)	51540
TI-001289	8 ZONE DIP SWITCH FIRE ALARM CONTROL PANEL, 110V/220V (CF-HCP-1008E)	159660
TI-001311	135 DEGREE, FIXED TEMP./RATE OF RISE HEAT DETECTOR (CF-DCD-135)	3300

Code	Description	Price
TI-001326	Carbon Monoxide Detector (CF-12-24SIR COSTAR)	11790
TI-001893	Access Enable Keyswitch (CF-Access Enable Keyswitch)	5220
TI-001895	Printer (large enclosure only) (CF-Printer)	68670
TI-001896	Network card (CF-Network card)	54540
TI-001897	Large enclosure for 1 Loop panel (CF-Large enclosure 1Lp)	16740
TI-001898	Flush mounting (standard enclosure only) (CF-Flush mounting)	11520
TI-001901	16 Zone Indicator for 2 Lool Panel (CF-16 Zones)	11700
TI-001902	48 Zone Indicator for 2 Lool Panel (CF-48 Zones)	25560
TI-001903	96 Zone Indicator for 2 Lool Panel (CF-96 Zones)	51030
TI-001904	Printer for Wired Panel (CF-Printer)	68670
TI-001905	Network card for Wired Panel (CF-Network card)	54540
TI-001906	Flush mounting for Wired Panel (CF-Flush mounting)	11520
TI-001908	Large enclosure for 4 Loop panel (CF-Large enclosure 4Lp)	41580
TI-001909	6Lp panel, 96 zone indicators, large enclosure, surface (CF-HFP AP-6S96S(LE))	675990
TI-001910	8Lp panel, 96 zone indicators, large enclosure, surface (CF-HFP AP-8S96S(LE))	749700
TI-001916	Network Card Fault Tolerant (CF-HFP APS-NIC)	54540
TI-001917	Thermal Printer Kit (CF-HFP-APS-TPK)	68670
TI-001918	16 Channei I/O Card (CF-HFP AP-I/O16)	50130
TI-001919	8 Way Relay Extender Card (CF-HFP APS-O/P8)	50130
TI-001920	6 Way Sounder Extender Card (CF-HFP APS-SC6)	50130
TI-001921	4 Way Conventional Detection Zone Card (CF-HFP APS-CZ4)	50130
TI-001922	Printer Paper Roll (CF-HFP APS-PRINTER ROLL)	1260
TI-001923	Software Download Lead (Economy) (CF-HFP APS-DLL (ECON))	7920
TI-001924	Software Download Lead (Standard) (CF-HFP AP-DLL (STANDARD))	16740
TI-001925	I/O Card Enclosure (Without Charger) (CF-HFP APS- I/O Board Encl)	21780
TI-001926	I/O Card Enclosure (c/w 750mA Charger) (CF-HFP APS- I/O Board Encl (750))	40950

Code	Description	Price
TI-001927	I/O Card Enclosure (c/w 2.5A Charger) (CF-HFP APS- I/O Board Encl (2.5))	51660
TI-001928	I/O Card Enclosure (c/w 5.25A Charger) (CF-HFP APS- I/O Board Encl-S (5.25))	70290
TI-001929	Addressable Sounder Controller Unit (c/w 2 sndr ccts & 2.5A Charger) (CF-HFP APS-SNDR2 Control Unit (2.25))	106650
TI-001930	Addressable Sounder Controller Unit (c/w 4 sndr ccts & 5.25A Charger) (CF-HFP APS-SNDR4 Control Unit (5.25))	128970
TI-001931	Addressable Sounder Controller Unit (c/w 6 sndr ccts & 5.25A Charger) (CF-HFP APS-SNDR6 Control Unit (5.25))	154710
TI-001932	Loop Extension Card (Lps 3&4 or 7&8) (CF-HFP AP-S LDC)	80010
TI-001933	Display Assembly (CF-HFP AP-SDA)	98010
TI-001934	Flushing Collar 6&8 Loop Panels Large Enclosure (500w * 650h) (CF-HFP AP-SFC (6&8))	11070
TI-001935	Flushing Collar 4 Loop Panel Large Enclosure (500w * 460h) (CF-HFP AP-SFC (4))	9900
TI-001936	As Retrofit Vision Window Door (CF-HFP AP AS-VWD)	21420
TI-001937	AS Controller Card (CF-HFP AS-CONT PCB)	96750
TI-001938	AS Lite Controller Card (CF-HFP AP ASL-CONT PCB)	83160
TI-001939	AS 2 Loop Extension Card (CF-HFP AP AS-LDC)	63000
TI-001940	Flushing Collar (385w * 310h) to fit (CF-HFP AP AS-FCM2)	8820
TI-001941	Flushing Collar (385w * 520h) to fit (CF-HFP AP AS-FCM3)	11070
TI-001946	Flush bezel for CT-T (CF-HFP AP AS-FCM2 CT-T)	7020
TI-001950	CP-R 230V variant (CF-HFP CP-R2S(230))	16380
TI-001952	Document box, surface, standard enclosure (to match HFP AP-AS/CP/XT styling) (CF-HFP DB/SSE)	12480
TI-001953	Document box, surface, deep enclosure (to match HFP AP-AS/CP/XT styling) (CF-HFP DB/SDE)	14850
TI-001954	2.5A 12A/H Battery (HFP AP-S Styling) (CF-HFP PSU-2.5/12SS)	60210
TI-001955	5.25A 17A/H Battery (HFP AP-S Styling) (CF-HFP PSU-5.25/12SS)	75960
TI-001956	5.25A 26A/H Battery (HFP AP-S Styling) (CF-HFP PSU-5.25/26SS)	79380
TI-001957	10.25A 17A/H Battery (HFP AP-S Styling) (CF-HFP PSU-10.25/17SS)	113760
TI-001958	10.25A 45A/H Battery (HFP AP-S Styling) (CF-HFP PSU-10.25/45SS)	122850
TI-001963	18A/H Battery Box (HFP AS-S Styling) (CF-HFP BB-18SS)	28980
TI-001964	24A/H Battery Box (HFP AS-S Styling) (CF-HFP BB-24SS)	32490

Code	Description	Price
TI-001965	38A/H Battery Box (HFP AS-S Styling) (CF-HFP BB-38SS)	42210
TI-001966	65A/H Battery Box (HFP AS-S Styling) (CF-HFP BB-65SS)	29970
TI-001967	7A/H Battery Box (HFP AP-AS, HFP CP/XT Styling) (CF-HFP BB-7CPS)	20160
TI-001968	18A/H Battery Box (HFP AP-AS, HFP CP/XT Styling) (CF-HFP BB-18CPS)	28980
TI-001969	38A/H Battery Box (HFP AP-AS, HFP CP/XT Styling) (CF-HFP BB-38CPS)	32760
TI-002027	LCMU Line Continuity Module (CF-LCMU)	1560
TI-002033	Multi sensor (CF-ACC-E(HFP))	5670
TI-002034	HFP Weatherproof Heat Sensor Ivory (CF-ACB-EW (HFP))	11700
TI-002035	HFP Low Cost Short Circuit Isolator Base White (CF-YBN-R/3(HFP)-SCI)	2610
TI-002036	HFP Wall Sounder Beacon Red (CF-CHQ-WSB(HFP))	10530
TI-002037	Addressable Beacon Amber Lens White (CF-CHQ-AB(AMB)WHT)	5670
TI-002038	HFP Dual Zone Monitor with SCI (CF-CHQ-DZM(HFP)-SCI)	18630
TI-002039	HFP Int Safe Dual Zone Monitor with SCI (CF-CHQ-DZM(HFP)-SCI-IS)	31500
TI-002040	HFP Mains Relay Controller with SCI (REQUIRES 5KG BACKBOX - NOT SUPPLIED) (CF-CHQ-MRC2(HFP)-SCI)	9450
TI-002041	HFP Plant Control Module with SCI (CF-CHQ-PCM(HFP)-SCI)	18630
TI-002042	HFP Single Output Module (CF-CHQ-SOM(HFP))	6480
TI-002043	Module Lid White (CF-CHQ-BOX LID(WHT))	810
TI-002044	Adaptor for New CHQ Modules (CF-CHQ-ADAPTOR)	600
TI-002045	Dual Zone Monitor - DIN Rail with SCI (CF-CHQ-DZM/DIN(SCI))	23490
TI-002046	Int Safe Dual Zone Monitor - DIN Rail with SCI (CF-CHQ-DZM/DIN(SCI)-IS)	38160
TI-002047	Mains Relay Controller - DIN Rail with SCI (CF-CHQ-MRC2/DIN(SCI))	12150
TI-002048	Plant Control Module - DIN Rail with SCI (CF-CHQ-PCM/DIN(SCI))	22560
TI-002049	Enclosure Grey Base/Clear Lid (CF-SMB-1)	5400
TI-002050	Lid for Enclosure Grey (CF-SMB-1(LID))	2220
TI-002051	DIN Mounting Box - Large (up to 6 DIN rail modules) (CF-SMB-2)	10080
TI-002052	Lid for Large DIN Mounting Box Grey (CF-SMB-2(LID))	4920

Code	Description	Price
TI-002053	Din Mounting Box - Small (up to 4 DIN rail modules) (CF-SMB-3)	7200
TI-002054	Lid for Small DIN Mounting Box Grey (CF-SMB-3(LID))	3150
TI-002055	SMB Adaptor Plate (CF-SMB-ADAPTOR)	5400
TI-002056	HFP Addressable Call Point Red with SCI Red (CF-HCP-E(HFP)-SCI)	5670
TI-002057	HFP Weatherproof Addressable Call Point with SCI Red (CF-HCP-W(HFP)-SCI)	20970
TI-002058	Addressable Call point PCB (CF-CHQ-CP(PCB))	4890
TI-002059	Call Point Key HCP (10pcs) (CF-HCP CALL POINT KEY)	8370
TI-002060	Addressable Orange Call Point (without back box) (CF-HCP-EO(SCI))	8820
TI-002061	FIREbeam Detector with Low Level Controller & 5-40m Reflector (CF-FB-1)	98280
TI-002062	FIREbeam Mid Range Reflector Kit 40-80m (CF-FB-MK)	14040
TI-002063	FIREbeam Long Range Reflector Kit 80-100m (CF-FB-LK)	36720
TI-002064	FIREbeam Antifog Kit with Reflector & Lens Cover (CF-FB-AK)	10980
TI-002065	FIREbeam Antifog Reflector Short 5-40m (CF-FB-ARS)	5220
TI-002066	FIREbeam Antifog Reflector Mid 40-80m (CF-FB-ARM)	28710
TI-002067	FIREbeam Antifog Reflector Long 80-100m (CF-FB-ARL)	60840
TI-002068	FIREbeam Unistrut Adaptor (CF-FB-UA)	6930
TI-002069	Ceiling Mounting Bracket for DRD-E (CF-YZU-A)	9090
TI-002070	Wall Mounting Bracket for DRD-E (CF-YZU-B)	9090
TI-002096	Marine Approved Addressable Call Point Red (CF-HCP-EM)	6390
TI-002101	1 Pipe Aspirating Smoke Detector (CF-FIRELINK-NANO)	143370
TI-002102	FIRElink Heater Box (CF-FL-HB)	114840
TI-002103	FIRElink Apic Interface Card (CF-FL-APIC)	34020
TI-002104	Input Relay Card for FIRELINK 25/100 (CF-FL-RC)	20160
TI-002105	Inline Sample Point Adapter 25mm Grey (CF-FL-ISPAG)	1260
TI-002106	Inline Sampling Point Adapter 25mm Red (CF-FL-ISPAR)	360
TI-002107	Standard Sampling Point Assembly with fixed flexible tube (CF-FL-SPA1)	3150

Code	Description	Price
TI-002108	Detachable Sampling Point Assembly (CF-FL-SPA2)	3600
TI-002109	Pipe Clip Red (CF-FL-PCR)	180
TI-002110	Sampling Hole Warning Labels 100 per roll (CF-FL-WL)	2100
TI-002111	Solvent Cement for FIRElink Pipe Hazardous UN1133 (CF-FL-SC)	1560
TI-002112	Pipe Cleaner for FIRElink Hazardous UN1193 (CF-FL-PC)	1020
TI-002115	Weatherproof Heat Detector No Base Required (CF-DFG-60BLKJ)	9450
TI-002116	DH/S/24 Magnetic Door Retainer (24v) (CF-DH-24)	7290
TI-002117	Dummy Smoke Detector (CF-DUMMY DETECTOR)	810
TI-002118	Call Point Glass Hochiki (CF-KAC/G/HE)	120
TI-002119	Flexi Element for Call Point (CF-FLEXI ELEMENT)	180
TI-002120	Outer Cover Removal Tool ALK/SLV (CF-RT-2)	13860
TI-002121	Smoke/Heat Head Unit (CF-TESTIFIRE 1000-001)	225630
TI-002122	Smoke/Heat Head Kit (CF-TESTIFIRE 1001-001)	277200
TI-002123	Smoke/Heat/CO Head Unit (CF-TESTIFIRE 2000-001)	293580
TI-002124	Smoke/Heat/CO Head Kit UK Only (CF-TESTIFIRE 2001-001)	342090
TI-002125	9m Smoke/Heat Kit UK Only (CF-TESTIFIRE 9001-001)	449100
TI-002126	9m Smoke/Heat/CO Kit UK Only (CF-TESTIFIRE 9201-001)	510660
TI-002127	Smoke Capsules TS3 6 pack (CF-SMOKE CAPSULES TS3)	73440
TI-002128	CO Capsules TC3 6 pack (CF-CO CAPSULES TC3)	73440
TI-002129	Smoke Spray Tester - Aerosol - Hazardous UN1950 (CF-SOLO A3)	2520
TI-002130	Gas Canister for Testing CO Fire Detectors - Hazardous UN1950 (CF-SOLO C3)	2400
TI-002131	Solo Detector Duster Aerosol - Hazardous UN1950 (CF-SOLO A7)	1560
TI-002132	Smoke Sabre Tester (CF-SMOKE SABRE)	4410
TI-002133	Fiberglass 2 Section Telescopic Pole 1m - 2.5m (CF-SOLO 108)	32580
TI-002134	Smoke and CO Aerosol Dispenser (CF-SOLO 330)	32490
TI-002135	Heat Detector Tester 110/120 volt (CF-SOLO 423)	57060

Code	Description	Price
TI-002136	Heat Detector Tester 220/240 volt (CF-SOLO 424)	57060
TI-002137	5m Ext Cable for Solo 423/424 (CF-SOLO 425)	10440
TI-002138	Cordless Heat Detector Test Kit (CF-SOLO 461)	110730
TI-002139	Battery Baton (CF-SOLO 760)	15120
TI-002140	Battery Baton Charger (CF-SOLO 725)	20520
TI-002141	Smoke and Cordless Heat Detector Test Set 9.3 metres (CF-SOLO 823)	299250
TI-002142	FIREscape Besa Box Adaptor (EL-BBA1)	270
TI-002143	FIREscape Addressable LED Corridor Luminaire - (EL-DL2)	13410
TI-002144	FIREscape Addressable LED Open Space Luminaire (EL-DL3)	14850
TI-002154	FIREscape Panel to Computer Cable (CF-EL-CAB)	11070
TI-002226	Intelli-Sense Intelligent Analogue Manual Call Point w/ resettable operating element,in-built isolator. Bi-Colour LED status indicator. EN 54-11, LPCB, CE	5550
TI-002236	K758 - 2 Loop Card for Latitude Series Panel, Connects 127 Hochiki devices on each loop	86670
TI-002239	Latitude Network Module - For Networking Latitude Series Panel and HFP-Vision Repeater Panels	57990
TI-002241	SRTCP-IP Communication Module for networking the SmartX Series Panels on TCP/IP – RS232	17370
TI-002252	Keypad/Repeater with LCD Display and silicon rubber keypad, compatible with SmartX Series 1 Loop Panel	36180
TI-002315	Enable Control Keyswitch(FN-ECK) for Firenet Panel	3150
TI-002355	Range Extension Kit upto 80M for Optical Beam Detectors	17460
TI-002433	Intelli-Sense Display Card - for use with Intelli-Sense fire alarm control panel	94500
TI-002434	Intelli-Sense 4-Way Programmable Sounder Card - for use with Intelli-Sense fire alarm control panel	53910
TI-002435	Intelli-Sense 4-Way Programmable Relay Card - for use with Intelli-Sense fire alarm control panel	48240
TI-002436	Intelli-Sense 8-Way Programmable Zone Card - for use with Intelli-Sense fire alarm control panel	79380
TI-002437	Intelli-Sense 10-Way Programmable Input Card - for use with Intelli-Sense fire alarm control panel	69930
TI-002438	Power supply unit EN 54-4 approved 24V DC 1.5A for Intelli-Sense BMS/Graphics Interface Card	34020
TI-002439	Power Supply unit 12V DC 2.5A for Intelli-Sense Commander BMS interface module	53910
TI-002440	RS232 9-way to 3-way plug in connector (Intelli-Sense upload/download lead)	6660

Code	Description	Price
TI-002441	Intelli-Sense IP55 19" Rack mount enclosure - 16U high	101160
TI-002442	Intelli-Sense IP55 19" Rack mount enclosure - 20U high	123840
TI-002443	Intelli-Sense handheld programming unit for programming of intelli-sense range of devices like address, analogue value etc.	20430
TI-002446	Pro-Sense Network Communication Card - RS485	20790
TI-000045	CF-FIRELINE 1 (1LDC) 1 Lp Addr Panel-1 Lp Card	121320
TI-000045A	CF-(HFP AP-1 ASS) 1 Loop Addr Panel	122220
TI-000046	CF-FIRELINE 2 (1LDC) 2 LP Addr Panel-1 LP Card	160650
TI-000047	CF-FIRELINE 2 (2LDC) 2 LP Addr Panel-2 LP Card	180180
TI-000048	CF-FIRELINE 4 (1LDC) 4 LP Addr Panel-1 LP Card	235620
TI-000049	CF-FIRELINE 4 (2LDC) 4 LP Addr Panel-2 LP Card	263340
TI-000050	CF-FIRELINE 4 (3LDC) 4 LP Addr Panel-3 LP Card	291060
TI-000051	CF-FIRELINE 4 (4LDC) 4 LP Addr Panel-4 LP Card	318780
TI-000052	CF-FIRELINE 8 (1LDC) 8 LP Addr Panel-1 LP Card	415800
TI-000053	CF-FIRELINE 8 (2LDC) 8 LP Addr Panel-2 LP Card	443520
TI-000054	CF-FIRELINE 8 (3LDC) 8 LP Addr Panel-3 LP Card	471240
TI-000055	CF-FIRELINE 8 (4LDC) 8 LP Addr Panel-4 LP Card	498960
TI-000056	CF-FIRELINE 8 (5LDC) 8 LP Addr Panel-5 LP Card	526680
TI-000057	CF-FIRELINE 8 (6LDC) 8 LP Addr Panel-6 LP Card	554400
TI-000058	CF-FIRELINE 8 (7LDC) 8 LP Addr Panel-7 LP Card	582120
TI-000059	CF-FIRELINE 8 (8LDC) 8 LP Addr Panel-8 LP Card	609840
TI-000060	CF-FIRELINE AR - Addr Repeater Panel	119700
TI-000801	(CF-HFP-CP-XTSI) Extinguishant Status Unit - 6 Lamp Release	31500
TI-000802	(CF-HFP-CP-XT) 3 Zone Single Area Surface Extinguishant Panel	73500
TI-000823	Mimic Panel-A0	333270
TI-000849	FIRENET 4 LOOP FIRE ALARM CONTROL PANEL (CF-FN-4127N/220V)	345690
TI-000850	FIRENET 2 LOOP FIRE ALARM CONTROL PANEL (CF- FN-2127N/220V)	287850

Code	Description	Price
TI-000851	FIRENET ADDRESSABLE REPEATER PANEL(CF-FN-LCD-N-R)	130770
TI-000862	2 Loop Panel c/w 16 zones, surface (CF-HFP AP-2ASS)	179550
TI-000874	ANALOG ADDRESSABLE 1 LOOP NO DIALER, NOT EXPANDABLE, RED (CF-FNP-1127-R)	133560
TI-000882	ANALOG ADDRESSABLE 1 LOOP NO DIALER, EXPANDABLE, RED (CF-FNP-1127E-R*)	166590
TI-000883	ANALOG ADDRESSABLE 1 LOOP (220V) NO DIALER, EXPANDABLE, RED (CF-FNP-1127E-R/220V*)	166590
TI-000886	ANALOG ADDRESSABLE 1 LOOP W/INTEGRATED DIALER, EXPANDABLE, RED (CF-FNP-1127DE-R*)	189480
TI-000912	FN-6127US1ER-220 ANALOG/ADDRESS. FIRE CONTROL PANEL 220V (6 LOOP/4AMP PS) W/NETWORK CARD W/MANUAL (CF-FN-6127US1ER-220)	856260
TI-000913	FN-8127US1ER-220 ANALOG/ADDRESS. FIRE CONTROL PANEL 220V(8 LOOP/4AMP PS) W/NETWORK CARD, W/MANUAL,RE (CF-FN8127US1ER-220)	976050
TI-001196	MASTER PANEL, 32 SWITCH / INPUT (CF-FNV-MP32)	557190
TI-001892	1 Loop Panel c/w 16 zones, non-networkable, surface (CF-HFP AP-1ASLS)	99900
TI-001894	1 Loop Panel c/w 16 zones, surface (CF-HFP AP-1ASS)	122220
TI-001900	2Lp panel (no zone indicators), surface (CF-HFP AP-2SS)	238140
TI-001907	4Lp panel (no zone indicators), surface (CF-HFP AP-4SS)	318150
TI-001911	Active Network Repeater, Surface (CF-HFP AP-ARNS)	90990
TI-001914	Passive Network Repeater, Surface (CF-HFP AP-PRNS)	74700
TI-001915	Local LCD Control Repeater, Surface (CF-HFP AP-CRLS)	84240
TI-001942	Flush bezel for CP-K for Panel (CF-HFP AP AS-FCM2 CP-K)	7020
TI-001951	Flush bezel for CP-R (CF-HFP AP AS-FCM2 CP-R)	7020
TI-002022	XT+ Coincidence Unit Semi-flushing Bezel (CF-HFP-AP-ASFCM2)	10890
TI-002023	XT+ 4 Zone 1&2 area and 8 zone 1&2 area Semi-flushing Bezel (CF-HFP-AP-ASFCM3)	15750
TI-002031	Tamper Resistant Vision Window (CF-HFP-AP-1AS-VWD)	27450
TI-002032	Tamper Resistant Vision Window - Slovenian (CF-HFP-AP-1AS-VWD(SLOV))	27450
TI-002235	Latitude 2-8 Loop Analogue Addressable Panel, 2 Loop on board, expandable upto 8 Loop. Colour 7" 800x480 touchscreen display. 9999 event logs, EN 54	259920
TI-002238	Latitude HFP-Vision Network Repeater Panel. Colour 7" 800x480 touchscreen graphic display. EN 54.	101070
TI-002240	SmartX 116 - Hochiki ESP Protocol Single Loop Analogue Addressable Control Panel. 16 Fire Zone Indicators. 2000 Event Logs, EN 54.	79410

Code	Description	Price
TI-002248	Passive Repeater Panel - Remote Tableau SG70-1 for indication of events of BC600 Series Control Panel.	83790
TI-002274	Optical Beam Detector 5-40M Reflective Type	110340
TI-002275	Range Extension Kit upto 100M for Optical Beam Detectors	37170
TI-002276	Mounting Plate for Beam Head or Single Reflector	9630
TI-002289	Sounder Control Module interfaces between the Hochiki Analogue system via a CHQ-DSC2 and the intrinsically safe sounder/beacon via an IS Barrier	12150
TI-002290	Isolated Barrier for intrinsic safety applications. It transfers DC signals from fire alarms in hazardous areas. Used to control LED's & audible alarms.	68610
TI-002291	Intrinsically Safe Sounder cum Strobe IS-mA-1 (IS)	36180
TI-002316	Firenet Door Lock and Two Keys (FN-KEY)	3150
TI-002317-VR	Intelli-Sense 1 Loop 19inch rack mount panel, non-expandable, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard)	203220
TI-002318-VR	Intelli-Sense 1 Loop 19inch rack mount panel, expandable upto 2 Loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard)	297720
TI-002319-VR	Intelli-Sense 1 Loop 19inch rack mount panel, expandable upto 4 Loop, networkable, Graphic LCD Display, Approval: EN 54-2, 4, & 13. (Standard)	477270
TI-000132	CF-SLV-E/3 Photoelectric SD White	2880
TI-000133	CF-DCD-AE3(WHT) Comb Heat Det - Class A1R	2400
TI-000134	CF-DCD-CE3 Comb Heat Det - Class CR	2400
TI-000135	CF-DFJ-AE3 Fx Temp Heat Det ClassA1S	2400
TI-000136	CF-DFJ-CE3(WHT) Fx Temp Heat Det Class CS	2400
TI-000137	CF-YBN-R/6(WHT) Simple mnt base - White	360
TI-000138	CF-YBO-R/6R(WHT) Relay base Latching White	1890
TI-000139	CF-YBO-R/6RN(WHT) Rly Base N-Latching White	3780
TI-000140	CF-YBF-RL-4H5 Conventional Base with R / I	2430
TI-000141	CF-CCP-E Conv Call Point	1620
TI-000142	CF-CCP-Y Conv Call Pnt With Bbox Y	2430
TI-000143	CF-CCP-W WP Conv Call Point Bbox	12330
TI-000144	CF-FLASHTONE Combined Sounder/Strobe	5670
TI-000145	CF-BANSHEE Conventional sounder	3780

Code	Description	Price
TI-000146	CF-DEEPBASE Deep Base Banshee/Fl-tone	540
TI-000147	CF-CLB-E(WHT) Conv beacon Wcase Red Len	5040
TI-000148	CF-SL-401(R) Strobe Light (red lens)	4410
TI-000155	CF-SLR-E(IS) IS Photoelectric SD	11970
TI-000156	CF-DCD-1E(IS) IS Heat 60 Deg SD	10260
TI-000157	CF-YBN-R/4(IS) IS Standard Base	810
TI-000158	CF-CCP-E(IS) IS Call Point Red	20790
TI-000159	CF-CCP-E/Y(IS) IS Call Point Yellow	20790
TI-000160	CF-MTL5061 DC/DC Isolator	48510
TI-000161	CF-DX070 Enclosure barrier	17370
TI-000162	CF-SLR-E/3M MA Photoelectric SD 3T	5670
TI-000163	CF-DCD-AE3/M MA Comb Heat Det 60Deg 3T	4230
TI-000164	CF-DCD-CE3/M MA Comb Heat Det 90Deg 3T	4230
TI-000165	CF-YBN-R/6M MA standard base	870
TI-000166	CF-SBB-1 Surface mounting box	720
TI-000167	CF-MBB-1 MA Back box with Glands	930
TI-000168	CF-MBB-1/SBB-1(WHT) MA Mntg B box w/o glands	1110
TI-000169	CF-IFD-E IR Flame Det alloy Hous	312450
TI-000170	CF-IFD-E(IS) IR Flame Det alloy Hou IS	315630
TI-000171	CF-IFD-E(EEXD) IR Flame Det Alloy FP Ex	348120
TI-000172	CF-HF-24 Conv Flame Detector	27720
TI-000173	CF-IFD-MB SS Adj Mnt Bracket	20970
TI-000174	(CF-DRD-E) IR Flame Detector	38790
TI-000175	CF-FIRELINK 25 1 pipe detector	192150
TI-000176	CF-FIRELINK 100 2 pipe detector	261810

Code	Description	Price
TI-000177	CF-FIRELINK/CM Command Module with PSU	242550
TI-000178	CF-FIRELINK/400 4 pipe detector	357840
TI-000179	CF-FIRELINK/400/CM 4 pipe det with comd mod	532350
TI-000180	CF-FIRELINK 25EX Explosion proof detector	1386000
TI-000181	CF-INPUT RELAY CARD Input Relay Card-FLNK 25	34650
TI-000182	CF-DUST FILTER (400) Dust Filter-FL400	4230
TI-000183	CF-DUST FILTER(25/100) Dust Filter-FL25/100	2820
TI-000184	CF-PIPE 0.75" DIA Pipe 0.75" dia. Red 3 met	1050
TI-000203	CF-SDP-2 Duct Det Mnt Box	20790
TI-000206	CF-SDP-LPIPE Sampl Pipe Duct Det	6930
TI-000207	CF-DFG-60E WP Heat Detector	9450
TI-000208	CF-YBN-UA Recess Mnt Kit	1560
TI-000209	CF-YBD-RA Base mounting adapter	2340
TI-000210	CF-REM-E Remote indicator-bbox	1560
TI-000211	CF-Hinged Cover (PS200) Hinged cover (HCP Range)	750
TI-000804	(CF-MTL7787+) Shunt diode safe barrier	18270
TI-000873	CONVENTIONAL ZONE INPUT MODULE (CF-CZM)	5850
TI-001344	MARINE APPLICATION CONVENTIONAL SMOKE DETECTOR (CF-SLV-24M)	3330
TI-001345	MARINE APPLICATION CONVENTIONAL 4" BASE (CF-NS4-220 Marine)	570
TI-001348	SMOKE GENERATOR POLE (CF-TSE-A100)	153360
TI-001355	PULL STATION, SINGLE ACTION, INCLUDES GLASS ROD (CF-HPS-SAH)	3060
TI-001383	WALL MOUNT STROBE, 24VDC, 15/75CD, RED (CF-HES24-1575WR)	7410
TI-001389	WALL MOUNT HORN/STROBE, 24VDC, 15/75CD, 100 dBA @ 10', RED (CF-HEC24-1575WR)	9630
TI-001394	WEATHERPROOF WALL MOUNT HORN/STROBE, 24VDC, 75CD, 100 dBA @ 10', RED (CF-WHEC24-75WR)	14040
TI-001409	WALL MOUNT HORN/STROBE, 24VDC, 15/30/60/75/110CD, 100 dBA @ 10', RED (CF-HEC3-24WR)	10170

Code	Description	Price
TI-001433	CEILING MOUNT SPEAKER, 24 VDC, RED (CF-HSSPKCLPR)	5220
TI-001437	MINI-HORN w/ CONTINUOUS OR TEMPORAL 3 SOUNDER, 12/24VDC, 90 dBA @ 10', RED (CF-HX93-R)	2520
TI-001442	SURFACE BACK BOX FOR HEC, HES, HEH SERIES, RED (CF-HSB-R)	2220
TI-001693	4" BACKBOX, RED (CF-BB-R)	1230
TI-001889	6" Fire Alarm Bell, 24VDC, Coil Driven (CF-B6-24)	3330
TI-001890	10" Fire Alarm Bell, 24VDC, Coil Driven (CF-B10-24)	4260
TI-001891	Bell Back Box, Weatherproof (CF-BB-WP)	1350
TI-001959	2.5A 12A/H Battery (HFP CP/XT Styling) (CF-HFP PSU-2.5/12CPS)	75960
TI-001960	5.25A 17A/H Battery (HFP CP/XT Styling) (CF-HFP PSU-5.25/17.2CPS)	79380
TI-001961	10.25A 17A/H Battery (HFP CP/XT Styling) (CF-HFP PSU-10.25/17CPS)	132660
TI-001962	10.25A 45A/H Battery (HFP CP/XT Styling) (CF-HFP PSU-10.25/45CPS)	148050
TI-002071	Conventional Schottky Base White (CF-YBN-R/6SK(WHT))	540
TI-002072	Conventional Schottky Relay Base Latching White (CF-YBO-R/6RS(WHT))	2220
TI-002073	Conventional 2 Wire Base White (CF-YBO-R/6PA(WHT))	1710
TI-002074	6" Motorised Bell Weather Resistant (CF-FB/024/R/W)	9090
TI-002075	Conventional Sounder (Banshee) Red c/w shallow base (CF-BANSHEE EXCEL)	4590
TI-002076	Conventional Sounder (Banshee) Red c/w deep base (IP66) (CF-BANSHEE EXCEL IP66)	4890
TI-002077	Conventional Sounder Beacon (Banshee) Red c/w shallow base (CF-BANSHEE EXCEL LITE)	7920
TI-002078	Conventional Sounder Beacon (Banshee) Red c/w deep base (IP66) (CF-BANSHEE EXCEL LITE IP66)	8190
TI-002079	Conventional Sounder Base White (CF-CSB-E(WHT))	2520
TI-002080	Conventional Sounder Beacon Base (CF-CSBB-E)	7920
TI-002081	Conventional Sounder Beacon Base White (CF-CSBB-E(WHT))	8190
TI-002082	Conventional Wall Sounder Beacon Red (CF-CWSB-E)	7920
TI-002083	Conventional Wall Sounder Beacon White (CF-CWSB-E(WHT))	6930
TI-002084	Lockable Cap for CSB-E and CSBB-E (CF-CS/CAP)	390

Code	Description	Price
TI-002085	Conventional Orange Call Point Surface Mounted c/w Back Box (CF-CCP-EO)	3150
TI-002086	Conventional 2 position Key switch AUTO/OFF Marking, Surface Mounting c/w Back Box - MOQ 50 Pcs (CF-CCP-KS02)	6300
TI-002087	Conventional 2 position Key switch AUTO/ON/OFF Marking, Surface Mounting c/w Back Box - MOQ 50 Pcs (CF-CCP-KS03)	6300
TI-002088	Intrinsically Safe Conventional Call Point Red (CF-CCP-E-IS)	21780
TI-002089	Intrinsically Safe Conventional Weatherproof Call Point Red (CF-CCP-W-IS)	31500
TI-002090	DC/DC Isolator (CF-MTL5561)	44460
TI-002091	Shunt Diode Safety Barrier for IFD-E(I.S) (CF-MTL7728+)	17640
TI-002092	Marine Approved Photoelectric Smoke Sensor Ivory (CF-ALG-ENM)	6930
TI-002093	Marine Approved Heat Sensor Ivory (CF-ACB-EM)	6930
TI-002094	Marine Approved Sensor Base Ivory (CF-YBN-R/3M)	420
TI-002095	Marine Approved Short Circuit Isolator Base Ivory (CF-YBO-R/SCIM)	3150
TI-002097	Marine Approved Weatherproof Call Point Red (CF-HCP-WM)	23880
TI-002098	Marine Approved Dual Relay Controller with SCI (CF-CHQ-DRC/M(SCI))	13590
TI-002099	Marine Approved Dual Sounder Controller with SCI (CF-CHQ-DSC/M(SCI))	17460
TI-002100	Marine Approved Single Zone Module with SCI (CF-CHQ-SZM/M(SCI))	11850
TI-002148	FIREscape Media Converter (EL-MC)	315000
TI-002251	CF-SOC-E/3 Conventional Photoelectric SD White	2880
TI-002266	Pro-Sense Conventional Multi-Criteria Detector (combi. of smoke and heat), central LED for 360o view of detector status, EN 54-7, EN 54-5, LPCB	2040
TI-002292	Marine Approved Photoelectric Smoke Detector, which is compatible with the majority of existing Marine Conventional systems	3750
TI-002293	Conventional Detector Mounting Base approved for marine applications by GL (Germanischer Lloyd) and is associated with CDX Range of Marine Detectors	510
TI-002294	Marine Approved Conventional Manual Call Point based upon industry standard KAC world series housing. Complete with SR-Backbox for surface mounting	2340
TI-002400	IR2 (Dual Infra-Red) Intrinsically Safe Flame Detector, provided with two IR sensor, IR band operating wavelength 0.75 to 2.7 µm, EN 54-10 LPCB approved	309060
TI-002403	IR3 (Triple Infra-Red) Intrinsically Safe Flame Detector, with three IR sensor, IR band operating wavelength 0.75 to 2.7 µm, EN 54-10 LPCB & VdS approved	333630
TI-002406	UV & Dual IR Flameproof(Exd) Flame Detector, with 2 IR & a UV sensor, IR band wavelength 0.75 to 2.7 µm, UV Band 185 to 260nm, EN 54-10 LPCB & VdS approved	379890
TI-002408	FFE - Flame Detectors - Flame Sensor Test Unit	326970

Code	Description	Price
TI-002413	FIRERAY 50R infrared beam smoke detector 50M range comprising provided with 1 reflective prism. UL listed	51300
TI-002414	FIRERAY 100R infrared beam smoke detector 100M range comprising provided with 4 reflective prism. UL listed	64260
TI-002421	Single Loop Analogue Addressable 19" Rack Mountable Fire Alarm Control Panel	203220
TI-002422	19" Rack Mount Back-Box - 8U (Painted: Light Grey RAL-7035) - required with MX-5101-VR	17010
TI-002423	19" Rack Mount D1 c/w Door Aperture - 8U (Painted: Light Grey RAL-7035) - required with MX-5101-VR	14220
TI-002424	19" Rack Mount Fascia Plate Blank - 8U (Painted: Light Grey RAL-7035) - required with MX-5101-VR	6660
TI-002425	19" Rack Mount Utility Chasis Plate - 8U - required with MX-5101-VR	17010
TI-002426	P-Bus Mimic Driver Card (16 inputs and 48 outputs) - MX-5000	56700
TI-002427	24V DC 5A EN54-4 Power Supply Unit and Battery Charger - required with MX-5101-VR	57690
TI-000125	CF-HFP CP-2 2 Zone Conventional Panel	31500
TI-000125A	CF-HFP CP-2KS 2 Zone Conventional Panel	40680
TI-000126	CF-HFP CP-4 4 Zone Conventional Panel	40950
TI-000126A	CF-HFP CP-4KS 4 Zone Conventional Panel	48240
TI-000127	CF-HFP CP-8 8 Zone Conventional Panel	44100
TI-000127A	CF-HFP CP-8KS 8 Zone Conventional Panel	54990
TI-000128	CF-HFP CP-R2(24) 2 Zn Conv Repeater Panel	18900
TI-000129	CF-HFP CP-R4(24) 4 Zn Conv Repeater Panel	25200
TI-000130	CF-HFP CP-R8(24) 8 Zn Conv Repeater Panel	31230
TI-000843	HCVR-3 Releasing Panel 3 Zone (UK) (CF-HCR-SDU-6S-R)	23790
TI-000844	Conventional Releasing Panel 3 Zone Red (CF-HCVR-3 (230V))	83070
TI-000863	CP-K 2 Zone Conventional Control Panel Surface (CF-HFP CP-2KS)	40680
TI-001943	CP-T 2 Zone Conventional Control Panel Surface, twin wire,surface (CF-HFP CP-2TS)	47610
TI-001944	CP-T 4 Zone Conventional Control Panel Surface, twin wire, surface (CF-HFP CP-4TS)	54120
TI-001945	CP-T 8 Zone Conventional Control Panel Surface, twin wire, surface (CF-HFP CP-8TS)	62100
TI-001947	CP-R 2Z Repeater Panel, 24V, surface (CF-HFP CP-R2S(24))	28350
TI-001948	CP-R 4Z Repeater Panel, 24V, surface (CF-HFP CP-R4S(24))	32130

Code	Description	Price
TI-001949	CP-R 8Z Repeater Panel, 24V, surface (CF-HFP CP-R8S(24))	42210
TI-001970	3 Zones single area - surface (CF-HFP-CP-XT3S)	107730
TI-001971	3 Zones single area - surface Slovenian (CF-HFP-CP-XT3S(SLOV))	107730
TI-001972	3 Zones single area - flush (CF-HFP CP -XT3F)	116550
TI-001973	3 Zones single area - flush Slovenian (CF-HFP CP -XT3F(SLOV))	116550
TI-001974	2 Zones Single Area - surface (CF-HFP-CP-XT+2Z1AS)	122220
TI-001975	2 Zones Single Area - Surface Slovenian (CF-HFP-CP-XT+2Z1AS(SLOV))	122220
TI-001976	4 Zone Single Area - Surface (CF-HFP-CP-XT+4Z1AS)	134190
TI-001977	4 Zone Single Area - Surface Slovenian (CF-HFP-CP-XT+4Z1AS(SLOV))	134190
TI-001978	4 Zone Two Area - Surface (CF-HFP-CP-XT+4Z2AS)	217980
TI-001979	4 Zone Two Area - Surface Slovenian (CF-HFP-CP-XT+4Z2AS(SLOV))	217980
TI-001980	8 Zone Single Area - Surface (CF-HFP-CP-XT+8Z1AS)	201330
TI-001981	8 Zone Single Area - Surface Slovenian (CF-HFP-CP-XT+8Z1AS(SLOV))	201330
TI-001982	8 Zone Two Area - Surface (CF-HFP-CP-XT+8Z2AS)	234720
TI-001983	8 Zone Two Area - Surface Slovenian (CF-HFP-CP-XT+8Z2AS(SLOV))	234720
TI-001984	8 Zone Three Area - Surface (CF-HFP-CP-XT+8Z3AS)	284940
TI-001985	8 Zone Three Area - Surface Slovenian (CF-HFP-CP-XT+8Z3AS(SLOV))	284940
TI-001986	8 Zone Four Area - Surface (CF-HFP-CP-XT+8Z4AS)	335070
TI-001987	8 Zone Four Area - Surface Slovenian (CF-HFP-CP-XT+8Z4AS(SLOV))	335070
TI-001988	Extinguishant Coincidence Unit (CF-HFP-CP-XT+CU)	103320
TI-001989	Extinguishant Coincidence Unit - Slovenian (CF-HFP-CP-XT+CU(SLOV))	103320
TI-001990	6 Lamp Status Unit - Surface (CF-HFP-CP-XTSI6S)	23910
TI-001991	6 Lamp Status Unit - Surface Slovenian (CF-HFP-CP-XTSI6S(SLOV))	23910
TI-001992	6 Lamp Status Unit - Flush (CF-HFP-CP-XTSI6F)	23910
TI-001993	6 Lamp Status Unit - Flush Slovenian (CF-HFP-CP-XTSI6F(SLOV))	23910
TI-001994	6 Lamp Status Unit - Manual Release - Surface (CF-HFP-CP-XTSI6/MRS)	27090

Code	Description	Price
TI-001995	6 Lamp Status Unit - Manual Release - Surface Slovenian (CF-HFP-CP-XTSI6/MRS(SLOV))	27090
TI-001996	6 Lamp Status Unit - Manual release - Flush (CF-HFP-CP-XTSI6/MRF)	27090
TI-001997	6 Lamp Status Unit - Manual release - Flush Slovenian (CF-HFP-CP-XTSI6/MRF(SLOV))	27090
TI-001998	6 Lamp Status Unit - Mode Select - Surface (CF-HFP-CP-XTSI6/MSS)	27270
TI-001999	6 Lamp Status Unit - Mode Select - Surface Slovenian (CF-HFP-CP-XTSI6/MSS(SLOV))	27270
TI-002000	6 Lamp Status Unit - Mode Select - Flush (CF-HFP-CP-XTSI6/MSF)	27270
TI-002001	6 Lamp Status Unit - Mode Select - Flush - Slovenian (CF-HFP-CP-XTSI6/MSF(SLOV))	27270
TI-002002	6 Lamp Status Unit - Manual Release - Mode Select - Surface (CF-HFP-CP-XTSI/MSMRS)	29970
TI-002003	6 Lamp Status Unit - Manual Release - Mode Select - Surface Slovenian (CF-HFP-CP-XTSI/MSMRS(SLOV))	29970
TI-002004	6 Lamp Status Unit - Manual Release - Mode Select - Flush (CF-HFP-CP-XTSI/MSMRF)	29970
TI-002005	6 Lamp Status Unit - Manual Release - Mode Select - Flush Slovenian (CF-HFP-CP-XTSI/MSMRF(SLOV))	29970
TI-002006	10 lamp Status Unit - Buzzer - Manual Release - Mode Select - Surface (CF-HFP-CP-XTSI10/BMSMRS)	35280
TI-002007	10 lamp Status Unit - Buzzer - Manual Release - Mode Select - Surface Slovenian (CF-HFP-CP-XTSI10/BMSMRS(SLOV))	35280
TI-002008	10 lamp Status Unit - Buzzer - Manual Release - Mode Select - Flush (CF-HFP-CP-XTSI10/BMSMRF)	35280
TI-002009	10 lamp Status Unit - Buzzer - Manual Release - Mode Select - Flush Slovenian (CF-HFP-CP-XTSI10/BMSMRF(SLOV))	35280
TI-002010	Extinguishant Hold Off (Red) Surface (CF-HFP-CP-XTHOBRS)	15120
TI-002011	Extinguishant Hold Off (Red) Surface Slovenian (CF-HFP-CP-XTHOBRS(SLOV))	15120
TI-002012	System Abort Button Unit (Red) Surface (CF-HFP-CP-XTSABRS)	6030
TI-002013	System Abort Button Unit (Red) Surface Slovenian (CF-HFP-CP-XTSABRS(SLOV))	6030
TI-002014	6 Lamp Weatherproof status Unit - Surface (CF-HFP-CP-XTSI6WP)	29610
TI-002015	6 Lamp Weatherproof status Unit - Surface Slovenian (CF-HFP-CP-XTSI6WP(SLOV))	29610
TI-002016	6 Lamp Weatherproof Status Unit - Mode Select - Surface (CF-HFP-CP-XTSI6/MSWP)	34380
TI-002017	6 Lamp Weatherproof Status Unit - Mode Select - Surface Slovenian (CF-HFP-CP-XTSI6/MSWP(SLOV))	34380
TI-002018	6 Lamp Weatherproof Status Unit - Manual Release - Mode Select - Surface (CF-HFP-CP-XTSI6/MSMRWP)	44100
TI-002019	6 Lamp Weatherproof Status Unit - Manual Release - Mode Select - Surface Slovenian (CF-HFP-CP-XTSI6/MSMRWP(SLOV))	44100

Code	Description	Price
TI-002020	10 Lamp Weatherproof Status Unit - Manual Release - Mode Select - Surface (CF-HFP-CP-XTSI10/MSMRWP)	45720
TI-002021	10 Lamp Weatherproof Status Unit - Manual Release - Mode Select - Surface - Slovenian (CF-HFP-CP-XTSI10/MSMRWP(SLOV))	45720
TI-002024	XT+ 8 Zone 3&4 area Semi-flushing Bezel (CF-HFP-CP-XT+BM4)	18900
TI-002025	XTSI Flushing Bezel (Economy) (CF-HFP-CP-XTSIB/ECO)	3330
TI-002026	XTSI Flushing Bezel (Standard) (CF-HFP-CP-XTSIB/STD)	7560
TI-002028	Extinguishant Module inc.PCB and Plate (CF-HFP-CP-XT+EM)	63000
TI-002029	HFP XT Ancillary PCB (CF-HFP-CP-XT-PCB)	29610
TI-002030	HFP XT Ancillary PCB c/w 0.75 Amp PSU (CF-HFP-CP-XT-PCB75)	57060
TI-000259	(CF_FI700/RF/WE) RF-EXPANDER	28350
TI-000260	(CF_FI700/RF/MCP) MANUAL CALL POINT	15750
TI-000261	(CF_FI700/WM/SOUR/STRB) SOUNDER - STROBE	22050
TI-000262	(CF_FI700/RF/O) OPTICAL DETECTOR	15750
TI-000263	(CF_FI700/RF/T) THERMAL DETECTOR	15750
TI-000264	(CF_FI700/RF/OT) OPTICAL THERMAL DETECTOR	18900
TI-000265	(CF_FI700/RF/M1IN/BOX) MONITOR MODULE	15750
TI-000266	(CF_FI700/RF/M1REL) CONTROL MODULE	15750
TI-000740	(CF-RACK216-1E) RACK	18900
TI-000741	(CF-ABP216-1E/INT1) RACK DISPLAY	47250
TI-000807	(CF-IAM216-1E) Interface Adapter Module	40950
TI-000861	(CF-FI700/COVER) LID FOR SOUNDER	750
TI-002202	(CF_FI700/O) Optical Detector_Wired	5490
TI-002203	(CF-FI700/B) Detector Base_Wired	540
TI-002204	(CF-FI700/OT) Optical-Thermal Detector_Wired	6660
TI-002205	(CF-FI700/MCP)-Manual Call Point/Red_Wired	7740
TI-002206	(CF-FI700/M1IN)-Monitor Module 1XIN_Wired	7680

Code	Description	Price
TI-002207	(CF-FI700/M1OUT)-Monitor Module - 1XOUT_Wired	8370
TI-002208	(CF-FI700/MBD/KO)-Module Box_Wired	1740
TI-002257	Wave-Sense Wireless Intelligent Manual Call Point (865 MHz) with resettable operating element. EN 54-11, EN 54-25, LPCB, CE	17910
TI-002257A	Wave-Sense Wireless Intelligent Manual Call Point (868 MHz) with resettable operating element. EN 54-11, EN 54-25, LPCB, CE	17910
TI-002262	CF-FI750/M/SST, Module for FI750 Sounder Strobe	4770
TI-002300	Addressable Thermal Detector - FI700/T (Wired)	5490
TI-002301	Addressable Relay Module - FI700/M1REL (Wired)	8160
TI-002302	Addressable Monitor Module - FI700/M1IN (Wired)	7740
TI-002304	LTE Module to interface the remote access tool of fire alarm control panel to mobile phone network	58590
TI-002305	Wired addressable conventional zone module. Designed to comply with EN 54-18. Make- LST	11340
TI-000255	(CF_BC216-1S/INT1) FIRE DETECTION CONTROL PANEL (NON NETWORK)	103950
TI-000256	(CF_BC216-1/INT1) FIRE DETECTION CONTROL PANEL (NETWORKABLE)	110250
TI-000739	(CF-BCAM216-3EPS) SECTIONAL CONTROL PANEL	204750
TI-000799	(CF-BCAM216-3E) RACK SECTIONAL CONTROL PANEL WITHOUT POWER SUPPLY	129150
TI-002242	Intelligent Addressable Fire Alarm Panel- 1 Loop. Non-networkable Compact panel with LED display. Approval: EN 54-2, EN 54-4, VDS (BC600-1D)	99900
TI-002243	Intelligent Addressable Fire Alarm Panel- 1 Loop. Networkable compact panel provided with LCD display unit. Approval: EN 54-2, EN 54-4, VDS (BC600-1L)	126630
TI-002244	Intelligent Analogue Addr. Fire Alarm Panel- Modular panel expandable Upto 8 Loop using loop interface card(LIF601-1). Approval: EN 54-2,EN 54-4, VDS (BC600-8L2S)	146520
TI-002245	Loop Interface LIF601-1: 1 ADM loop with bi-directional communication in BC600 Series Control Panel. Supports 240 Detectors or Modules(LIF601-1)	46350
TI-002246	Network Interface Card - NIF600-1 for networking the BC600 Series Control Panels (NIF600-1)	72450
TI-002247	Active Repeater Panel - ABF600-1 used as remote indication and operation unit of networked BC600 Series Control Panel. 1/4 VGA graphics display.	131670
TI-002249	Intelligent Addressable Fire Alarm Panel with CPU Redundancy -Exp. Upto 8 Loop using loop interface card(LIF601-1).BC600-8L4N. Approval:EN 54-2,EN 54-4,VDS (BC600-8L4N)	230400
TI-002250	Loop Interface LIFR601-1: 1 ADM loop with bi-directional communication BC600 Series Control Panel. With integrated redundant processor.	82530

Code	Description	Price
TI-000583	Battery for Smoke Detector-3V	510
TI-000584	Battery for Strobe Siren	1590
TI-000584A	Battery for Strobe Siren (3.6V & 7AH, 1+1)	7950
TI-000798	Battery for Perimeter Security (Lithion metel battery ER34615M)	1290
TI-002159	Battery for Smoke Detector (Alkaline)	330
TI-000205	CF-SDP-BRACKET Mnt Brkt - Circular Duct	5730
TI-000185	CF-SOCKET Socket red	210
TI-000186	CF-90 BEND 90 bend red	810
TI-000187	CF-45 BEND 45 bend red	360
TI-000188	CF-END CAP End Cap red	210
TI-000189	CF-SOCKET UNION Socket union red	900
TI-000190	CF-T' PIECE T' Piece red	900
TI-000191	CF-SOCKET 25MM Socket 25mm grey	210
TI-000192	CF-END CAP 25mm End Cap 25mm grey	210
TI-000193	CF-SAMPLING POINT ADAPTER In-line Remote Sampling Point Adapter grey	1440
TI-000194	CF-IMP/MET ADAPTER 0.75" female to 25mm male adapter red	360
TI-000195	CF-MET/IMP ADAPTER 25mm female to 0.75" male adapter red	360
TI-000196	CF-MET-IMP SOCKET 0.75" to 25mm female socket red	180
TI-000197	CF-REDUCING SLEEVE-25MM 25mm reducing sleeve black (400 series)	210
TI-000198	CF-STANDARD SAMPLING Standard sampling point assembly	3150
TI-000199	CF-SAMPLING POINT Sampling point assembly	3510
TI-000200	CF-PATRESS SAMPLING POINT Patress sampling point assembly	3330
TI-000201	CF-90 PATRESS SAMPLING POINT 90 Patress sampling point assembly	3510
TI-000202	CF-BULKHEAD SAMPLING POINT Bulkhead sampling point assembly 20mm	3180
TI-000204	CF-SDP-NPIPE Std Tube for SDP2 Addl	2430
TI-000212	CF-SOLO 100-001-Fiberglass 4 section telescopic pole 4.5 meters	65190
TI-000213	CF-SOLO 101-001-Fiberglass extension pole 1.13 meters	13680

Code	Description	Price
TI-000214	CF-SOLO 200-001-Universal Removal Tool	41340
TI-000257	(CF_LIF128-1) LOOP INTERFACE CARD	28620
TI-000258	(CF_FI700/RF/W2W) RF-INTERFACE	28620
TI-000574	(CF-SIM216-1) Monitor Module	37260
TI-000585	(CF-N744309) SOUNDER-STROBE (W/L)	41340
TI-000585A	(CF-F1700/RF/WB/SSTWC-865) SOUNDER-STROBE	41340



Download the Ceasefire app.



Ceasefire Industries Private Limited
B1/H1, 2nd Floor, Mohan Cooperative
Industrial Estate, Mathura Road,
New Delhi - 110044
t +91 120 4665800

Call our Free Hotline :
1800 120 3473 / +91 9540 666 666
or call +91 120 4223473

www.ceasefire.in

Follow us on:

