



CEASE FIRE

The Fire and Safety Experts



Over 500
Quality Products



State-of-the-Art
Manufacturing



International
Certifications



FIRE EXTINGUISHERS | IN-PANEL SYSTEMS | KITCHEN SYSTEMS | SUPPRESSION SYSTEMS |
ALARM SOLUTIONS | ACCESSORIES | AMC | REFILLING

ABOUT US

Ceasefire is the most trusted fire safety brand in India and a fast emerging global conglomerate. With its globally certified, holistically integrated range of fire fighting solutions, the company is amongst the rarest in the world to have such a diverse product portfolio as part of one eco-system. The company is a leading manufacturer of a 360 degree unified product range that includes a complete line of Fire Extinguishers

with the widest Variety of extinguishing agents, **Special Application Extinguishers**, Highly advanced **In-Panel Suppression Systems**, **Total Flooding Systems**, Greenest technologies including **Inert Gas Based Suppression Systems**, Revolutionary **Watermist Based Suppression Systems**, Extensive range of Watermist and Wet chemical Based **Kitchen Fire Suppression Systems**, **Hydrant Systems**, **Fire Alarm Systems** and other highly specialised fire fighting technologies.



This extensive product portfolio is built at the very forefront of technology and conforms to the highest global standards and carry a host of international certifications by world's top-notch quality agencies including - **BIS, EN3/ EN1866, LPCB, BSI, EU-MED, PED, VDS, ISO 9001 and UL** . Manufactured at the company's state-of the art production facility

in India, Ceasefire's fire fighting solutions are setting global benchmarks in quality. Best names across industry segments in India and other parts of the world have counted on us for their safety, including global giants, MNCs, Government Agencies, Railways, Airports, Military & Strategic Establishments. Totalling 500,000 customers. We've never let anyone down, ever.

OUR CERTIFICATIONS



FIRE EXTINGUISHERS

Core Range

Home & Car Extinguishers	09
ABC Powder Portable & Wheeled Extinguishers	11
CO ₂ Portable & Wheeled Extinguishers	13
Water Portable & Wheeled Extinguishers	15
Water Portable Extinguishers [Spray Model]	16
Foam Portable & Wheeled Extinguishers	17
Foam (Fluorine Free) Portable Extinguishers	18
Foam Portable Extinguishers [Spray Model]	19

Cartridge Range

ABC Powder Cartridge Portable & Wheeled Extinguishers	21
Water Cartridge Portable & Wheeled Extinguishers	23
Foam Cartridge Portable & Wheeled Extinguishers	24
Watermist & Foam mist Cartridge Portable Extinguishers	25

Special Application

Fluoroketone [FK] Clean Agent Based Portable Extinguishers	27
HFC-227ea Clean Agent Based Portable Extinguishers	28
HFC-226fa Clean Agent Based Portable Extinguishers	29
MultiMax All Fires Portable Fire Extinguishers	30
Multimax [All Fires] Special High-Impact Fire Extinguishers	31
Wet Chemical Portable Extinguishers	32
Wet Chemical Portable Extinguishers [Spray Model]	33
B Plus Special Application [Class B] Extinguishers	34
Metal Fire Extinguishers	35
Watermist Portable Extinguishers	37
Foammist Portable Extinguishers	38

Action-Pac [Portable Watermist & Foammist]	39
CAFS [Watermist Compressed Air Foam System - Low Pressure]	40
CAFS [Watermist Compressed Air Foam System - High Pressure]	41
QUAD [Watermist & Foammist Wheeled Extinguishers]	42
Tetraquad	43

Automatics

Wall Mounted Automatic M-series Extinguishers	45
Ceiling Mounted Automatic M-series Extinguishers	46
Ceasefire Mini Pro	48
Launcher [Extinguisher + Modular Suppression System]	49

EN Approved Premium Range

Home and Car Extinguishers	51
ABC Powder Portable & Wheeled Extinguishers	52
CO ₂ Portable & Wheeled Extinguishers	54
Water Portable & Wheeled Extinguishers	55
Foam Portable & Wheeled Extinguishers	56
Clean Agent Portable Extinguishers	57
Wet Chemical Portable Extinguishers	58
MultiMax L-ion Portable Fire Extinguishers	59
B Plus Special Application [Class B] Extinguishers	60
Watermist Portable Extinguishers	61
Foammist & Green-Foammist Portable Extinguishers	62
QUAD [Watermist, Foammist & Green-Foammist Wheeled Extinguishers]	63

Accessories

Fire Suits	65
Ceasefire Instalart	66
Strolleys	66
Flat Pack Tubular Stand- Chrome Finish	67
Signages	69
Flat Pack Trolleys	75
Flat Pack Fire Extinguisher Stand	77

SUPPRESSION SYSTEMS

In-Panel Tube Based Suppression System [CQRS] 83

Clean Agent Based Total Flooding System 85

Inert Gas Suppression System 87

Server Quick Response System [SQRS] 88

Special Firefighting Accessories

Lancepro 89

Morph 90

HYDRANT SYSTEMS

CF-2000 Hydrant System 92

CF-3000 Hydrant System 93

KITCHEN SYSTEMS

ULtraX Kitchen Fire Suppression System [Wet Chemical based] 101

Commercial Kitchen Suppression System - Enviro [Watermist based] 103

Commercial Kitchen Suppression System - Ultra [Wet Chemical based] 104

Residential Kitchen Suppression System - Enviro [Watermist based] 105

Residential Kitchen Suppression System - Ultra [Wet Chemical based] 106

WATERMIST SUPPRESSION SYSTEMS

Nozzles 112

Generator Auto - Quell System 113

Transformer Auto - Quell System 114

Swift 115

Indoor Auto-Quell System 116

FIRE EXTINGUISHERS

IN THIS SECTION



Core Range



Cartridge Range



Special Application



Automatics



EN Approved Premium
Range



Accessories



A FIRE EXTINGUISHERS RANGE WITH INCREDIBLE LENGTH & DEPTH


Ceasefire's range of extinguishers offer an unmatched length and depth. From Core Range Extinguishers including ABC Powder, Water, Foam & CO₂ to Specialized Extinguishers including Clean Agent, Metal Fire, Watermist, Foammist, Compressed Air Foam, Wet Chemical and Extinguishers for domestic use, the range is the most comprehensive ever.

The length of the Ceasefire's range of extinguishers is complemented with an incredible depth too. The extinguishers are not only available in a wide variety of agents for unique application, but come in every size possible, ranging from the small sizes of 500gms, 1kg & 2kg to the Mid Segment of 4kg, 5kg, 6kg, 9kg and 12kg to the Plus sizes of 25kg, 50kg, 75kg and 250 Litres.




Widest Range of Extinguishers To Address Every Kind of Fire.


Ceasefire has a complete line of fire extinguishers and extinguishing agents to address the needs of any type of facility or application.



CO₂ Extinguishers



Fluoroketone (FK) Extinguishers



Watermist Extinguishers

THE MANUFACTURING EDGE

Our manufacturing facility is an ISO 9001 certified, state-of-the-art, backward-integrated production unit, with in-house container manufacturing, advance deep draw stations, in-house valve manufacturing, world-class paint shop and a highly

sophisticated & fully equipped quality test lab. The facility is fully compliant to the Factory Production Control (FPC) requirements of the highest global standards including EN3, EN1866, LPCB, BSI, MED, PED and OHSAS.



In-house design cell. Company owned manufacturing facility in Dehradun, India.



Testing labs equipped to carry out quality-standardized tests.



In-house valve manufacturing unit.



ISO certified production facility.



Advanced MIG CO2 welding station.



Tie-ups with the world's leading OEMs.



World-class paint shop that ensures superior product quality.



Quality certifications from world's best agencies.



EXTINGUISHERS PAR EXCELLENCE

Each of our extinguisher goes through the following mandatory tests:

■ **HPT Test:**

Hydrostatic Pressure Tested [HPT] with a pressure of 30kg/cm², which is three times the working pressure of an extinguisher.

■ **Inverted Beaker 24-hour Leak Test:**

Pressurised extinguishers are immersed in water for 24 hours with an inverted glass beaker placed on the neck. Any trace of air bubbles symbolizes leakage and the extinguisher is rejected.

■ **The Helium Leak Detection Test:**

The container is charged with 99% Nitrogen and a small amount of Helium is added. Helium being lighter than air leaks out even if there is slightest trace of leakage in any joint. If so, the extinguisher is rejected.



OUR EXTINGUISHERS ARE NOT JUST MANUFACTURED, THEY ARE ENGINEERED TO PERFECTION TO BECOME THE LIFESAVERS THEY ARE.

■ **Deep Draw Body:**

Portable extinguishers are manufactured using a state-of-the-art Deep Draw process ensuring minimal seams on the container body.

■ **MIG CO₂ Welding:**

Extinguishers are manufactured using advanced Motorized Metal Inert Gas Welding Technology giving them a much superior and stronger container body.

■ **Internal Epoxy Coating:**

Water/Foam/Wet chemical extinguishers are treated with internal epoxy coating that ensures no rust or corrosion.

■ **Treated for Longevity:**

Ceasefire extinguishers are chemically treated internally and externally to ensure durability & longevity.




WHAT'S NEW

Latest enhancements across our portable fire extinguishers.

01- ENHANCED VALVE SYSTEM


Pressure Relief Valve (PRV)

Releases excess internal pressure before it reaches a dangerous level, providing an additional layer of safety for the user. This helps minimise the risks associated with excessive pressure build-up and enhances overall user safety during operation and handling.



Non-Return Valve (NRV)

Enables pressure gauge removal for checking or replacement while maintaining internal pressure. This simplifies servicing and maintenance, allowing essential service operations to be carried out more efficiently without the need to fully depressurise the extinguisher.



This enhanced valve mechanism delivers greater pressure safety and more efficient servicing, reducing the need to fully depressurise the extinguisher.



02- SCREEN-PRINTED CYLINDER LABEL

Moving beyond conventional applied labels, our extinguishers now feature screen-printed product information directly on the cylinder. The print offers excellent resistance to peeling, tampering, rubbing, scratching and common chemicals, along with high resistance to fading.

This ensures critical information remains clear, long-lasting and legible despite regular wear and tear, keeping essential safety and usage information readily accessible during emergency.

03- GLOW-IN-THE-DARK LOCATOR

Where conventional identification is depended on available ambient light, our extinguishers now feature a phosphorescent glow-in-the-dark cylinder locator to make the extinguisher easier to identify in dark and low-visibility conditions.

Manufactured without phosphor, lead-containing compounds or radioactive materials, the signage conforms to the DIN standard and exceeds the requirements of DIN 67510 Part 4. Under suitable light-charging conditions, it can continue to glow for several hours after lights-out.



This helps users locate the extinguisher faster in darkness, low visibility, and smoke, enabling quicker access and a more immediate response during emergencies.

04- ECO-FRIENDLY PACKAGING

Moving away from conventional packaging materials, our extinguishers are now packed using recyclable paper, corrugated board and natural rubber.



The result is a more environment-conscious packaging solution, designed for easier recycling and responsible disposal.



05- EASY-LUG MOUNT BRACKET

Replacing the earlier mounting arrangement, our extinguishers now feature an easy-lug mounting system with a secure "J" hanger.

The design makes mounting and removal quick, simple and convenient, while keeping the extinguisher securely positioned and readily accessible during an emergency.



Core Range of

Fire Extinguishers

Built for Speed, Power, and Reliability.



HOME AND CAR FIRE EXTINGUISHERS [CLASSIC RANGE]

OVERVIEW:

Few minutes. That’s all the time you have before a fire gets out of control. And the time you have to detect it, rush your family to safety and fight the fire. Packed with modern utilities, homes today have become extremely prone to fire. That’s where Ceasefire’s Home and Car fire extinguishers come in.

FEATURES:

- Most potent against Home & Car fires.
- Simplicity in design.
- Portable and easy to use.
- Colors to suit your home decor.
- State-of-the-art pressure gauge.
- Easy snap safety seal.
- World-class quality.



SIZES AVAILABLE:

- **Portable** :- 500 g, 1 Kg.

FIGHTS CLASS

A B C ⚡

CERTIFICATIONS

IS 15683

CE

EN 3

CE

EN 3

CE

EN 3

CE

Sizes	500 g	1 Kg	
IS 15683 Fire Ratings	—	1A, 34B	
BS EN-3 Fire Ratings	—	5A, 21B	5A, 34B



Scan code for Tech specs, Application areas and Product video.



HOME AND CAR FIRE EXTINGUISHERS [ART RANGE]

OVERVIEW:


Designed to match the aesthetics of your home, so that it's not tucked out of sight in a fire situation. Ceasefire's Designer range of extinguishers are art installations of fine steel and ink, crafted to meet international standards and designed to exceed them. Making these extinguishers true works of art. Art that saves property and lives.

FEATURES:

- Most potent against Home & Car fires.
- Simplicity in design.
- Portable and easy to use.
- Aesthetically pleasing designs to suit your home decor.
- State-of-the-art pressure gauge.
- Easy snap safety seal.
- World-class quality.

SIZES AVAILABLE:

- **Portable :-** 500 g, 1 Kg.



Scan code for Tech specs, Application areas and Product video.

ABC POWDER PORTABLE & WHEELED EXTINGUISHERS

OVERVIEW:

In environments such as schools, offices, hospitals & factories, the Ceasefire ABC Powder extinguisher is your safest bet. Mono Ammonium Phosphate paired with a simple, controllable discharge mechanism maximises the firefighting power and puts out the fire within seconds.

FEATURES:

- Fights Class A, B, C and Electrically started fires.
- Packed with 50% and 90% MAP concentration.
- State-of-the-art Pressure Gauge.
- Quick, powerful and reliable firefighting system.

SIZES AVAILABLE:

- **Portable** :- 2 Kg, 4 Kg, 6 Kg, 9 Kg.
- **Wheeled** :- 25 Kg, 50 Kg, 75 Kg.



FIGHTS CLASS

A B C ⚡

CERTIFICATIONS

IS 15683
DRUG-8885112

LPCB

BS EN 3
LPCB Cert Ref: 13326

FM APPROVED

CE 1128

PORTABLE EXTINGUISHERS :

Sizes		2 Kg	4 Kg	6 Kg	9 Kg
MAP-50	IS 15683 Fire Ratings	2A, 70B	4A, 144B	6A, 183B	6A, 233B
	BS EN-3 Fire Ratings	8A, 70B	21A, 144B	27A, 183B	43A, 233B
MAP-90	IS 15683 Fire Ratings	3A, 70B	4A, 144B	6A, 183B	6A, 233B
	BS EN-3 Fire Ratings	13A, 55B	21A, 144B	27A, 183B	43A, 233B



ABC Powder MAP 50

ABC Powder MAP 90

Scan code for Tech specs,
Application areas and
Product video.

Scan code for Tech specs,
Application areas and
Product video.

WHEELED EXTINGUISHERS :

Sizes	25 Kg	50 Kg	75 Kg
IS 16018 Fire Ratings	20A, 233B	20A, 233B	20A, 233B



ABC Powder Wheeled



Scan code for Tech specs, Application areas and Product video.

CO2 PORTABLE & WHEELED EXTINGUISHERS

OVERVIEW:

Ceasefire’s sturdy and light CO2 extinguisher is very effective in putting out fires in large spaces. Packed with tremendous power, it reduces the fire’s oxygen supply, and brings the temperature down drastically, extinguishing the flames in seconds.

FEATURES:

- Fights Class B, C and Electrically started fires.
- Frost-free horn to dispense gas, removes risk of freeze burn.
- State-of-the-art Used/Ready indicator in selected range.

SIZES AVAILABLE:

- **Portable** :- 2 Kg, 4.5 Kg.
- **Wheeled** :- 6.5 Kg, 22.5 Kg.



FIGHTS CLASS

B C ⚡

CERTIFICATIONS



Sizes	2 Kg	4.5 Kg	6.5 Kg	22.5 Kg
IS 15683 Fire Ratings	34B	55B	55B	—
IS 16018 Fire Ratings	—	—	—	113B
BS EN-3 Fire Ratings	34B	—	—	—



CO₂ Portable



CO₂ Wheeled

Scan code for Tech specs,
Application areas and
Product video.



Scan code for Tech specs,
Application areas and
Product video.



Water Extinguishers

Harness the Enormous Potential of Water



WATER PORTABLE & WHEELED EXTINGUISHERS [JET MODEL]

OVERVIEW:

Water has always been fire’s deadliest foe. Ceasefire’s Water extinguisher uses proprietary Stored Pressure Technology to deliver a high power throw of water. This ensures it fights fires effectively and enables the firefighter to maintain a safe distance from the flames.

FEATURES:

- Fights Class A fires.
- EPDM / Braided Rubber Hosepipe.
- Easy Snap Safety Pin.
- State-of-the-art Pressure Gauge in portable range.
- Powder Coated cylinder liner.
- Deep Drawn Body in the portable range.
- Extinguishant dispersed via specially designed Jet Nozzle.



SIZES AVAILABLE:

- **Portable** :- 6 Ltr, 9 Ltr.
- **Wheeled** :- 60 Ltr.

FIGHTS CLASS	CERTIFICATIONS
A	  

Sizes	6 Ltr	9 Ltr	60 Ltr
IS 15683 Fire Ratings	3A	4A	—
IS 16018 Fire Ratings	—	—	20A
BS EN-3 Fire Ratings	13A	21A	—



Water Portable

Water Wheeled

Scan code for Tech specs,
Application areas and
Product video.



Scan code for Tech specs,
Application areas and
Product video.



WATER PORTABLE EXTINGUISHERS [SPRAY MODEL]

OVERVIEW:

Water is a natural firefighting agent that helps bring down the temperature of the fire and the area around it. Ceasefire’s Water Spray model extinguishers can be used on Class A, F, and Electrically started fires, making them more effective against the fire.

FEATURES:

- Fights class A, F & Electrically Started Fires.
- EPDM/Braided Rubber Hosepipe.
- Easy Snap Safety Pin.
- State-of-the-art Pressure Gauge.
- Epoxy polyester powder coated internal container lining.
- Deep Drawn cylinder construction.
- Extinguishant dispersed via specially designed Spray Nozzle.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.

SIZES AVAILABLE:

- **Portable** :- 6 Ltr, 9 Ltr.



FIGHTS CLASS

A F ⚡

CERTIFICATIONS

IS 15683



CE ₁₁₂₈

ONLY 15683.12

Sizes	6 Ltr	9 Ltr
IS 15683 Fire Ratings	3A	4A



Scan code for Tech specs, Application areas and Product video.

FOAM PORTABLE & WHEELED EXTINGUISHERS (ASPIRATING MODEL)

OVERVIEW:

Fire needs oxygen to grow. Without it, even the largest fires die out in minutes. Ceasefire's Foam extinguisher exploits this weakness by discharging a mechanical foam that blankets the flames and cuts off the oxygen supply. It's what we like to call simple and effective firefighting.

FEATURES:

- Fights Class A and B fires.
- State-of-the-art Pressure Gauge in portable range.
- Deep Drawn Body in the portable range.
- Stored Pressure technology for more effective firefighting.
- Squeeze Grip mechanism for quick and easy use.
- Epoxy polyester powder coated internal container lining.



SIZES AVAILABLE:

- **Portable** :- 3 Ltr, 6 Ltr, 9 Ltr.
- **Wheeled** :- 60 Ltr.

FIGHTS CLASS	CERTIFICATIONS
A B	  
	CEMA-8888112 ISO 9001 BS EN 3 LPCB CERT. NO. 13206 KM665914 1128

Sizes	3 Ltr	6 Ltr	9 Ltr	60 Ltr
IS 15683 Fire Ratings	2A, 55B	3A, 144B	4A, 233B	—
IS 16018 Fire Ratings	—	—	—	20A, 233B
BS EN-3 Fire Ratings	—	13A, 144B	21A, 233B	—



Foam Portable

Foam Wheeled

Scan code for Tech specs,
Application areas and
Product video.


Scan code for Tech specs,
Application areas and
Product video.


FOAM (FLUORINE FREE) PORTABLE EXTINGUISHERS (ASPIRATING MODEL)

OVERVIEW:

Ceasefire's Fluorine Free Foam Extinguishers work by cutting off a fire's oxygen supply, which is essential for its survival. The foaming agent blankets the flames and cuts off the oxygen supply. Being fluorine free these extinguishers provide an environment friendly foam based extinguishing agent option. While they are effective against Class B fires, involving flammable liquids like oil and petrol, the agent is also super effective to address the risk of class A fires.

Ceasefire's Fluorine Free Foam Extinguishers use the squeeze grip mechanism, making them faster and easier to use. The proprietary stored pressure technology also delivers high power throw, making these extinguishers extremely effective.

FEATURES:

- Fights Class A and B fires.
- Long and flexible hose pipe aids simplicity in handling.
- Easy to read pressure gauge for ease of monitoring.
- EPDM Rubber Hose Pipe:
- 6 year Warranty.
- BSI tested, PED, and ISO 9001 certified.



FIGHTS CLASS	CERTIFICATIONS
A B	BSI CE

SIZES AVAILABLE:

- **Portable** :- 3 Ltr, 6 Ltr, 9 Ltr.

Sizes	3 Ltr	6 Ltr	9 Ltr
IS 15683 Fire Ratings	2A, 55B	3A, 113B	4A, 183B



Scan code for Tech specs, Application areas and Product video.

FOAM PORTABLE EXTINGUISHERS [SPRAY MODEL]

OVERVIEW:

The quickest way to kill a fire is by limiting the oxygen supply in the vicinity. Ceasefire's Foam Spray model extinguishers forms a foam blanket, cutting down on the oxygen supply. It works on Class A, B, F, and Electrically started fires.

FEATURES:

- Fights class A, B, F & Electrically started fires.
- Deep Drawn cylinder construction.
- Stored Pressure technology for more effective firefighting.
- Squeeze Grip mechanism for quick and easy use.
- Epoxy polyester powder coated internal container lining.
- Equipped with Schraeder Valve and Pressure Relief Valve.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.



SIZES AVAILABLE:

- **Portable** :- 6 Ltr, 9 Ltr.

FIGHTS CLASS

A B F ⚡

CERTIFICATIONS

Sizes	3 Ltr	6 Ltr	9 Ltr
IS 15683 Fire Ratings	2A, 89B, 25F	3A, 144B, 25F	4A, 233B, 75F



Scan code for Tech specs, Application areas and Product video.



Cartridge Range of **Fire Extinguishers** Firepower, On The Spot



ABC POWDER CARTRIDGE TYPE PORTABLE & WHEELED FIRE EXTINGUISHERS

OVERVIEW:

Ceasefire’s ABC Powder Cartridge kicks into action when you need them, where you need them. Being one of the most versatile extinguishing agents, Mono Ammonium Phosphate expands and forms a thin layer on top of the surface, controlling the fire and stopping re-ignition. The spot pressure technology makes the extinguishers highly safe for all types of spaces as the pressure is created only at the time of fire fighting.

FEATURES:

- Fights Class A, B, C and electrically started fires.
- Requires no prior training.
- Works quickly without wasting any extinguishing agent.
- Spot pressure technology makes extinguishers safe and reliable.
- Easy-to-use with quick activation.

SIZES AVAILABLE:

- **Portable** :- 4 Kg, 6 Kg, 9 Kg, 12 Kg.
- **Wheeled** :- 25 Kg, 50 Kg, 75 Kg.



FIGHTS CLASS

A B C ⚡

CERTIFICATIONS



Sizes	4 Kg	6 Kg	9 Kg	12 Kg
IS 15683 Fire Ratings	4A, 144B	6A, 183B	6A, 183B	—
BS EN-3 Fire Ratings	—	—	—	55A, 233B



ABC Powder Portable

Scan code for Tech specs, Application areas and Product video.



WHEELED EXTINGUISHERS :

Sizes	25 Kg	50 Kg	75 Kg
IS 16018 Fire Ratings	20A, 233B	20A, 233B	20A, 233B



Scan code for Tech specs, Application areas and Product video.

WATER CARTRIDGE TYPE PORTABLE & WHEELED FIRE EXTINGUISHERS

OVERVIEW:

These cartridge-type extinguishers employ the most efficient firefighting solution known to man, water. With its massive cooling power of 2.6 MW per litre per second, water kills even the largest of fires in minutes.


In the Ceasefire Water-based Cartridge, water is mixed with CO2 from the cartridge. When it comes in contact with a fire, the water turns into steam, cooling the area, cutting off the oxygen supply and killing the flames

FEATURES:

- Fights Class A, B, C and electrically started fires.
- Requires no prior training.
- Works quickly without wasting any extinguishing agent.
- Spot pressure technology makes extinguishers safe and reliable.
- Easy-to-use with quick activation.

SIZES AVAILABLE:

- **Portable** :- 6 Ltr, 9 Ltr.
- **Wheeled** :- 60 Ltr.



Sizes	6 Ltr	9 Ltr	60 Ltr
IS 15683 Fire Ratings	3A	4A	—
IS 16018 Fire Ratings	—	—	20A
BS EN-3 Fire Ratings	—	21A	—

Water Portable

Water Wheeled

Scan code for Tech specs, Application areas and Product video.

Scan code for Tech specs, Application areas and Product video.

FOAM CARTRIDGE TYPE PORTABLE & WHEELED FIRE EXTINGUISHERS

OVERVIEW:

These cartridge-type extinguishers use foam to take on Class A and B fires. The Ceasefire Foam Cartridge is also equipped with a specialised nozzle or aerator that produces a thick foam that coats the surface of the fire and cuts off the oxygen supply. This makes them the perfect choice for chemical industries that use flammable liquids.

FEATURES:

- Fights Class A, B, C and electrically started fires.
- Requires no prior training.
- Works quickly without wasting any extinguishing agent.
- Spot pressure technology makes extinguishers safe and reliable.
- Easy-to-use with quick activation.

SIZES AVAILABLE:

- **Portable** :- 6 Ltr, 9 Ltr.
- **Wheeled** :- 60 Ltr.



FIGHTS CLASS	CERTIFICATIONS
A B	IS 15683 CE 1128

Sizes	6 Ltr	9 Ltr	60 Ltr
IS 15683 Fire Ratings	3A, 144B	4A, 233B	—
IS 16018 Fire Ratings	—	—	20A, 233B



Foam Portable



Foam Wheeled



Scan code for Tech specs, Application areas and Product video.



Scan code for Tech specs, Application areas and Product video.

WATERMIST & FOAM MIST CARTRIDGE
TYPE PORTABLE FIRE EXTINGUISHERS

OVERVIEW:

Ceasefire Cartridge Extinguishers combine advanced Watermist and Foammist technologies for rapid, efficient fire suppression in an ultra-safe cartridge format.

Watermist: CO₂ combines with water and releases an ultra-fine 54-micron mist that turns into steam on contact with fire, rapidly absorbing heat and cooling the area while minimising damage to machinery.


Foammist: Foam combines with CO₂ and is released as sub-80-micron mist, rapidly enveloping the fire and cutting off its oxygen supply to suppress the flames.

FEATURES:

- Fights Class A, B, C and electrically started fires.
- Requires no prior training.
- Works quickly without wasting any extinguishing agent.
- Spot pressure technology makes extinguishers safe and reliable.
- Easy-to-use with quick activation.

SIZES AVAILABLE:

- **Watermist** :- 3 Ltr, 6 Ltr.
- **Foam mist** :- 3 Ltr, 6 Ltr.



Sizes	3 Ltr	6 Ltr
Watermist	2A, 25F	3A, 75F
Foam mist	2A, 55B, 25F	3A, 89B, 75F

Watermist



Scan code for Tech specs,
Application areas and
Product video.

Foam mist



Scan code for Tech specs,
Application areas and
Product video.

Special Application Extinguishers

To Protect High Risk Spaces.



FLUOROKETONE (FK) CLEAN AGENT BASED PORTABLE EXTINGUISHERS

OVERVIEW:

Safe to use on all your sensitive equipment, the Fluoroketone (FK) Clean Agent Extinguisher brings you the added benefit of being the world's most advanced, and by far the most eco-friendly extinguisher. Fluoroketone (FK) Clean Agent Extinguishers leave no residue, pack in mega power and are absolutely safe for use on any sensitive electronic equipment.

They have zero ODP [Ozone Depletion Potential] and are the obvious choice of concerned corporates worldwide. They are extremely lightweight, yet packed with tremendous power and throw, to penetrate past even the finest grills and meshes.


FEATURES:

- Fights class A, B, C, and electrically started fires.
- Zero collateral damage and residue-free.
- Easy-to-read Pressure Gauge for ease of monitoring.
- Safe Low-Pressure Technology that does not displace oxygen in the fire zone.
- Zero Ozone Depletion Potential [ODP] and <1 ODP.

SIZES AVAILABLE:

- **Portable** :- 2 Kg, 4 Kg, 6 Kg.

Sizes	2 Kg	4 Kg	6 Kg
IS 15683 Fire Ratings	1A, 21B	1A, 34B	2A, 55B



Scan code for Tech specs, Application areas and Product video.

HFC-227ea CLEAN AGENT BASED PORTABLE EXTINGUISHERS

OVERVIEW:

Specially created to safeguard valuable life and equipment, the Ceasefire HFC 227ea Clean Agent extinguishers safeguard life and property. What's more, since HFC 227ea is green in nature, this gas-based extinguishing agent ensures that the fire is put out without causing any collateral damage to the premises, expensive equipment and the Earth.

FEATURES:

- Works on class A, B, C fires and fires involving electrically-charged devices.
- Ozone, Environment-Friendly.
- Zero collateral damage and residue-free.
- Easy-to-read Pressure Gauge for ease of monitoring.



SIZES AVAILABLE:

- **Portable** :- 2 Kg, 4 Kg, 6 Kg.

FIGHTS CLASS

A B C ⚡

CERTIFICATIONS

 
© 2008
CML 8888112

Sizes	2 Kg	4 Kg	6 Kg
IS 15683 Fire Ratings	1A, 21B	1A, 34B	2A, 55B



Scan code for Tech specs, Application areas and Product video.



HFC-236fa CLEAN AGENT BASED PORTABLE EXTINGUISHERS

OVERVIEW:

Introducing the HFC 236fa Clean Agent Extinguisher – the world's most advanced and eco-friendly fire suppressant. Safe to use on all your sensitive equipment, this extinguisher packs mega power without leaving any residue. Say goodbye to worries about damaging your electronics because the HFC 236fa Clean Agent Extinguisher is absolutely safe to use on any electronic device. And with zero Ozone Depletion Potential, it is the obvious choice for concerned corporates worldwide. This powerful extinguisher can penetrate even the finest grills and meshes with ease.

FEATURES:

- Fights class A, B, C, and electrically started fires.
- Zero collateral damage and residue-free.
- Easy-to-read Pressure Gauge for ease of monitoring.
- Safe Low-Pressure Technology that does not displace oxygen in the fire zone.
- Zero Ozone Depletion Potential (ODP) and <1 ODP.

SIZES AVAILABLE:

- **Portable :-** 2 Kg, 4 Kg, 6 Kg.



Sizes	2 Kg	4 Kg	6 Kg
IS 15683 Fire Ratings	1A, 21B	1A, 34B	2A, 55B
BS EN-3 Fire Ratings	21B	34B	34B



Scan code for Tech specs, Application areas and Product video.

MULTIMAX ALL FIRES PORTABLE FIRE EXTINGUISHERS

OVERVIEW:

Ceasefire MultiMax is a next-generation extinguisher that works on all major fire types with a single universal agent. It handles Class A, B, C, F, electrical, and even lithium battery fires-eliminating confusion and the need for multiple extinguishers.

Compact, efficient, and versatile, it ensures you're prepared for any fire emergency. A true all-in-one solution for maximum safety and peace of mind. Designed for any environment, it delivers powerful performance when every second counts.

FEATURES:

- Fights Class A, B, C, ESF, F, and Lithium Battery fires.
- Non-corrosive – Safe For Electronics and Critical Equipment.
- Non-conductive.
- 100% Biodegradable & PFAS/PFOA-Free.
- Eco-safe discharge with minimal residue.
- Compact, easy to deploy in panic situations.
- BIS Rating Ensures Rapid Knockdown with Fewer Units.
- Easy To Use Mechanism Usable by any Staff Member.



SIZES AVAILABLE:

- **Portable :-** 500ml, 1 Ltr, 2 Ltr, 3 Ltr, 6 Ltr, 9 Ltr.

FIGHTS CLASS

A B C F ⚡ 🔋

CERTIFICATIONS

IS 15683
CE 1128

Sizes	500 ml	1 Ltr	2 Ltr	3 Ltr	6 Ltr	9 Ltr
IS 15683 Fire Ratings	1A, 8B, 5F*	1A, 13B, 5F*	2A, 34B, 5F	2A, 55B, 25F	4A, 144B, 25F	6A, 183B, 75F
Battery Fire Ratings	—	—	—	—	600 W/h	600 W/h

Scan code for Tech specs, Application areas and Product video.



MULTIMAX ALL FIRES SPECIAL HIGH IMPACT FIRE EXTINGUISHERS

OVERVIEW:

The flagship MultiMax 9L Backpack Unit and 45L Trolley-Mounted Unit are built to tackle large-scale, high-intensity fires with exceptional control and adaptability. Powered by external compressed air cartridges and specialised guns, they switch easily between jet mode for long-range precision and spray mode for wider coverage. Featuring CAF [Compressed Air Foam] technology, these units create ultra-fine droplets that maximise heat absorption, improve coverage, and deliver faster, more efficient fire knockdown.

FEATURES:

- Fluorine-free.
- 100% biodegradable
- No PFAS/PFOA.
- Non-corrosive.
- Non-conductive

SIZES AVAILABLE:

- Sizes :- 9 Ltr and 50 Ltr.



FIGHTS CLASS

A B C ⚡ 🔋

CERTIFICATIONS

Sizes	500 ml	9 Ltr
IS 15683 Fire Ratings	1A, 8B, 5F*	6A, 183B, 75F
Battery Fire Ratings	—	600 W/h



Scan code for Tech specs, Application areas and Product video.



WET CHEMICAL PORTABLE EXTINGUISHERS

OVERVIEW:

In commercial kitchens, the liberal use of fire and the presence of combustible substances make it easy for a fire to flare up. Designed to fight kitchen oil and fat fires, Ceasefire's Wet Chemical fire extinguisher uses an environmental friendly foaming agent that blankets the flames, cuts off the supply of oxygen and cools the oil to below the self-ignition point.

FEATURES:

- Fights class A, F and Electrically started fires.
- Bio-degradable extinguishing agent.
- Reduces risk of re-ignition.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.
- Epoxy polyester powder coated internal container lining.

SIZES AVAILABLE:

- **Portable :-** 3 Ltr, 6 Ltr, 9 Ltr.



FIGHTS CLASS

A F ⚡

CERTIFICATIONS



Sizes	3 Ltr	6 Ltr	9 Ltr
IS 15683 Fire Ratings	2A, 25F	3A, 75F	—
BS EN-3 Fire Ratings	—	13A, 75F	21A, 75F



Scan code for Tech specs, Application areas and Product video.

WET CHEMICAL PORTABLE EXTINGUISHERS

[SPRAY MODEL]

OVERVIEW:

Ceasefire's Wet Chemical Spray model extinguishers use an environmentally friendly foaming agent that blankets the flames, cuts off the supply of oxygen, cools the oil to below the self-ignition point and reduces the risk of re-ignition. It can be used on Class A, F, and electrically started fires.

FEATURES:

- Fights class A, F and Electrically started fires.
- Biodegradable extinguishing agent.
- Reduces risk of re-ignition.
- Suitable for use on live electrical equipment up to 1000 V from a distance of 1 metre.

SIZES AVAILABLE:

- **Portable** :- 3 Ltr, 6 Ltr, 9 Ltr.



FIGHTS CLASS	CERTIFICATIONS
A F ⚡	CE 1128

Sizes	3 Ltr	6 Ltr	9 Ltr
IS 15683 Fire Ratings	2A, 25F	3A, 75F	4A, 75F



Scan code for Tech specs, Application areas and Product video.

B PLUS SPECIAL APPLICATION (CLASS B) EXTINGUISHERS

OVERVIEW:

Ceasefire's B Plus quadruples the power of a conventional extinguisher! It's the perfect extinguisher for petrol stations and petrochemical plants. The Ceasefire B Plus is ideal for Class B and C fires involving gasoline, alcohol, industrial chemicals, and more. When activated, its unique powder splits into four, covering a large surface area. So when faced with a high risk of class B fires like petrol, diesel, etc. You go for B Plus.

FEATURES:

- Fights Class B, C and Electrically started fires.
- Unique powder splits into four upon activation.
- High power agent throw covers a huge surface area.

SIZES AVAILABLE:

- **Portable** :- 1Kg, 2 Kg, 4 Kg, 6 Kg, 9 Kg.



Sizes	1 Kg	2 Kg	4 Kg	6 Kg	9 Kg
IS 15683 Fire Ratings	34B	89B	233B	233B	233B
BS EN-3 Fire Ratings	—	89B	233B	233B	233B



Scan code for Tech specs, Application areas and Product video.

METAL FIRE EXTINGUISHERS

OVERVIEW:


Industries that work with metals such as magnesium, potassium, sodium, titanium, uranium and calcium are at a high risk of fire. Using the wrong extinguishing agent in this case may cause more damage. The Ceasefire SPM-TEC and SPM-PYRO are ideal combatants against fires involving heavy metals, alkali metals and their alloys. They are powerful enough to stop metal fires of up to 5000°C. Dead in their tracks. Within minutes.

FEATURES:

- Works on class A and B fires.
- Low pressure, safe technology.
- 4 Cylinders, Massive Firefighting.
- Easy-to-use with quick activation.
- Environment-friendly.
- Two modes of firefighting - Jet & Spray Mode.

SIZES AVAILABLE:

- **SPM TEC** :- 4 Kg, 6 Kg, 9 Kg
- **SPM PYRO** :- 4 Kg, 6 Kg, 9 Kg



Metal Fire Extinguishers [SPM - Tec]

Metal Fire Extinguishers [SPM - Pyro]

Scan code for Tech specs,
Application areas and
Product video.



Scan code for Tech specs,
Application areas and
Product video.

Widest Range of
Watermist Extinguisher
To Suit Every Kind of Premises.



WATERMIST PORTABLE FIRE EXTINGUISHERS

OVERVIEW:

The cleanest extinguishing agent known to man - Water. These extinguishers use stored pressure technology, advanced rotors and specially designed nozzles to generate an ultra fine spray of water called Watermist. Blocking the entry of oxygen in the fire zone and bringing down the temperature to below combustion levels. Enter the Ceasefire watermist fire fighting systems that increase the power of water 400 times over.

FEATURES:

- Fights class A, F and Electrically started fires.
- Green extinguishing technology.
- Low water usage.
- Stainless steel containers.
- Environment friendly.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.



SIZES AVAILABLE:

- **Portable :-** 2 Ltr, 3 Ltr, 6 Ltr, 9 Ltr.

FIGHTS CLASS	CERTIFICATIONS
A F ⚡	IS 15683   

Sizes	2 Ltr	3 Ltr	6 Ltr	9 Ltr
IS 15683 Fire Ratings	1A, 25F	2A, 25F	3A, 75F	4A, 75F
BS EN-3 Fire Ratings	5A, 25F	—	13A, 75F	21A, 75F



Scan code for Tech specs, Application areas and Product video.

FOAMMIST PORTABLE FIRE EXTINGUISHERS

OVERVIEW:

Ceasefire Foammist extinguisher range, harness the combined power of the revolutionary watermist technology and foam in its range of extinguishers. The foam mist fire fighting system forms a foam blanket on top of the fire, thereby eliminating entry of oxygen and killing the fire instantly.

FEATURES:

- Fights class A, B, F and Electrically started fires.
- Green extinguishing technology.
- Low water usage.
- Highly safe and effective.
- Environment-friendly.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.



SIZES AVAILABLE:

- **Portable :-** 2 Ltr, 6 Ltr.

FIGHTS CLASS

A B F ⚡

CERTIFICATIONS



Sizes	2 Ltr	6 Ltr
IS 15683 Fire Ratings	1A, 55B, 25F	3A, 144B, 75F
BS EN-3 Fire Ratings	5A, 55B, 25F	13A, 144B, 40F



Scan code for Tech specs, Application areas and Product video.



ACTION-PAC (PORTABLE WATERMIST AND FOAMMIST)

OVERVIEW:

Presenting the Ceasefire Action-Pac extinguisher, the first of its kind in the world. Powered by 100% Green Watermist, this backpack & trolley mounted fire extinguisher is packed with immense fire fighting power and can easily be carried to the scene of the fire to battle the flames.

FEATURES:

- Fights class A, B and Electrically started fires.
- 1 minute of continuous discharge, without flooding.
- Creates a fine mist of under 80 microns.
- Environment-friendly.
- Specially designed Discharge Gun employs either spray or jet mode.
- Thermal shock proof.
- Built-in Trolley or Backpack.



SIZES AVAILABLE:

- **Portable :-** 13 Ltr.

FIGHTS CLASS

A B ⚡

CERTIFICATIONS

CE₁₁₂₈

Sizes	13 Ltr [Watermist]	13 Ltr [Foammist]
BS EN-3 Fire Ratings	27A	43A, IVB



Scan code for Tech specs, Application areas and Product video.



CAFS [WATERMIST COMPRESSED AIR FOAM SYSTEM - LOW PRESSURE]

OVERVIEW:

Ceasefire's Compressed Air Foam System uses a specially designed discharge gun that expels approximately 100-micron sized droplets with a kinetic force strong enough to overcome the fire's convection currents. The watermist turns into steam, evaporates, and stops the fire from spreading. The foam component has a blanketing effect on the fire. The system is safe to use on Class B fires like petrol, diesel, and electrically started fires—two areas where traditional water applications would either spread the fire or cause an electrical shock.

FEATURES:

- Fights class A, B and Electrically started fires.
- Dual phase extinguishing gun with an adjustable nozzle.
- Pure water based green extinguishing technology.
- Thermal shock proof.
- No collateral damage.



SIZES AVAILABLE:

- **Portable** :- 9 Ltr.
- **Wheeled** :- 50 Ltr.



Sizes	9 Ltr	9 Ltr [Special Foam]	9 Ltr [with Backpack]	50 Ltr	50 Ltr [Special Foam]	50 Ltr [with Trolley]
BS EN-3 Fire Ratings	27A/55A, 233B	43A, 233B	27A, 233B	—	—	—
BS EN-1866 Fire Ratings	—	—	—	55A, IIB	43A, IIB	21A, IIB



Scan code for Tech specs, Application areas and Product video.

CAFS (WATERMIST COMPRESSED AIR FOAM SYSTEM - HIGH PRESSURE)

OVERVIEW:

Ceasefire Compressed Air Foam System features a high-technology gun that breaks foam into minuscule droplets. These droplets are then delivered through micro-nozzles with a high degree of dispersion onto the flames, allowing you to fight even very large fires successfully. This key process stops the fire from spreading and eliminates post-fire collateral damage such as flooding. The foam also acts as a perfect barrier against thermal radiation, giving increased protection to the firefighter.

FEATURES:

- Fights class A, B and Electrically started fires.
- Dual phase extinguishing gun with an adjustable nozzle.
- Pure water based green extinguishing technology.
- Thermal shock proof.
- No collateral damage.



SIZES AVAILABLE:

- **Portable** :- 10 Ltr.
- **Wheeled** :- 50 Ltr.



Sizes	10 Ltr	10 Ltr (Special Foam)	10 Ltr (with Backpack)	50 Ltr	50 Ltr (Special Foam)	50 Ltr (with Trolley)
BS EN-3 Fire Ratings	55A, 233B	—	34A, 233B	—	—	—
BS EN-1866 Fire Ratings	—	—	—	55A, IVB	—	21A, IVB



Scan code for Tech specs, Application areas and Product video.



QUAD (WATERMIST & FOAMMIST WHEELED EXTINGUISHERS)

OVERVIEW:

Ceasefire Quad brings together the efficiency of a fire extinguisher with the power of a hydrant system. It breaks water down into a fine mist of under 80 microns and covers a large surface area, reducing the temperature to below combustion levels. Meant for areas where fire risk is huge, or where large amounts of combustible materials are stored, the trolley-mounted Quad can be taken anywhere with ease.

FEATURES:

- Fights class A, B, C, F and Electrically started fires.
- Green extinguishing technology.
- Low water usage.
- Highly safe and effective.
- Environment-friendly.
- Suitable for use on live electrical equipment upto 1000V from a distance of 1 meter.

SIZES AVAILABLE:

- **Watermist** :- 20 Ltr, 45 Ltr, 90 Ltr.
- **Foammist** :- 20 Ltr, 45 Ltr, 90 Ltr.



FIGHTS CLASS

A B ⚡

CERTIFICATIONS


CNL 8886112


1128

Sizes		20 Ltr	45 Ltr	90 Ltr
Watermist	IS 16018 Fire Ratings	10A	10A	20A
Foammist	IS 16018 Fire Ratings	10A, 233B	15A, 233B	20A, 233B



Scan code for Tech specs, Application areas and Product video.

TETRAQUAD

OVERVIEW:

Ceasefire TetraQuad is a mini tender on wheels. A power-packed Watermist + Foam system that quadruples the firefighting power by four. TetraQuad's firefighting might come from its four state-of-the-art multi-rotors working in sync with each of the four 62.5 ltr containers (totaling 250 ltrs in capacity).

FEATURES:

- Works on class A and B fires.
- Low pressure, safe technology.
- 4 Cylinders, Massive Firefighting.
- Easy-to-use with quick activation.
- Environment-friendly.
- Two modes of firefighting - Jet & Spray Mode.

SIZES AVAILABLE:

- **Wheeled** :- 250 Ltr [water & water + Foam].



FIGHTS CLASS

A B

CERTIFICATIONS

CE 1128



Scan code for Tech specs, Application areas and Product video.





Automatic Extinguishers

24X7 Automated Fire Protection



WALL MOUNTED AUTOMATIC M-SERIES EXTINGUISHERS

OVERVIEW:

The Ceasefire Wall Mounted Automatic M Series Extinguishers are Thermally Actuated extinguishers and are designed to give 24x7 automatic fire protection to any space where human presence is low or absent and manual fire detection and firefighting is a challenge.

The modular nature of these extinguishers makes them retrofittable and can instantly be mounted in a variety of spaces, making the premises self-reliant on fire safety, without having to undertake any structural changes in the space.

A big strength of these Automatic M Series Extinguishers is their ability to become monitorable and scalable.

FEATURES:

- Automatic Thermal Actuation.
- Refittable and can be installed with no structural changes in the premises.
- Can be made Monitorable by opting for a Pressure Switch.
- Can be scaled up to create a M Series Total Flooding Solution by opting for Metron Actuators and connecting the units with detectors via a control panel.
- Powerful Fluoroketone [FK-5-1-12] and ABC Powder [MAP50] extinguishing agents.



SIZES AVAILABLE:

- **ABC Powder** :- 1 Kg, 2 Kg, 4 Kg, 6 Kg, 9 Kg.
- **Fluoroketone [FK]** :- 1 Kg, 2 Kg, 4 Kg, 6 Kg, 9 Kg.



Fluoroketone Extinguishers [FK-5-1-12]

ABC Powder Extinguishers

Scan code for Tech specs,
Application areas and
Product video.



Scan code for Tech specs,
Application areas and
Product video.



CEILING MOUNTED AUTOMATIC M-SERIES EXTINGUISHERS

OVERVIEW:

Ceasefire Ceiling Mounted Automatic [M Series] extinguishers are designed to be - Intuitive [Self Activated], Responsive [Monitorable] and Scalable [Expandable]. These are self-contained units with thermal sensors that detect the rise in the temperature of the area and activate automatically.

The modular nature of these extinguishers makes them retrofittable and can instantly be mounted in ceiling spaces, without consuming the productive floor space of the premises and without having to undertake any structural changes in the space.

The biggest strength of the Ceasefire Ceiling Mounted Automatic M Series Extinguisher however is their ability to become monitorable and scalable.



FEATURES:

- Automatic Thermal Actuation.
- Refittable and can be installed with no structural changes in the premises.
- Ceiling mounted units consume no productive floor space.
- Can be made Monitorable by opting for a Pressure Switch.
- Can be scaled up to create a M Series Total Flooding Solution by opting for Metron Actuators and connecting the units with detectors via a control panel.
- Powerful Fluoroketone [FK-5-1-12] and ABC Powder [MAP50] extinguishing agents.



SIZES AVAILABLE:

- **ABC Powder** :- 2 Kg, 5 Kg, 10 Kg, 15 Kg.
- **Fluoroketone [FK]** :- 2 Kg, 5 Kg, 10 Kg, 15 Kg.



Clean Agent Extinguishers



Scan code for Tech specs,
Application areas and
Product video.

ABC Powder Extinguishers



Scan code for Tech specs,
Application areas and
Product video.

Ceasefire Mini

The Biggest, Smallest
Firefighter.



CEASEFIRE MINI^{PRO}

OVERVIEW:


The Mini is a state-of-the-art micro-environment suppression system that is one of the smallest suppression module available. It sits snugly inside small enclosed spaces that are vulnerable to fire. When the temperature of the micro-environment exceeds a preset limit, the Mini swings into action by thermal actuation and automatically extinguishes the fire. Place it inside your server. Pop it in the fuse box. The Mini fits anywhere, and protects everywhere!

What's more, MINI comes equipped with a pressure monitoring port and by opting for a Pressure Switch these can be made monitorable by integrating it with third party devices such as BMS, Fire alarm systems, or Stand alone sirens or strobes.

FEATURES:



- Works on all classes of fire.
- Self-activated and easy to install.
- Clean agent Fluoroketone (FK) causes no damage to electronics.
- Heat sensitive glass bulb act as a heat sensor and actuator.
- Can be upgraded to become monitorable by opting for a pressure switch and integrating it with third-party devices.

TYPES OF MINI:




Intuitive System

The Mini Intuitive System is a direct suppression system, which protects the micro-environment from enclosed area inside. Place it inside, or attach it to the inner wall of the micro-environment, and the Mini is ready to protect.



Adaptive System

The Mini Adaptive System is an indirect suppression system designed for those micro-environments which are too small to even accommodate a Mini, let alone other firefighting systems. In this case, the Mini container is installed on the outside, with its heat-sensitive glass bulb inside the micro-environment.



Mini - Intuitive




Scan code for Tech specs, Application areas and Product video.

Mini - Adaptive



Scan code for Tech specs, Application areas and Product video.



SIZES :

- **Adaptive / Intuitive :-** 100 gm, 200 gm, 300 gm, 400 gm, 500 gm.

LAUNCHER (EXTINGUISHER + MODULAR SUPPRESSION SYSTEM)

OVERVIEW:

This one-of-a-kind extinguisher can be used to fight a fire manually, on auto-pilot when it senses a rise in temperature, or be thrown into the flames. This make it a revolutionary extinguisher that ensures no fire ever goes undetected or unaddressed. Its biggest advantage, is that it eliminates the need for a firefighter to go anywhere near the fire. A huge benefit, especially in case of a large blaze.

FEATURES:

- Fights class A, B, C and Electrically started fires.
- Unique Discharge Mechanism.
- Self-Actuation.
- Quick and effective.
- Two Heat Sensors.
- Extinguisher + Modular Suppression System.

SIZES AVAILABLE:

- **Portable** :- 4 Kg, 6 Kg, 9 Kg.



FIGHTS CLASS

CERTIFICATIONS

A B C ⚡

CE 1128

Sizes	4 Kg	6 Kg	9 Kg
IS 15683 Fire Ratings	4A, 144B	6A, 183B	6A, 233B
BS EN-3 Fire Ratings	21A, 144B	27A, 183B	43A, 233B



Scan code for Tech specs, Application areas and Product video.



Premium Range Of **EN APPROVED** Fire Extinguishers



HOME AND CAR FIRE EXTINGUISHERS [CLASSIC RANGE]

OVERVIEW:

Ceasefire’s range of Home & Car extinguishers take the guesswork and confusion out of choosing an extinguisher and save valuable time. Mono Ammonium Phosphate being a potent firefighting agent maximises the fire fighting power. These extinguishers are easier to use than others because of their lightweight ‘point and shoot’ design.

FEATURES:

- Most potent against Home & Car fires.
- Simplicity in design.
- Portable and easy to use.
- Colors to suit your home decor.
- State-of-the-art pressure gauge.
- Easy snap safety seal.
- World-class quality.

SIZES AVAILABLE:

- **Portable :- 1 Kg.**



FIGHTS CLASS		CERTIFICATIONS	
A B C ⚡		     	

Sizes	1 Kg [Map 50]	1 Kg [Map 90]
BS EN-3 Fire Ratings	5A, 34B	5A, 21B



Scan code for Tech specs, Application areas and Product video.



ABC POWDER PORTABLE & WHEELED EXTINGUISHERS

OVERVIEW:

In environments such as schools, offices, hospitals & factories, the Ceasefire ABC Powder extinguisher is your safest bet. Mono Ammonium Phosphate paired with a simple, controllable discharge mechanism maximises the firefighting power and puts out the fire within seconds.

FEATURES:

- Fights Class A, B, C and Electrically started fires.
- Packed with 50% and 90% MAP concentration.
- State-of-the-art Pressure Gauge.
- Quick, powerful and reliable firefighting system.



SIZES AVAILABLE:

- **Portable** :- 2 Kg, 4 Kg, 6 Kg, 9 Kg, 12 Kg.
- **Wheeled** :- 25 Kg, 50 Kg, 100 Kg.

FIGHTS CLASS	CERTIFICATIONS
A B C ⚡	
	BS EN 3 LPCB Cert Ref: 23296 EN1500091

PORTABLE EXTINGUISHERS :

Sizes		2 Kg	4 Kg	6 Kg	9 Kg	12 Kg
MAP-50	BS EN-3 Fire Ratings	8A, 70B	21A, 144B	27A, 183B	43A, 233B	55A, 233B
MAP-90	BS EN-3 Fire Ratings	13A, 55B	21A, 144B	27A, 183B	43A, 233B	55A, 233B



ABC Powder Portable



Scan code for Tech specs, Application areas and Product video.

WHEELED EXTINGUISHERS :

Sizes	25 Kg	50 Kg	100 Kg
BS EN-1866 Fire Ratings	A, IVB	A, IVB	A, IVB



ABC Powder Wheeled

Scan code for Tech specs, Application areas and Product video.



CO₂ PORTABLE & WHEELED EXTINGUISHERS

OVERVIEW:

Ceasefire's sturdy and light CO₂ extinguisher is very effective in putting out fires in large spaces. Packed with tremendous power, it reduces the fire's oxygen supply, and brings the temperature down drastically, extinguishing the flames in seconds

FEATURES:

- Fights Class B, C and Electrically started fires.
- Frost-free horn to dispense gas, removes risk of freeze burn.
- State-of-the-art Used/Ready indicator in selected range.

SIZES AVAILABLE:

- **Portable** :- 2 Kg, 5 Kg.
- **Wheeled** :- 20 Kg.



FIGHTS CLASS

B ⚡

CERTIFICATIONS



Sizes	2 Kg	5 Kg	20 Kg
BS EN-3 Fire Ratings	34B 55B 89B	34B 70B 89B	—
BS EN-1866 Fire Ratings	—	—	113B



Scan code for Tech specs, Application areas and Product video.

WATER PORTABLE & WHEELED EXTINGUISHERS [JET MODEL]

OVERVIEW:

Water has always been fire’s deadliest foe. Ceasefire’s Water extinguisher uses proprietary Stored Pressure Technology to deliver a high power throw of water. This ensures it fights fires effectively and enables the firefighter to maintain a safe distance from the flames.

FEATURES:

- Fights Class A fires.
- EPDM / Braided Rubber Hosepipe.
- Easy Snap Safety Pin.
- State-of-the-art Pressure Gauge in portable range.
- Powder Coated cylinder liner.
- Deep Drawn Body in the portable range.
- Extinguishant dispersed via specially designed Jet Nozzle.



SIZES AVAILABLE:

- **Portable** :- 6 Ltr, 9 Ltr.
- **Wheeled** :- 50 Ltr, 100 Ltr, 135 Ltr.

FIGHTS CLASS

A

CERTIFICATIONS

Sizes	6 Ltr	9 Ltr	50 Ltr	100 Ltr	135 Ltr
BS EN-3 Fire Ratings	13A	21A	—	—	—
BS EN-1866 Fire Ratings	—	—	A	A	A



Water Portable

Water Wheeled

Scan code for Tech specs,
 Application areas and
 Product video.

Scan code for Tech specs,
 Application areas and
 Product video.

FOAM PORTABLE & WHEELED EXTINGUISHERS (ASPIRATING MODEL)

OVERVIEW:

Fire needs oxygen to grow. Without it, even the largest fires die out in minutes. Ceasefire’s Foam extinguisher exploits this weakness by discharging a mechanical foam that blankets the flames and cuts off the oxygen supply. It’s what we like to call simple and effective firefighting.

FEATURES:

- Fights Class A and B fires.
- State-of-the-art Pressure Gauge in portable range.
- Deep Drawn Body in the portable range.
- Stored Pressure technology for more effective firefighting.
- Squeeze Grip mechanism for quick and easy use.
- Epoxy polyester powder coated internal container lining.



SIZES AVAILABLE:

- **Portable** :- 3 Ltr, 6 Ltr, 9 Ltr.
- **Wheeled** :- 50 Ltr, 100 Ltr, 135 Ltr.

FIGHTS CLASS

CERTIFICATIONS

A B

LPCB Cert Ref: 130299

K0865294

Sizes	3 Ltr	6 Ltr	9 Ltr	50 Ltr	100 Ltr	135 Ltr
BS EN-3 Fire Ratings	8A, 89B	13A, 144B	21A, 233B	—	—	—
BS EN-1866 Fire Ratings	—	—	—	A, IVB	A, IVB	A, IVB



Foam Portable

Foam Wheeled



Scan code for Tech specs,
Application areas and
Product video.



Scan code for Tech specs,
Application areas and
Product video.

CLEAN AGENT PORTABLE EXTINGUISHERS

OVERVIEW:

Ceasefire's Clean Agent Portable Extinguishers are one of most powerful extinguishers in our portfolio. It has zero ODP [Ozone Depletion Potential] and is an easy pick for the concerned corporates. While powder-based extinguishers are adept at handling electrically started fires, Clean Agent-based Extinguishers are built to put out such fires and save sensitive electronic equipment too.

These extinguishers adhere to the most stringent international norms on fire safety and many times surpass them too.

FEATURES:

- Available in Fluoroketone [FK] and HFC236FA.
- Fights class A, B, C and Electrically started fires.
- Zero collateral damage and residue-free.
- Magnetic Pressure Gauge.
- Zero Ozone Depletion Potential [ODP].
- Safe Low Pressure Technology that does not displace oxygen in the fire zone.



SIZES AVAILABLE:

- **Portable :-** 2 Kg, 4 Kg, 6 Kg, 9 Kg.

FIGHTS CLASS

CERTIFICATIONS

A B C ⚡

LPCB Cert Ref: 13029 EN1500094

Sizes	2 Kg	4 Kg	6 Kg	9 Kg
BS EN-3 Fire Ratings	21B	21B 34B	34B	55B



Scan code for Tech specs, Application areas and Product video.



WET CHEMICAL PORTABLE EXTINGUISHERS

OVERVIEW:

In commercial kitchens, the liberal use of fire and the presence of combustible substances make it easy for a fire to flare up. Designed to fight kitchen oil and fat fires, Ceasefire’s Wet Chemical fire extinguisher uses an environmental friendly foaming agent that blankets the flames, cuts off the supply of oxygen and cools the oil to below the self-ignition point.

FEATURES:

- Fights class A, F and Electrically started fires.
- Bio-degradable extinguishing agent.
- Reduces risk of re-ignition.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.
- Epoxy polyester powder coated internal container lining.



SIZES AVAILABLE:

- **Portable** :- 3 Ltr, 6 Ltr, 9 Ltr.

FIGHTS CLASS

A F ⚡

CERTIFICATIONS



Sizes	3 Ltr	6 Ltr	9 Ltr
BS EN-3 Fire Ratings	8A, 40F	13A, 75F	21A, 75F



Scan code for Tech specs, Application areas and Product video.

MULTIMAX L-ION PORTABLE EXTINGUISHERS

OVERVIEW:

Ceasefire MultiMax is a next-generation extinguisher that works on all major fire types with a single universal agent. It handles Class A, B, F, electrical, and even lithium battery fires-eliminating confusion and the need for multiple extinguishers. Compact, efficient, and versatile, it ensures you're prepared for any fire emergency. A true all-in-one solution for maximum safety and peace of mind. Designed for any environment, it delivers powerful performance when every second counts.

FEATURES:

- Fights Class A, B, C*, ESF, F, and Lithium Battery fires.
- Non-corrosive – Safe For Electronics and Critical Equipment.
- Non-conductive.
- 100% Biodegradable & PFAS/PFOA-Free.
- Eco-safe discharge with minimal residue.
- Compact, easy to deploy in panic situations.
- Easy To Use Mechanism Usable by any Staff Member.



FIGHTS CLASS

A B C F


CERTIFICATIONS

UKCA

SIZES AVAILABLE:

- **Portable :-** 500ml, 1 Ltr, 2 Ltr, 3 Ltr, 6 Ltr, 9 Ltr.

Sizes	500 g	1 Ltr	2 Ltr	3 Ltr	6 Ltr	9 Ltr
BS EN-3 Fire Ratings	1A, 8B, 5F *	1A, 13B, 5F*	8A, 34B, 5F	8A, 55B, 25F	21A, 144B, 40F	27A, 183B, 40F
Battery Fire Ratings	—	—	—	—	600 W/h	600 W/h



Scan code for Tech specs, Application areas and Product video.



B PLUS SPECIAL APPLICATION (CLASS B) EXTINGUISHERS

OVERVIEW:

Ceasefire's B Plus quadruples the power of a conventional extinguisher! It's the perfect extinguisher for petrol stations and petrochemical plants. The Ceasefire B Plus is ideal for Class B and C fires involving gasoline, alcohol, industrial chemicals, and more. When activated, its unique powder splits into four, covering a large surface area. So when faced with a high risk of class B fires like petrol, diesel, etc. You go for B Plus.

FEATURES:

- Fights Class B, C and Electrically started fires.
- Unique powder splits into four upon activation.
- High power agent throw covers a huge surface area.



SIZES AVAILABLE:

- **Portable** :- 2 Kg, 4 Kg, 6 Kg, 9 Kg.



Sizes	2 Kg	4 Kg	6 Kg	9 Kg
BS EN-3 Fire Ratings	89B	233B	233B	233B



Scan code for Tech specs, Application areas and Product video.



WATERMIST PORTABLE FIRE EXTINGUISHERS

OVERVIEW:

The cleanest extinguishing agent known to man - Water. These extinguishers use stored pressure technology, advanced rotors and specially designed nozzles to generate an ultra fine spray of water called Watermist. Blocking the entry of oxygen in the fire zone and bringing down the temperature to below combustion levels. Enter the Ceasefire watermist fire fighting systems that increase the power of water 400 times over.

FEATURES:

- Fights class A, F and Electrically started fires.
- Green extinguishing technology.
- Low water usage.
- Stainless steel containers.
- Environment friendly.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.



FIGHTS CLASS

A F ⚡

CERTIFICATIONS



SIZES AVAILABLE:

- **Portable** :- 2 Ltr, 3 Ltr, 6 Ltr, 9 Ltr.

Sizes	2 Ltr	3 Ltr	6 Ltr	9 Ltr
BS EN-3 Fire Ratings	5A, 25F	8A, 25F	13A, 75F	21A, 75F



Scan code for Tech specs, Application areas and Product video.

FOAMMIST & GREEN-FOAMMIST PORTABLE EXTINGUISHERS

OVERVIEW:

Ceasefire Foammist extinguisher range, harness the combined power of the revolutionary watermist technology and foam in its range of extinguishers. The foam mist fire fighting system forms a foam blanket on top of the fire, thereby eliminating entry of oxygen and killing the fire instantly.

FEATURES:

- Fights class A, B, F and Electrically started fires.
- Green extinguishing technology.
- Low water usage.
- Highly safe and effective.
- Environment-friendly.
- Suitable for use on live electrical equipment upto 1000 V from a distance of 1 meter.



SIZES AVAILABLE:

- **Foam mist :-** 2 Ltr, 6 Ltr.
- **Green Foam mist :-** 2 Ltr, 6 Ltr.

FIGHTS CLASS	CERTIFICATIONS
A B F ⚡	    

Sizes	2 Ltr	6 Ltr
Foammist	5A, 55B, 25F	13A, 144B, 40F
Green-Foammist	5A, 34B, 25F	13A, 133B, 40F



Foammist Portable

Green-Foammist Portable

Scan code for Tech specs, Application areas and Product video.



Scan code for Tech specs, Application areas and Product video.



QUAD (WATERMIST, FOAMMIST & GREEN-FOAMMIST WHEELED EXTINGUISHERS)

OVERVIEW:

Ceasefire Quad brings together the efficiency of a fire extinguisher with the power of a hydrant system. It breaks water down into a fine mist of under 80 microns and covers a large surface area, reducing the temperature to below combustion levels. Meant for areas where fire risk is huge, or where large amounts of combustible materials are stored, the trolley-mounted Quad can be taken anywhere with ease.

FEATURES:

- Fights class A, B, C, F and Electrically started fires.
- Green extinguishing technology.
- Low water usage.
- Highly safe and effective.
- Environment-friendly.
- Suitable for use on live electrical equipment upto 1000V from a distance of 1 meter.



SIZES AVAILABLE:

- **Watermist** :- 25 Ltr, 50 Ltr, 100 Ltr.
- **Foam mist** :- 25 Ltr, 50 Ltr, 100 Ltr.
- **Green-Foammist** :- 25 Ltr, 50 Ltr, 100 Ltr.

FIGHTS CLASS

A B ⚡

CERTIFICATIONS



Sizes	25 Ltr	50 Ltr	100 Ltr
Watermist	A	A	A
Foammist	A, IVB	A, IVB	A, IVB
Green-Foammist	A, IB	A, IVB	A, IVB



Scan code for Tech specs, Application areas and Product video.

Ceasefire Accessories

Increasing the Agility
& Intelligence Quotient
of Fire Extinguishers



FIRE SUITS

OVERVIEW:

A blazing fire emits massive amounts of heat and smoke, making it dangerous, and at times, impossible to approach. This seriously hampers the ability to extinguish the fire. Which is precisely why, Ceasefire Fire Suits offer the protection required to get close enough to a fire, fight it effectively and avoid injury.

FEATURES:


- High heat resistance; withstands heat at about 1000 C in flash fires without any burning or melting and less than 5% shrinkage.
- Limited inflammability.
- 450N tensile strength, seam tensile strength and residual strength.
- 25N tear strength.
- Marked with strategically located fluorescent 3M reflective tapes.



Scan the QR code to know more about the product

THREE CRITICAL ELEMENTS THAT GIVE CEASEFIRE FIRE SUITS A DEFINITE EDGE:

Flame Protection



- Four layer protection
- International quality standards
- Tough heat-resistant fibre, namely Nomex, Kevlar and PBI Gold



POWER

Entry-level fire suits to tackle small and medium-sized fires.



ALUSTAR

Dual-mirror Kevlar fabric for proximity, bulk flammable liquids and flammable gas firefighting.



ARCSTAR

Designed to guard against the intense, destructive heat of electrical arcs.



GOLDSTAR

High-end protective suits made of PBI Gold material.



METALSTAR

DuPont NOMEX MetalPro Plus, the perfect guard against industrial hazards.

CEASEFIRE INSTALERT

OVERVIEW:

Even though environments are protected with fire extinguishers, what protects the extinguishers from being misused, vandalised or stolen? What you need is a device that can protect the extinguisher 24x7. So that in the case of an emergency, the extinguisher works perfectly, puts out the flames and saves lives.

FEATURES:

- Anti-theft fire alarm.
- Highly visible, compact design that's easily mountable.
- Powerful 98dB warning alarm when activated.
- Self-contained 9V DC alkaline power source.
- Tough polycarbonate housing.



Scan the QR code for additional information about the product.



STROLLEYS

OVERVIEW:

Fires can happen anywhere and at any time. Which makes it important to install extinguishers in relevant places. But, what happens when a fire breaks out and the equipment is not easy to ferry around? Ceasefire presents the perfect accessory to mobilise your fire fighting equipment. Our range of innovative fire extinguisher strolleys are capable of carrying one or two extinguishers. Think of them as life savers on wheels.

FEATURES:

- High quality construction for easy mobility.
- Retractable handles.
- Photo luminescent signs for visibility through smoke and darkness.
- Powder-coated, rustproof bodies.
- Available in Single Type & Double Type.



Scan the QR code for additional information about the product.



FLAT PACK TUBULAR EXTINGUISHER STANDS [CHROME FINISH]

OVERVIEW:

An aesthetically pleasing design that epitomises functionality, these Fire Extinguisher Stands in Chrome finish are an ideal choice for most spaces. The stands come with a CO2 fixing bracket and a J-bracket for easy and steady installation along with a provision to attach a sign clip for extinguisher identification.

FEATURES:

- High quality tubular frame in chrome finish.
- Tubing diameter of 25mm.
- Black plastic base to protect the stand.
- Comes in a box packaging for ease of transit and storage.
- Easy to assemble.
- Available in Single, Double, and Triple extinguisher stand variants.



QUICK SPECS:

Single Extinguisher Stand	H735 x L325 x B300 mm weight - 2.8 kg
Double Extinguisher Stand	H737 x L560 x B300 mm weight - 4.9 kg
Triple Extinguisher Stand	H737 x L705 x B300 mm weight - 6.44 kg



PROVISION FOR ACCESSORIES

The stands comes with a provision to add a placard and a clip for mounting of signage. For details on the signages available please refer to the Signages section under Accessories.



PACKAGING DIMENSIONS



Product	Dimensions
Single Extinguisher Stand	H70 x L710 x B320 mm
Double Extinguisher Stand	H70 x L715 x B505 mm
Triple Extinguisher Stand	H70 x L715 x B650 mm



Scan code for Tech specs, Application areas and Product video.

SIGNAGES

OVERVIEW:

Did you know that the majority of the fires start in electrical mains, or because of an electrical short circuit? And even those fires that start elsewhere may, eventually result in a failure of electricity, because of damage to the mains and wiring. Which means that in a fire situation, you can be sure that at some point, the entire premises will be plunged into darkness.

Noxious black smoke will fill the air, increasing the risk of asphyxiation for all in the area. A frightening scenario when you consider the fact that asphyxiation and smoke poisoning are the highest causes of casualties in any fire. Darkness and poisonous smoke. A sure recipe for panic and utter chaos.

In such a situation, the single most important need of the hour is to evacuate all those on the premises to the nearest point of safety. As efficiently and quickly as possible. And Ceasefire, quite literally, shows you the way.



FIRE SAFETY SIGNS

Locator signs, fire extinguisher identification signs and more.



In case of a fire, the firefighting equipment on the premises needs to be located and activated quickly.

Ceasefire Fire Safety Signs help guide people to the nearest extinguishers, hosepipes, emergency alarms and so on.

ESCAPE ROUTE SIGNS

Exit signs, fire exit signs and more.



The fact is, you never know where you may be when fire strikes and results in pitch darkness. You could be far from your cabin, in an unfamiliar part of the premises.

Ceasefire's Escape Route Signs ensure that from any point on the premises, occupants will have clear directions to the closest safe exit in case of an emergency.

MARKING STRIPS

Exit signs, fire exit signs and more.




Marking strips are critical in areas that need special navigation in the dark, such as around pillars, corners, low-lying or protruding objects, heavy machines etc.

These floor-mounted strips glow brightly, to guide occupants on a safe, obstruction-free path to the nearest exit.

Dense, black smoke from fires makes visibility harder than one can imagine. As the smoke rises, it can make even fire escape signs difficult to spot at a distance. This can hamper evacuation and firefighting.

These durable, high-grade photoluminescent strips run throughout the premises, leading you to fire escapes, fire extinguisher locators, assembly points and evacuation routes. They complement, and can incorporate the entire range of Ceasefire SEE fire safety and escape route signs.



The Ceasefire design cell helps in This process by surveying the entire location for obstructions, alternative exits and other contingencies, and customising the system for the location. A team of specialised engineers then install the system, without disrupting the normal functioning of the facility. So you don't have downtime or panic. Just a clear path to safety.



In densely populated areas such as schools, factories, hotels, cinemas etc., with cubicles and complex layouts, it is extremely important to have an effective evacuation plan. In case of a fire, this plan could literally be the difference between tragedy and hundreds of lives saved.

fashion. It requires careful planning and assessment by experts, to maximise both safety and efficiency of evacuation in an emergency.

The Design team at Ceasefire puts together meticulous evacuation plans only after carefully inspecting the premises, taking into consideration all the disparate factors that come into play if a fire breaks out.





CODE: CF-001522
Size: 200 X 150 MM



CODE: CF-001523
Size: 300 X 250 MM



CODE: CF-001524
Size: 200 X 150 MM



CODE: CF-001525
Size: 300 X 250 MM



CODE: CF-001526
Size: 200 X 150 MM



CODE: CF-001527
Size: 300 X 250 MM



CODE: CF-001528
Size: 200 X 150 MM




CODE: CF-001529
Size: 300 X 250 MM




CODE: CF-001530
Size: 200 X 150 MM



CODE: CF-001531
Size: 300 X 250 MM



CODE: CF-001532
Size: 200 X 150 MM



CODE: CF-001533
Size: 300 X 250 MM



CODE: CF-001513
Size: 150 X 105 MM



CODE: CF-001514
Size: 150 X 105 MM



CODE: CF-001515
Size: 150 X 105 MM



CODE: CF-001516
Size: 150 X 105 MM



CODE: CF-001517
Size: 150 X 105 MM




CODE: CF-001518
Size: 150 X 105 MM



CODE: CF-001519
Size: 150 X 105 MM



CODE: CF-001520
Size: 150 X 105 MM



CODE: CF-001521
Size: 150 X 105 MM



CODE: CF-001724
Size: 150 X 105 MM





Water



CODE: CF-001513V
Size: 75 X 200 MM



Foam



CODE: CF-001514V
Size: 75 X 200 MM



Carbon Dioxide



CODE: CF-001515V
Size: 75 X 200 MM



ABC Powder



CODE: CF-001516V
Size: 75 X 200 MM



Wet Chemical



CODE: CF-001517V
Size: 75 X 200 MM



Water Mist



CODE: CF-001518V
Size: 75 X 200 MM



Water Spray



CODE: CF-001603V
Size: 75 X 200 MM



Multi Max L-Ion



CODE: CF-001724V
Size: 75 X 200 MM

FLAT PACK TROLLEYS

OVERVIEW:

Ceasefire Trolleys exemplify functionality by adding maneuverability to the stocking point of the fire safety equipment. It enables easy treading of the equipment to the fire source aiding efficient fire fighting. The trolley has a provision to accommodate upto 2 fire buckets.

FEATURES:

- Mild steel tubular body.
- Epoxy polyester powder paint finish in red.
- Nylon wheels with rubber tread for easy and quick deployment.
- Comes in a box packaging for ease of transit and storage.
- Available in Single, Double, and Triple extinguisher trolley variants.



QUICK SPECS:

Single Extinguisher Trolleys	H1100 x L563 x B419 mm weight - 14.31 kg
Double Extinguisher Trolleys	H1100 x L643 x B419 mm weight - 15.65 kg
Triple Extinguisher Trolleys	H1100 x L878 x B419 mm weight - 18.1 kg



PROVISION FOR ACCESSORIES

The trolleys are equipped with provisions to install fire bucket. The universal mounting bracket makes it easy to use for all extinguisher types, makes, and designs.



PACKAGING DIMENSIONS



Product	Dimensions
Trolleys for Extinguisher and a Fire Bucket	Size: L-650 x B-430 x H-150 mm
Trolleys for Double Extinguisher and a Fire Bucket	Size: L-660 x B-480 x H-150 mm
Trolleys for Triple Extinguisher and a Two Fire Buckets	Size: L-720 x B-675 x H-150 mm



Scan the QR code for additional information about the product.

FLAT PACK FIRE EXTINGUISHER STAND

OVERVIEW:

Ceasefire's Contractor Stand is a multi-utility fire safety station that stores fire extinguishers, safety signs, evacuation plan, medical kit and an evacuator as per the individual needs of the premises.

This being a comprehensive unit carries ample ammunition to provide first line of defence against fire. The stand comes with wheels that make it maneuverable, easy to cart around and can be taken to the point of fire with much ease.

FEATURES:

- Stand body is built using a round tube made of mild steel.
- Outer body is epoxy polyester powder coated in red .
- The base has plastic wheels with nylon tyres that aids easy mobility.
- Comes in a box packaging for ease of transit and storage.
- The Ceasefire Contractor Stand can accommodate 3 extinguishers, safety signs, optional evacuator, and a fire plan.



Scan the QR code for additional information about the product.

SUPPRESSION SYSTEMS

IN THIS SECTION



In-Panel Tube Based
Suppression System



Total Flooding System



Inert Gas Suppression
System



Server Quick Response
System



A FULL-SPECTRUM OF SUPPRESSION SYSTEMS

Ceasefire today offers an extensive range of fire suppression systems to suit the needs of every kind of premises. The range comprises of solutions ranging from Room Suppression Systems like Inert Gas & CO2 based Suppression System and Retrofittable

Ceiling Mounted Suppression System, to Cabinet Fire Systems like the In-panel Tube based Fire Suppression Systems and Ceasefire Mini - Micro Environment Fire Suppression to fire-proof small spaces that are vulnerable to catching fire.



Widest Range of Fluoroketone Based [FK] Based Suppression



Ceasefire In-panel Tube Based Suppression



Fluoroketone [FK] Based Total Flooding System

CERTIFICATIONS



Tested by BSI



LPS 1666
Cert/LPCB Ref. 1329K



LPS 1230
Cert/LPCB Ref. 1329e



VDS Approved

Ceasefire's In-Panel Tube-Based Fire Suppression System

Ceasefire's Clean Agent & Inert Gas Based Fire Suppression System

Ceasefire In-Panel Tube Based Suppression System (CQRS)

Fights Fire That You Can't Even See



Direct Systems



In-Direct Systems



IN-PANEL TUBE BASED SUPPRESSION SYSTEM (CQRS)

OVERVIEW:

How do you detect a fire you cannot even see? Even if detected, how do you effectively fight it in an area that is difficult to access? Ceasefire's In-Panel Tube-based Fire Suppression System (CQRS) is an advanced fire fighting solution which combines ground-breaking technology with functional simplicity to keep what's precious, safe.

FEATURES:

- Fights Class A, B, C and Electrically started fires.
- Self-actuated.
- Environment-friendly.
- Available in two variants: High Pressure (CO₂ Based) & Low Pressure (Powder, Foam and Clean Agent Based) systems.
- Superior extinguishing agents - Fluoroketone (FK), MAP 90 Powder, Foam, HFC227ea, HFC236fa & CO₂.
- No clean-up required after discharge.
- 24-hour protection.






DIRECT VARIANT :

Agents	Sizes
Fluoroketone (Low Pressure)	1 kg, 2 kg, 3 kg, 4 kg, 6 kg & 9 kg
MAP 90 Powder (Low Pressure)	1 kg, 2 kg & 4 kg
FFF (Low Pressure)	1 Ltr., 3 Ltr. & 6 Ltr.
HFC227ea (Low Pressure)	2 kg, 4 kg, 6 kg & 9 kg
HFC236fa (Low Pressure)	2 kg, 4 kg, 6 kg & 9 kg
CO ₂ (High Pressure)	2 kg & 5 kg

IN-DIRECT VARIANT :

Agents	Sizes
Fluoroketone (Low Pressure)	2 kg, 4 kg, 6 kg & 9 kg
MAP 90 Powder (Low Pressure)	2 kg, 4 kg, 6 kg & 9 kg
FFF (Low Pressure)	2 Ltr., 3 Ltr., 6 Ltr. & 9 Ltr.
HFC227ea (Low Pressure)	2 kg, 4 kg, 6 kg & 9 kg
HFC236fa (Low Pressure)	2 kg, 4 kg, 6 kg & 9 kg
CO ₂ (High Pressure)	2 kg, 5 kg & 20 kg

The Complete System:




The heat-sensitive polymer tube is connected to an extinguishing agent container via a pressure release valve. When a fire breaks out, it results in a drastic increase in temperature. When it reaches 180° - 200°C, the heat-sensitive tube bursts and activates the valve which in turn

releases the extinguishing agent through the direct or indirect line. The extinguishing agent is sprayed out of the container, flooding the microenvironment and instantly extinguishing the flame.


Types of Systems:

DIRECT SYSTEM



Here, the heat-sensitive tubing acts as an extinguishing agent delivery system. The tube bursts at the point where the fire is detected, forms a miniature nozzle and sprays the extinguishing agent. Ideal for places where fires can break out in localised areas. This is available in low-pressure and high-pressure systems.

INDIRECT SYSTEM



In the Indirect system, the heat-sensitive tubing only acts as a detection device. The extinguishing agent is delivered through a steel conduit and sprayed across the entire area through strategically placed nozzles. Ideal for areas where there is a chance of fires igniting at multiple points. This is available in low-pressure and high-pressure systems.



Scan the QR code for additional information about the product.

CLEAN AGENT BASED TOTAL FLOODING SYSTEM

OVERVIEW:

Areas such as offices, server rooms and data centres where heavy-duty electronics, computers, etc., are stored are prone to fire. Unfortunately, most of the time, while putting out the fire, suppression systems end up damaging the very things they're meant to protect.

The Clean Agent Based Flooding System is the fastest fire protection available. The detectors sense a rise in temperature above normal, particles of smoke, or a change in air quality, and alert the Control Panel. This, in turn, activates the system and triggers the clean agent gas. A hooter goes off, warning personnel to clear the area while the agent is dispersed.




FEATURES:

- Fights Class A, B, C, F and fires involving electrically charged devices.
- Electronics and environment-friendly.
- Superior extinguishing agent - HFC-227ea & Fluoroketone (FK).
- No clean-up required after discharge.
- Can be triggered manually or automatically.
- 24-hour protection.



LPS 1230
Cert/LPCB Ref. 1329e

THE COMPLETE SYSTEM:



COMPONENTS:

The Clean Agent based Flooding System is designed to conform to IES 15519, the National Fire Protection Association (NFPA) 2001 and ISO/PF 20885 standards.

The system comprises various components that come together to create an unbeatable suppression system.



Agent Tank



Valves and Actuation Line



Nozzles



Pipes and Fittings



Detection Devices



Control Panel



Scan the QR code for additional information about the product.

INERT GAS SUPPRESSION SYSTEM

OVERVIEW:

Ceasefire Inert Gas System uses inert gas or natural gases to extinguish fire. Often used as a blend of gases, these gaseous mixtures leave no residue behind and are designed to protect enclosures where there is a need for quick reaction to extinguishing a fire.

Once activated, the system dumps inert gases in the fire zone, bringing down the oxygen concentration in the fire zone below the fire threshold point. While the oxygen level is lowered, the system does not eliminate oxygen from the space altogether, leaving enough oxygen to support life but not fire!

FEATURES:

- Fights Class A, B, C fires and Electrically started fires.
- Inert gas is among the most environment friendly gases.
- Safe on electronic equipments.
- Self Actuating.
- High-value Risk Protection.
- Speedy Deployment and Minimal Downtime.
- Multiple Triggers.
- 24-hour protection.



Approved by



What gases are used?

CF1: CO₂ [100%] | CF100: Nitrogen [100%]

CF541: A blend of Nitrogen[50%] + Argon[40%] + CO₂[10%]

CF01: Argon [100%] | CF55: A mix of Argon[50%] + Nitrogen[50%]

Components:



Agent Tank



Valves and Actuators



Discharge Nozzles



Pressure gauge



Extinguishing Panel

Scan code for Tech specs, Application areas and Product video.



SERVER QUICK RESPONSE SYSTEM (SQRS)

OVERVIEW:

A blaze in a server room or a data centre could lead to loss of vital information, reputation, and significant expenses in replacing damaged servers, downtime, and sometimes, a full shutdown.


SQRS is powered by HFC227ea – the cleanest extinguishing agent known to man. This fully automated, independent suppression system is perfect for an individual server. It is designed to slot into your existing server racks and quell a fire within seconds of detection.

FEATURES:

- Fights Class A, B, C, & Electrically Started Fires.
- Electronics and environment-friendly.
- Uses superior extinguishing agent - HFC227ea.
- Residue-free, therefore no collateral damage.
- 24-hour protection.
- High-value risk protection.
- Self-activating with multiple triggers.



The Complete System:



Scan code for Tech specs, Application areas and Product video.



LANCEPRO

OVERVIEW:

Often, when a fire breaks out in any large premises, the first line of responders are the ones at maximum risk. Firefighters need a firefighting system on their side. One that fights its way into sealed off spaces, battles the flames, controls collateral damage and keeps the firefighter at a safe distance.


The Ceasefire Lancepro is powered by Watermist technology. The firefighter makes an opening in the wall with the system kit's rotary hammer, inserts the Lancepro gun and uses the power of Watermist to extinguish the fire.

FEATURES:


- Fights Class A, B, C, F and Electrically started fires.
- Ensures safety of the firefighter with remote access.
- Watermist ensures no collateral damage.
- Two drill bits for use on metal or concrete surfaces.
- Environment-friendly.
- Ideal for rapid reaction.



The Complete System:



Lancepro Kit



Lancepro Gun



Hammer Drill Machine



Scan the QR code for additional information about the product.

MORPH

OVERVIEW:

Designed to help firefighters take on the largest fires, the Morph is a range of advanced nozzle guns that convert water from fire trucks and hydrants into Watermist, thus increasing its firefighting power manifold.

The Morph Range:

The Converter


This nozzle is ideal for grass fires and bush fires as it dispenses Watermist with a wide throw.

The Transformer

This nozzle is ideal for use by firefighters on light, fast response fire trucks to extinguish Class A, B, C and F fires, as well as Electrically started fires. It can also be used on storage tanks to convert them into Watermist hydrant systems.

The Morpheus

This nozzle is the real deal. It expels Watermist with the most pressure, the most throw and the most reach. It is designed to extinguish Class A, B, C, F as well as Electrically started fires.



Scan code for Tech specs, Application areas and Product video.



Self Contained Watermist Based **Hydrant Systems**



CF 2000 - HYDRANT SYSTEM

OVERVIEW:

Powered by the revolutionary Watermist technology, CF 2000 increases the firefighting and cooling properties of water, manifold.

It's highly dependable and a standalone firefighter. It has a clear advantage of longevity over other hydrants which might run dry and extinguishers which may exhaust before putting out all the flames.

The CF 2000 practically guarantees an unlimited water supply. It can easily be connected to an existing water pipe/hydrant and pressure line – effectively making hundreds of liters of water & air readily available for fighting the flames. It also features an AFFF Foam additive option for increased extinguishing power.

FEATURES:

- Fights all classes of fires.
- Safe for humans & environment.
- Causes minimal collateral damage.
- Effective use of water.
- Thermal shockproof.
- Powered by Watermist and Foam.



Scan code for Tech specs, Application areas and Product video.



CF 3000 - HYDRANT SYSTEM

OVERVIEW:

When a fire breaks out, external factors such as traffic and construction could prevent fire tenders from making it in time. To beat a fire, you need two important things on your side: quick response time and powerful firefighting equipment that's easily accessible and on the premises.

Ceasefire's CF 3000 is suitable for places with no ready supply of compressed air and water. It features an inbuilt pressure container, water storage and a foam supply unit. Pull out the long hose, activate the device and instantly be armed with CF 3000's immense fire fighting power.

FEATURES:


- Fights all classes of fires.
- Standalone firefighting device.
- Thermal shock proof.
- Powered by Watermist and Foam.
- No power supply required.
- Effective use of water.



Scan the QR code for additional information about the product.

KITCHEN SUPPRESSION SYSTEMS

IN THIS SECTION



UL Listed ULtraX
Commercial Kitchen
Fire Suppression System



LPCB Certified Commercial
Kitchen Fire Suppression
Systems



BSI Tested Residential
Kitchen Fire Suppression
Systems



A FULL-SPECTRUM OF KITCHEN SYSTEMS

Ceasefire today offers an integrated range of kitchen fire suppression systems and fire extinguishers to suit the needs of every kind of a kitchen, be it a commercial

or residential. The range includes Watermist & Wet Chemical Engineered Systems & a host of hand-held extinguishers.



Certified by the world's best agencies

Ceasefire's Commercial kitchen systems are fully certified by LPCB to LPS 1223 standard and the Residential systems are tested by BSI for performance & safety.



EN 17446

Ceasefire's ULtraX Kitchen Fire
Suppression Range, Including Both Watermist &
Based Systems



LPS 1223
Cert/LPCB Ref. 1329a

Ceasefire's Kitchen Fire Suppression
Range, Including Both Watermist &
Wet Chemical Based Systems

bsi.

Tested by BSI

Ceasefire Residential Kitchen
Fire Suppression System

EN 16282-7 COMPLIANT

EN 16282-7 is a European Standard that lays forth the technical safety, ergonomic, and hygienic standards for the design, manufacture, and use of kitchen ventilation hoods. The ventilation systems in commercial kitchens, related spaces, and other facilities processing meals meant for commercial use must comply with this European Standard. Kitchens and associated areas are special rooms in which meals are prepared, where tableware and equipment is washed, cleaned, food is stored and food waste areas. A process for verification

of each requirement is also well-defined.

By establishing uniform rules for performance testing, servicing & maintenance, and danger classifications such as fire, the new technical standard assists in bringing uniformity in regulations across the industry. The standard helps to better protect people, property, and businesses by bringing the restaurant industry closer to more effective commercial kitchen fire prevention.



Performance tests by top-notch global quality agencies with world-class testing procedures

Ceasefire Commercial Kitchen Suppression Systems have been rigorously tested by world's best quality agencies on highest performance and safety standards. As a result of which, the systems have received LPCB certification with LPS1223 standard certification for both, Ceasefire's Watermist and Wet Chemical based commercial kitchen systems. These tests are conducted following the most stringent testing methods where these systems are tested on a wide variety of kitchen appliances, hoods and ducts. The tests take into consideration not just the fire extinguishing part of our systems but also the part of detection equally. What is more is that these tests are carried out after fixed interval post activation of detectors, mimicking real life situations.

01



02




Installation by trained & certified service technicians

At Ceasefire, every Kitchen Suppression System is installed by a Ceasefire Trained Engineer / Technician. Each such engineer or technician is provided with a Ceasefire ID card with a unique id number, the records of which are hosted on a Ceasefire portal. This acts as a formal identity tool that helps in authentication of the identity of these personnel, whenever needed.

Takes into account all fire scenarios that all kitchen appliances pose

Most grease-producing appliance types and extraction duct work are tested by Ceasefire kitchen fire suppression systems. These systems are also tested for fryers with defined fire load (oil capacity) and surface area. Ceasefire kitchen fire suppression systems can protect any type of kitchen appliance, that may be utilizing any fuel type, within the defined limitations. To accommodate all sorts of kitchen appliances, hoods, and ducts, Ceasefire conducts rigorous tests as defined by LPS 1223, which also include testing the detection system in addition to the extinguishment [dousing]. Following the activation of detectors that stimulate real-world conditions, a test is conducted after a predetermined interval.



03

04




All appliances present under the kitchen hood are protected uniformly

Ceasefire Kitchen Fire Suppression systems are tested to ensure that all appliances that are listed as hazard and are present under the kitchen hood are protected from fire equally.

Clear labels displaying compliance with the standard

The Ceasefire Kitchen Fire Suppression systems wear standard certification labels and DOs and DONTs stickers, making it simple for anyone to use the system and visually identify compliance to EN 16282-7 standard.



05

06




Adherence to all applicable national rules and regulations

Every Ceasefire metallic component complies with EN 10088-1 and is made of SS 304 or 316. The extinguishing agent itself functions as a cleaner and degreaser. The extinguishing agent for Ceasefire is environmentally benign and biodegradable.

Additional crucial factors

Ceasefire Kitchen Suppression Systems come with a highly reliable detection module that is ideally suited for the food services sector. Every system site is provided with a Log book and product manual enabling ease of use and maintenance of the systems. Ceasefire systems can accommodate more than one manual release at different escape routes. A highly advanced response panel takes the intelligence quotient of our systems to the next level including integration with third party devices.



07

WHAT MAKES CEASEFIRE'S ULtraX CLASS APART?

1. Choice of Detection


A. Electrically Triggered

- Linear Heat Sensing (LHS) Cable

Intelligent LHS-based detection activates the system automatically when the temperature reaches a predefined level in case of a fire episode in a cooking appliance.

- Probe Detector

The system can also be configured with the Probe Detector driven detection module, which creates a switching effect and automatically activates at a predefined temperature.




B. Mechanically Activated Fusible Links

Activated by heat, the two halves of the fusible link separate, triggering the system to discharge the agent onto the appliance that has caught fire.

C. Hybrid System

The hybrid system uses a mechanical fusible-link based detection and the activation is part mechanical and part electrical. The system can trigger up to four mechanically activated agent containers and up to six electrically triggered containers, simultaneously.



2. Only Two Nozzle Types

The Ceasefire's ULtraX Series Kitchen Suppression System uses only two nozzle types for all system configurations and applications, making the system design simpler and error-proof.

- a. 15 degrees nozzle for the plenum.
- b. 40 degrees nozzle for all types of equipment.




3. Chef-Friendly & Aesthetically Pleasing Design

Ceasefire's UL-listed kitchen suppression systems are designed aesthetically with a universal installation and placement approach, ensuring its adaptability to different kitchen layouts and requirements. The nozzles placed on the front or side of the kitchen hood, with also versatility of height placement, enhance the chef's convenience and operational efficiency.

4. Powerful & Earth-Friendly Extinguishing Agent

The system uses a potent 10% concentrated wetting agent capable of rapidly extinguishing various types of kitchen fires within seconds. The biodegradability feature of the agent adds to its environmental friendliness. The agent meets the Reach Compliance and does not contain SVHC (Substance of Very High Concern).



5. Continuous / Overlapping Protection

A unique feature of Ceasefire's UL listed Kitchen Suppression Systems is that they can be designed for Group or Overlapping/ Continuous Protection. Group Protection is required where a cluster of appliances need to be protected as a group. Whereas, the Continuous/ Overlapping Protection is required where the mandate is to protect everything under the length of the hood, uniformly.

6. Easy to Monitor System Readiness

The stored pressure technology of the system with in-built pressure gauge makes it possible for one to know about the readiness of the system by mere observation. Also, the presence of a pressure switch makes it possible to electronically monitor the system through the response panel.




7. Quick Installation

At Ceasefire we use pressurised compression fittings that makes it easier for our installers to install the system with minimal turnaround time. This also aids in the maintenance of the system by easing the process of installing and uninstalling the system components.

8. Continuous Wire Arrangement Based Fusible Links

The mechanically driven systems have an option to use Ceasefire's unique continuous wire arrangement based Fusible Links that makes installation and maintenance easy.




9. Fully Compliant to EN 16282-7

The compliance to EN 16282-7 ensures that your kitchen suppression system is installed and maintained adhering to world class quality standards.

10. Protects Wide Range Of Equipment & Appliances

Tested for performance and safety on a wide variety of cooking equipment and appliances.



11. Capable Of Protecting Small To Big Kitchen Hoods

The Ceasefire's ULtraX Series Kitchen Suppression Systems can protect the smallest kitchen hood length of 800 mm with a minimum of 3 nozzles configuration to a maximum of 7m kitchen hood length with 18 nozzles configuration, with a single container system, providing full protection.

12. Multiple Agent Cylinder Options

The system features different agent cylinders options- Ivory and Bare Stainless Steel finish, providing flexibility for different site requirements, enhanced corrosion resistance, and suitability for both exposed and concealed installations.



EN 17446

13. Multi-Certified Global Approvals

The system is one of the rare combinations of global approvals including- UL 300, adherence to NFPA 96 /17A, and approved under LPS 1223 standard by LPCB. Not only this, the system also meets EN 17446 requirements for commercial kitchen fire suppression systems.

UL 300, EN 17446 & LPS 1223 CERTIFIED

ULtraX KITCHEN FIRE SUPPRESSION SYSTEM [WET CHEMICAL BASED]

OVERVIEW:

Even the most meticulously maintained and efficiently operated commercial and industrial kitchens can experience unexpected mishaps. Ceasefire's ULtraX Series Commercial Kitchen Suppression System is a state-of-the-art, meticulously designed, and automated solution that ensures comprehensive 24x7 protection for commercial kitchens.

The system is UL Listed, designed to meet the requirements of the Underwriters Laboratory and NFPA 17A/ 96. The system comes with two types of detection module options to suit every kind of kitchen application - Electrically Triggered and Mechanically Activated Fusible Links, triggering the system to discharge the agent onto the appliance that has caught fire.



EN 17446

FEATURES:

- Works on Class A, B, and F (cooking oil) fires.
- Choice of 3 detection and activation modules.
- Only two nozzle types for all system configurations and applications.
- 100% biodegradable agent derived from vegetal extracts.
- Protects an extensive range of cooking appliances and different fuel types.
- Supported by trained Design & Support cell.

SYSTEM VARIANTS:

Cylinder Size	Agent Capacity	Nozzles
14 ltr	9 ltr	3
18 ltr	12 ltr	4
22 ltr	16.5 ltr	5-7
27 ltr	20 ltr	6-10
32 ltr	24 ltr	8-12
44 ltr	30 ltr	10-14
64 ltr	45 ltr	15-18




Scan the QR code for additional information about the product.

WHAT MAKES CEASEFIRE LPCB KITCHEN SYSTEMS THE BEST IN THE WORLD?

Customized Design For Every Kitchen

Ceasefire's Kitchen Fire Suppression Systems are designed following comprehensive structured design norms. The systems are configured specifically for a given kitchen site, and the installation details are laid out. These comply with the highest international standards.



Next Generation Valve Technology

The System's valves are heavy duty, made of high-grade brass/stainless steel and with an integrated ball valve. This feature ensures against no leakages whatsoever.



Intelligent Response Panel

The Ceasefire Kitchen Fire Suppression Systems come with an option of a state-of-the-art Response Panel that is capable of monitoring upto four cylinder systems. The Response Panel enables the users to monitor the health and functional readiness of the system with mere observation of indicators on the LCD screen. It also allows the users to integrate the system with other third party devices and systems present in the premises.



Highly Advanced Heat Sensing Tube Based Fire Detection

The most prominent feature of the Ceasefire kitchen fire suppression systems is a specially designed, high grade, multilayered, pneumatic polymer tube that runs unobtrusively through out the area at risk. This tube offers robust detection with distinct puncture characteristics to form a perfect discharge port for the extinguishing agent.



Nozzles That Leave No Blind Spots

At Ceasefire, our specially engineered nozzles ensure enhanced throw and their strategic positioning rules out any possibility of a blind spot in the kitchen.



COMMERCIAL KITCHEN SUPPRESSION SYSTEMS - ENVIRO [WATERMIST BASED]

OVERVIEW:

Ceasefire Watermist Kitchen Suppression System comes with an advanced heat detection mechanism. Its Pneumatic Heat Sensing Tube runs through the length of the hood, covering all vulnerable areas. In the event of a fire, this tube bursts at a set temperature point. This bursting of the tube allows the pressurised nitrogen to escape and the pressure to drop in the tube.

This fall of pressure activates the agent container valves, allowing the rotors placed inside the containers to mix air and water in pre-set proportions. The agent is then pushed through the discharge line and expelled from the strategically placed nozzles in the form of watermist, leaving no blind spots.


FEATURES:

- Works on Class A, B and F (cooking oil) fires.
- Automatic detection and actuation.
- Easy and convenient installation.
- An eco-friendly alternative to conventional extinguishing systems.
- Protects kitchen hood lengths upto 10 meters in single type nozzle.
- Supported by trained Design & Support cell.



LPS 1223
Cert/LPCB Ref. 1329a

Components of the System:



Nozzles: Specially designed nozzles that use minimum water and give maximum extinguishing power.

Sizes available: 27 ltr & 56 ltr.

Scan code for Tech specs, Application areas and Product video.



COMMERCIAL KITCHEN SUPPRESSION SYSTEMS - ULTRA [WET CHEMICAL BASED]

OVERVIEW:

Hazardous oil and grease fires in kitchens take place when oil overheats from 350°C – 380°C. They are further enhanced by the accumulation of oil in the filter and the exhaust ducts of the kitchen hood. Kitchen fires are also caused by user error or malfunctioning equipment in electrical deep fat fryers.

The Ceasefire Wet Chemical Kitchen Suppression Systems are a perfect answer to such kitchen fires. The system, equipped with the advanced detection mechanism in the form of the heat sensing tube, is automatic and is capable of detecting fire and suppressing it even when there is no one around. The uniform detection by the heat sensing tube allows the users to freely move the hot and cold area under the kitchen hood at will.


FEATURES:

- Works on Class A, B and F [cooking oil] fires.
- Automatic detection and actuation.
- Protects kitchen hood lengths upto 15 meters in single type nozzle.
- Easy and convenient installation.
- Supported by trained Design & Support cell.



LPS 1223
Cert/LPCB Ref. 1329a

Components of the System:



Nozzles: Specially designed nozzles that use minimum water and give maximum extinguishing power.

Sizes available: 11.5 ltr, 18 ltr, 27 ltr & 44 ltr.



Scan the QR code for additional information about the product.

RESIDENTIAL KITCHEN SUPPRESSION SYSTEMS - ENVIRO [WATERMIST BASED]

OVERVIEW:

Ceasefire residential kitchen firefighting range is a modern system that operates automatically in the event of fire, making kitchen as safe as they can be.

Based on the clean watermist technology, the system does not cause any collateral damage and is safe for the kitchen equipment.

FEATURES:


- Works on Class A, B and F [cooking oil] fires.
- Automatic detection and actuation.
- Camouflages with interiors of the kitchen.
- No collateral damage and minimal downtime.
- An eco-friendly alternative to conventional extinguishing systems.
- Easy and convenient installation that does not interfere with the kitchen hood or the decor.




bsi.
Tested

Variants Available:

[1] 3 Litre, 2 Nozzles Variant
(ideally suited for 600 mm kitchen hoods)



[2] 4.5 Litre, 3 Nozzles Variant
(ideally suited for 900 mm kitchen hoods)



Scan code for Tech specs, Application areas and Product video.



RESIDENTIAL KITCHEN SUPPRESSION SYSTEMS - ULTRA [WET CHEMICAL BASED]

OVERVIEW:

Ceasefire Wet chemical based residential kitchen suppression systems are fully automatic systems that detect fire with the advanced heat sensing tube. Wet chemical being a powerful extinguishing agent against cooking oil fires has a blanketing effect on the flames which cools the super heated oil to below its self-ignition point bringing the fire in control.

The system's unobtrusive design ensures that installing the system does not interfere with the kitchen hood or the decor.

FEATURES:


- Works on Class A, B and F (cooking oil) fires
- Automatic detection and actuation.
- No collateral damage and zero downtime
- An eco-friendly alternative to conventional extinguishing systems.
- Easy and convenient installation that does not interfere with the kitchen hood or the decor.




bsi.
Tested

Variants Available:

[1] 1 Litre, 1 Nozzle Variant



[2] 1 Litre, 2 Nozzles Variant



Scan the QR code for additional information about the product.

WATERMIST SUPPRESSION SYSTEMS

IN THIS SECTION




Generator Auto-Quell
System



Transformer Auto-Quell
System



Swift




Indoor Auto-quell
System




WIDEST RANGE OF WATERMIST BASED SUPPRESSION SYSTEMS

Ceasefire offers a full-spectrum range of Watermist based suppression systems to suit the needs of every kind of premises and applications. These include

highly advanced Indoor Auto-Quell Systems, Specialized Systems for Generators, Transformers and Kitchen protection.




WATERMIST – THE PARADIGM TECHNOLOGY




This pioneering technology breaks water down into a fine mist of less than 100 microns.



This mist is then thrown at the fire with an optimal kinetic force, covering a large surface area.



As soon as the mist comes in contact with the fire, it instantly turns into steam, increasing its volume 1600 times over.



The steam envelops the flames, cutting off the oxygen supply and reducing the temperature to below combustion level. This ensures that even the largest fire succumbs to Watermist technology in seconds.

Evaporation Surface Area & Shielding Surface Area

Various parameters like the force with which water is discharged, the size of water droplet and the nozzle coverage area, make the Watermist system ultra effective on fires. Conventional water-based suppression systems work on the principle of cooling the combustible surface with large droplets of water and hence totally drenching assets.

However, research has shown that the droplet size plays a vital role in killing the fire while protecting assets from collateral damage. When these fine droplets of water enter the fire zone, there is a rapid exchange of heat which cools the fire and converts the droplets into steam.

The smaller the size of the droplet, the larger is the surface area that it can cover for heat absorption and evaporation, thus resulting in lesser consumption of water to suppress the fire.



WATERMIST GENERATION TECHNOLOGY

Watermist can only be generated when water is passed through the nozzles at a very high pressure.

Ceasefire uses three technologies by which water can be converted to be a more potent fire extinguishing agent:


1. Pump-Based System

A large area where higher quantities of Watermist may be required to curb a fire needs a bigger source of water. In such cases, the water is stored in a local tank/reservoir which is connected to a pump and in the event of a fire, the high-powered pump propels water from the reservoir/tank efficiently to the pipes and specially designed nozzles.



2. Rotor-Based System

In cases where suppression systems protect smaller areas, a self-contained pulse mist-based system is used. Water is stored in nitrogen pressurised cylinders connected with detectors, pipes and nozzles. In an event of fire, the pressurised water is pushed through the specialised rotor and a little propellant (Nitrogen) is also released into the water pipe via an air tube to create a bubbled mixture of water and nitrogen which arrives at the nozzle.



3. Large Quantity of Stored Compressed Air

In this system, compressed air is stored separately to be mixed with water only at the time of activation. When the system gets activated, water and compressed air mix together from two different sources to spray Watermist through the specialized nozzle.



DETECTION SENSORS

The detection module of Ceasefire's watermist-based adjustable alarm system can be utilised with a wide range of alarm systems and can be tailored according to specific needs and requirements. It monitors and

detects the fire condition of the protected area, making the system more intelligent (not included in the standard package and to be sourced locally).

■ Conventional Heat Detector

■ Rate of Rise Detector

■ Aspiration Detection System


■ Linear Heat Sensing Cable

■ Fixed Temperature Detector

■ Conventional Smoke Detector

■ Flame Detector

■ Conventional Heat Detector



NOZZLES

OVERVIEW:

The minimal water usage, combined with Ceasefire nozzles generate super fine Watermist droplets, means the mist quickly vaporizes in the fire zone, surrounds the atmosphere and causes no harm to delicate equipments. By adjusting the nozzle variant, water volume and air pressure parameters, we can control the qualities of the mists it generates. Droplets can range in size from 10 microns to 150 microns while mist streams may be limited to several centimetres or extended up to 12 metres. This unique flexibility allows Ceasefire to create optimal mist solutions for a broad range of applications.

All the products at Ceasefire are extensively tested in the world's largest, purpose-built, state-of-art fire test laboratories to guarantee that even the largest scale designs are fully proven in real fire conditions.



Our all-new range of Watermist Nozzles is broadly classified into:

Single Fluid-Based System

Here water and air have a single inlet and outlet. Under this application we have two types of nozzles –

Open Nozzles are those that are pressurised with water till the deluge or solenoid valve.

Closed Nozzles are those that are pressurised with the water up till the nozzle.



Twin Fluid Technology

Here there are two separate inlets and outlets for water and air to form Watermist. Only open nozzles can be utilised in this application.



GENERATOR AUTO-QUELL SYSTEM

OVERVIEW:

Generators produce a lot of heat. They're also powered by fuel, and placed in areas that are difficult to access quickly. By the time a fire is detected and put out, it could be too late.


The Ceasefire Watermist Suppression System is fully equipped to detect and suppress such fires automatically, without any collateral damage. Being Watermist-based, it tackles fires efficiently, and helps reduce the time and money taken to clean up and re-establish damaged property. With non-damaging, non-corrosive technology, it also ensures zero downtime.



FEATURES:

- Works on Class A, B, C and Electrically charged devices.
- Does not require any power supply.
- Smart detection mechanism eliminates the need for human intervention.
- Offers 24x7 protection.
- Flexible tubing accesses difficult areas easily.
- Environment-friendly.
- No collateral damage.
- Economical replacement for traditional sprinkler systems.
- Specially designed nozzles dispense microscopic droplets of water below 70 microns.

The Complete System:



Scan code for Tech specs, Application areas and Product video.




TRANSFORMER AUTO-QUELL SYSTEM

OVERVIEW:

Transformers are vital for any operation to run smoothly. But the oil that fuels them, coupled with high temperatures generated and the presence of electricity, makes the area vulnerable to fires. With transformers often being placed in remote areas or areas that aren't easily accessible, there's always the chance that a fire will not be extinguished in time.

The Ceasefire Watermist-based Suppression System is perfect for such environments as it self-activates, detects and suppresses the fire right when it ignites. Watermist confines the fire in or around the transformer area and extinguishes it before it spreads, thus ensuring zero collateral damage.




Tested by IBS



FEATURES:

- Works on Class A, B, C and Electrically charged devices.
- Does not require any power supply.
- Smart detection mechanism eliminates the need for human intervention.
- Offers 24x7 protection.
- Flexible tubing accesses difficult areas easily.
- Environment-friendly.
- No collateral damage.
- Economical replacement for traditional sprinkler systems.

The Complete System:



Scan the QR code for additional information about the product.

SWIFT

OVERVIEW:

Ceasefire's SWIFT (Self Activated Watermist Instant Flooding Technology) is an automatic watermist based total flooding system that is designed to not only extinguish flames effectively but also reduce the risk of collateral damage to a very large extent.

The agent being fine mist evaporates rapidly when dispersed on fire, bringing down temperature to below combustion levels and extinguish flames quickly.


The system is designed to protect large spaces and are ideally suited for spaces with sensitive equipment and expensive machinery.

FEATURES:

- Works on Class A, B, C, and fires involving Electrically charged devices.
- No damage to human life or property.
- Covers a larger surface.
- Cost effective, eco-friendly alternative to chemical systems.



The Complete System:



Scan code for Tech specs, Application areas and Product video.



INDOOR AUTO-QUELL SYSTEM

OVERVIEW:

The Ceasefire Watermist Auto-Quell System is a revolutionary, all-purpose detection and fire suppressant system solution. A network of detection devices, special watermist nozzles and a connection to a water tank is installed indoors. In the event of a fire, the system kicks into action in seconds.


The specially designed nozzles dispense watermist, onto the fire affected area, quickly putting out the flames as well as bringing the temperature down to non-combustion levels.



FEATURES:

- Works on Class A, B, C and Electrically started fires, and is suitable for a variety of applications.
- Smart detection mechanism eliminates the need for human intervention.
- Offers 24x7 protection.
- Flexible tubing accesses difficult areas easily.
- Environment-friendly.
- No collateral damage.
- Reduced water consumption.
- Economical replacement for traditional sprinkler systems.

The Complete System:



Scan the QR code for additional information about the product.

WINNING TRUST WORLDWIDE

Decades of safeguarding lives and protecting assets worldwide with over **3 million Fire Extinguishers** and over **25000 Specialised Fire Suppression Systems** protecting wide range of spaces like Rooms, Kitchens,

Electrical Panels, Server Racks, Mobile Towers, Machinery and more for our clients ranging from Start Ups to Unicorns and some of the biggest **global corporate giants**.



and Many More...

Ceasefire Industries Private Limited

B1/H1, 2nd Floor, Mohan Cooperative Industrial Estate, Mathura Road,
New Delhi - 110044

Tel: 011-4184 6800 | Call our Free Hotline : 1800 120 3473 / +91 9540 666 666

Website : www.ceasefire.in



Scan the QR code
to visit our website

Follow us on:



Regular R&D and product improvisations may lead to change in product specifications in this catalogue, without any prior notice.